TREASURY DEPARTMENT

UNITED STATES COAST GUARD

LIGHT LIST

INTRACOASTAL WATERWAY

OF THE

UNITED STATES

CG 135

COLLISION OF VESSELS WITH AIDS TO NAVIGATION: According to law a person in charge of a vessel colliding with any aid to navigation must report the collision promptly to the nearest office of a Merchant Marine Inspector of the United States Coast Guard.

1947

LIMITS OF LIGHT LISTS PUBLISHED BY

U. S. COAST GUARD

THE HEAVY LINES INDICATE LIMITS EMBRACED BY LIGHT LISTS.
INTRACOASTAL WATERWAY SHOWN BY DOTTED LINE.



NOTE: AN ADDITIONAL LIST FOR MISSISSIPPI RIVER SYSTEM; LIMITS NOT SHOWN ON ABOVE DIAGRAM.

TREASURY DEPARTMENT

UNITED STATES COAST GUARD

ATLANTIC COAST OF THE UNITED STATES

LIGHT LIST
INTRACOASTAL WATERWAY

HAMPTON ROADS TO THE RIO GRANDE
INCLUDING INSIDE WATERS

Fifth, Seventh and Eighth
Coast Guard Districts

CORRECTED TO JUNE 1, 1947

CG—135

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1947

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.
Price 75 cents (Paper cover)

LIGHT LIST, INTRACOASTAL WATERWAY

INTRODUCTION AND EXPLANATION

This List, published annually, describes all aids to navigation maintained by or under authority of the United States Coast Guard on the Intracoastal Waterway and inside waters on the Atlantic and Gulf coasts of the United States, from Norfolk, Va., to the Rio Grande.

NOTE.—Aids to navigation in these waters used by oceangoing traffic are also included in the light list of the Atlantic and Gulf Coasts.

Other light lists published annually by the United States Coast Guard are as follows:

Light List, Atlantic and Gulf Coasts, describing aids to navigation in United States waters from St. Croix River, Maine, to the Rio Grande, including the United States West Indian Islands.

Light List, Pacific Coast, describing aids to navigation in United States waters on the Pacific coast and on the coasts of Alaska and the Hawaiian and outlying Pacific islands. For the convenience of mariners there are also included the lighted aids on the coast of British Columbia maintained by the Canadian Government.

Light List, Great Lakes, describing aids to navigation maintained by the United States Coast Guard and the lighted aids maintained by the Dominion of Canada on the Great Lakes and the St. Lawrence River above St. Regis River.

Light List, Mississippi and Ohio Rivers, describing aids to navigation on the Mississippi and Ohio Rivers and navigable tributaries.

The above mentioned Light Lists are for sale by the Superintendent of Documents, Washington, D. C., and by sales agencies as published periodically in the Notice to Mariners.

Light lists are not intended for use in navigation in place of charts and coast pilots, and should not be so used; the charts should be consulted for the location of all aids to navigation.

Arrangement of List.—The aids are arranged in geographic order from north to south on the Atlantic coast and south to north and east to west on the Gulf coast.

Names of aids are printed as follows:

PRIMARY SEACOAST LIGHTS.
LIGHTS ON FIXED STRUCTURES.
Unlighted Fixed Aids.
LIGHTED BUOYS.
Other Floating Aids.

Correction of Light List.—This List is corrected to June 1, 1947. The mariner is cautioned that the latest list must be used. It is not practicable for the Coast Guard to correct individual copies, but "Notice to Mariners" is published weekly and local Notices to Mariners are promptly issued by the Commanders of the Coast Guard districts as the necessity for them arises, announcing all changes in aids to navigation. The navigator should keep his List, as well as his charts, corrected from these Notices, and should consult all Notices issued subsequent to June 1, 1947.

When its importance warrants, information concerning changes in aids to navigation is broadcast by the Coast Guard, through Coast Guard or naval radio stations and other means.

Mariners are requested to bring to the immediate attention of the Commandant, United States Coast Guard, Washington, D. C., any apparent errors or omissions in this list.

The Notice to Mariners will be mailed weekly, free of charge, to any mariner who will apply to the Commandant, United States Coast Guard, Washington, 25, D. C.

Charts, Coast Pilots, Tide Tables, and Current Tables of the coasts covered by this list are published by the Department of Commerce and are for sale by the United States Coast and Geodetic Survey and by sales agencies.

Reporting of defects in aids to navigation.—Mariners are particularly requested to notify immediately the Commander of the nearest Coast Guard District of any defect observed in an aid to navigation. Messages should be prefixed COASTGUARD and transmitted direct to one of the Government shore radio stations listed under Communications in the Hydrographic Bulletin or under section 407, Radio Aids to Navigation (HO-205), for relay to the Commander of the nearest Coast Guard District. If the radio call sign of the nearest Government shore radio station is not known, radiotelegraph communication may be established by the use of the general call NCG on the frequency of 500 kilocycles.

Merchant ships may send messages relating to defects noted in aids to navigation through commercial facilities only when they are unable to contact a Government shore radio station. Charges for these messages will be paid by the United States Coast Guard.

Such cooperation will assist materially in the prompt correction of defects, and in the effective maintenance of aids to navigation.

Addresses of district commanders and waters of jurisdiction.—

Fifth Coast Guard District—Maryland, Virginia, North Carolina, and the Chesapeake and Delaware Canal. Address: Commander, Fifth Coast Guard District, Box 540, New Post Office Building, Norfolk 1, Va. Phone: Norfolk 22771.

Seventh Coast Guard District—South Carolina, Georgia, and Florida to and including Apalachicola River Entrance Light 4. Address: Commander, Seventh Coast Guard District, Dupont Building, Miami 30, Fla. Phone: 48-2671.

Eighth Coast Guard District—Florida from Apalachicola River Entrance Light 4, Alabama, Mississippi, Louisiana, and Texas. Address: Commander, Eighth Coast Guard District, Customhouse, New Orleans 9, La. Phone: Magnolia 4451.

Recommendations concerning aids to navigation, or their improvement, or reports of aids no longer needed, should be mailed to the address of the appropriate district commander or to the Commandant, United States Coast Guard, Washington, D. C.

Laws for the protection of aids to navigation provide severe penalties.—It is unlawful to show any false light, with intent to bring any vessel into danger or shipwreck, to interfere with any aid to navigation or to anchor any vessel in navigable waters of the United States so as to obstruct range lights, or to establish or maintain in the navigable waters of the United States any aid to navigation similar to those maintained by the United States Coast Guard without first obtaining permission from the Commandant, United States Coast Guard.

Collisions of vessels with aids to navigation.—Section 136.103 of Title 46 of the Code of Federal Regulations, which section was promulgated under authority of USC, Title 33, Sec. 361, requires the prompt submission of notice of any marine casualty or accident, including damage or destruction of aids to navigation. Such notices shall be given promptly to the nearest local or district office of the U. S. Coast Guard or to Coast Guard Headquarters, Washington 25, D. C. A penalty, in the nature of a fine of $100, is provided for failure to report such casualty or accident as required.

Bearings are in degrees true, reading clockwise from 0° at N.; bearings relating to visibility of lights are as observed from a vessel.

Heights are referred to mean high water. **Depths** are referred to mean low water. **Distances** are in nautical miles unless otherwise stated.

Unwatched lights.—"U" after the name of a light indicates that the light is unwatched. All lighted buoys are unwatched. Unwatched lights may become irregular or extinguished, although such apparatus has a high degree of reliability.

Reliance must not be placed on floating aids maintaining their exact positions; in cases of uncertainty it is safer to navigate by bearings or angles to fixed objects on shore, and by the use of soundings.

Watched lights.—All watched lights are displayed from sunset until sunrise and due to locations where twilight is prolonged with low visibility may be displayed for a short period before sunset and after sunrise.

Character of lights.—To avoid confusion, lights are given distinct characteristics; these are indicated by abbreviations, as follows:

Characteristic	Phases
F. = Fixed	A continuous steady light.
Fl. = Flashing	Showing a single flash at regular intervals, the duration of light being always less than that of darkness.
F. Fl. = Fixed and flashing	A fixed light varied at regular intervals by 1 or more flashes of greater brilliance, or different color, or both. A flash is preceded and followed by a diminution of light or an eclipse.
Gp. Fl. = Group flashing	Showing at regular intervals groups of flashes.
Qk. Fl. = Quick flashing	Shows not less than 60 short flashes per minute.
I. Qk. Fl. = Interrupted, quick flashing.	Shows quick flashes for about 4 seconds, followed by a dark period of about 4 seconds, this characteristic repeated about 8 times per minute.
S-L Fl. = Short-long, flashing	Shows a short flash of about 0.4 second, and a long flash of 4 times that duration, this combination recurring about 6 to 8 times a minute.
Occ. = Occulting	A steady light totally eclipsed at intervals.
Gp. Occ. = Group occulting	A steady light totally eclipsed by a group of 2 or more eclipses.

Lights are referred to as flashing when the light period is shorter than the dark period, and as occulting when the light period is equal to or longer than the dark period.

Period of a flashing or occulting light is the time required to go through the full set of changes.

Miles seen.—The table following gives the approximate geographic range of visibility for an object which may be seen by an observer whose eye is at water level; in practice, therefore, it is necessary to add to these a distance of visibility corresponding to the height of the observer's eye above water level. These distances may at times be increased by abnormal atmospheric refraction, and, of course, may be greatly lessened by unfavorable weather conditions, due to fog, rain, haze, or smoke.

Distances of visibility for objects of various elevations above water level

Height, feet	Distance		Height, feet	Distance	
	Nautical miles	Statute miles		Nautical miles	Statute miles
5	2.5	2.9	55	8.5	9.8
10	3.6	4.2	60	8.9	10.2
15	4.4	5.1	65	9.2	10.6
20	5.1	5.9	70	9.6	11.0
25	5.7	6.6	75	9.9	11.4
30	6.3	7.2	80	10.3	11.8
35	6.8	7.8	85	10.6	12.2
40	7.2	8.3	90	10.9	12.5
45	7.7	8.9	95	11.2	12.9
50	8.1	9.3	100	11.5	13.2

Candlepowers of lights are approximate. From the stated candlepowers the mariner may judge of the relative brilliancy and power of the various lights.

When a light is cut off by adjoining land, and the arc of visibility is given, the bearing on which the light disappears may vary with the distance of the vessel from which observed.

CHARACTERISTIC MARKING OF INTRACOASTAL WATERWAY AIDS

Intracoastal Waterway aids to navigation have characteristic yellow markings which distinguish them from aids to navigation on other waters, enabling the navigator to easily identify them as such.

Buoys have a yellow band at the top. Daymarks have a yellow border.

Single piles have a yellow band at the top. Below this band there is a pointer and band, red or black, according to the side of the channel on which it is located. The lower part of the pile is either white or aluminum colored. Where the pile

carries a daymark, the daymark is either a black square with yellow border or a red triangle with yellow border depending upon whether the pile is on the port hand or the starboard hand, as the navigator proceeds southerly along the east coast or westerly along the Gulf coast channels of the Intracoastal Waterway. Single-pile range daybeacons have a red or black diamond daymark with yellow border for the front daybeacon and a red or black circular daymark with yellow border for the rear daybeacon, red if even numbered, and black if odd numbered.

A large number of unlighted daybeacons and buoys carry reflectors to facilitate picking them up at night by means of a searchlight.

Light structures consist of a lantern on a skeleton tower with a small house at the base, on one or more piles, or a lantern on a small house on piles. Each structure carries a daymark which is a black square with yellow border for port hand structures, or a red triangle with yellow border for starboard hand structures. The substructure, if painted, is either white or aluminum.

When the Intracoastal Waterway route coincides with another waterway, such as a river, wherein the aids are marked from sea to the head of navigation, special markings are used, consisting of yellow triangles or yellow squares painted on a conspicuous part of the dual-purpose aids. The yellow triangle when placed on any aid indicates that the aid must be left on the starboard hand and the yellow square when placed on any aid indicates that the aid must be left on the port hand, REGARDLESS OF COLOR OR NUMBER, when traversing the Intracoastal Waterway route from north to south along the Atlantic coast and from east to west along the Gulf coast.

This distinctive system of coloring and numbering adopted for aids in the Intracoastal Waterway is being extended as rapidly as practicable with a view to having all aids therein conform to the adopted uniform system as soon as the changes can be made. All new aids established conform to this adopted system and a greater portion of the aids in the Intracoastal Waterway have now been brought into conformity.

FOG SIGNALS

The various types of fog signals differ in tone, and this facilitates the recognition of the respective stations; the type of fog-signal apparatus is stated for each station.

Experience teaches:

> That distances must not be judged only by the power of the sound.
>
> That occasionally there may be areas close to a fog signal in which it is not heard, and that the mariner must not assume that a signal is not sounding because he does not hear it.
>
> That a fog may exist not far from a station and yet not be seen from it, so that the signal may not be in operation.

Bells at light stations are operated by clockwork, unless otherwise stated.

Effort is made in all cases to start fog signals as soon as possible after fog has been observed, but there may be some delay depending on the type of equipment in use.

Whistles, gongs, or bells on buoys are operated by the action of the sea unless otherwise stated; therefore, they sound irregularly, and in calm weather they are less effective or may not sound.

CHARACTERISTICS OF AIDS TO NAVIGATION IN COASTAL WATERS

BUOYS

Significance of Shapes, Coloring, Numbering, Light Characteristics, Etc.

Shapes.—(*a*) Lighted buoys are not at present uniformly differentiated as to shape, with respect to the side of the channel; they have bodies which contain the batteries or gas tanks, and are usually surmounted by skeleton superstructures with lanterns; combination buoys have both light and bell, light and gong, light and whistle, or light and trumpet.

(*b*) Unlighted buoys. Entering from seaward, spar or conical nun buoys are placed on the right or starboard side of the channel. Spar or cylindrical can buoys are placed on the left or port side.

In general, obstruction and fairway or mid-channel buoys have no distinctive shape. When it is desired to indicate which of two channels is preferable in the case of buoys marking obstructions, middle grounds, or junctions of channels, a can buoy is used when the more important or preferable channel is to the right as approached from seaward, and a nun buoy when the preferable channel is to the left. These buoys may be left on either side with due caution as to the position



FIGURE 7-1. Intracoastal Waterway aids.

Digitized by the Internet Archive
in 2011 with funding from
LYRASIS members and Sloan Foundation

http://www.archive.org/details/lightlistintraco1947unse

of the buoy with relation to the obstruction as shown on the chart. Mid-channel or fairway buoys placed in good water and designed to be passed close to on either side may be any shape.

Colors.—Buoys are painted black where used to mark the port, or left, and red to mark the starboard, or right, side of channels, respectively. Where used to mark middle grounds, junctions, or obstructions which may be passed on either side, buoys are painted with red and black horizontal bands; the top band is red or black accordingly as the preferred or more important channel is to the left or right of the buoy position. Where used to mark obstructions that are to be passed on only one side, buoys are painted black if placed on the port side of the channel or red if placed on the starboard side of the channel. Mid-channel buoys are painted with black and white vertical stripes.

Numbers.—Red buoys bear even numbers and black buoys odd numbers, the numbers for each increasing from seaward. The numbers are kept in approximate sequence on the two sides of channels by omitting numbers as required Numbers are not assigned to horizontally banded or vertical striped (parti-colored) buoys. The latter, in some cases, may be lettered for the purpose of identification.

Arbitrary coloring and numbering.—For the coloring and numbering of buoys along the coasts and along traffic routes not leading from seaward or toward headwaters, assumptions are necessary, the principal of which are the following: Proceeding in a southerly direction along the Atlantic coast and in a northerly and westerly direction along the Gulf coast will be considered as proceeding from seaward and accordingly coastal buoys on the starboard hand are red in color.

Light colors.—Red or white lights are placed on the right, or starboard side, of a channel for the entering vessels, and white or green lights on the left or port side. White lights may be on either side of the channel, but colored lights are only on the sides indicated respectively. Where a distinction is desired between the aids on the same side of the channel, it is as a rule accomplished by variations of characteristics rather than by the use of different colors.

In the case of buoys used to mark obstructions, middle grounds, or junctions of channels, white lights are used except when it is desired to indicate the side on which it should be passed, in which case the light will be green when the preferred channel is to the right as approached from seaward and red when the preferred channel is to the left. Mid-channel buoys show white lights.

Light characteristics—(*a*) **Solid color buoys.**—Lights on red buoys or black buoys, if not fixed, will always be regularly flashing or regularly occulting, the light and dark periods both remaining unchanged. For ordinary purposes the rate of light flashes will be (**slow flashing**) not more than 30 per minute. For purposes where it is desired lights have a distinct cautionary significance, as at sudden constrictions or sharp turns in fairways or channels, the rate of light flashes will be not less than 60 per minute (**quick flashing**).

(*b*) **Parti-colored buoys.**—Lights on buoys painted with **red and black horizontal bands** will always show quick flashes interrupted by a dark interval of about 4 seconds. This characteristic, recurring about eight times per minute, is known as the **interrupted quick flash.**

Lights on buoys painted with **black and white vertical stripes** will always be flashing white, showing a short flash and a long flash. This characteristic, recurring about six to eight times per minute, is known as the **short-long flash.**

Guiding principles.—It will be noted that in the preceding assignment of colors and characteristics, the following simple and easily remembered principles have been followed:

(*a*) Solid-color buoys show regularly recurring flashes of uniform length.

(*b*) Parti-colored buoys show group flashing characteristics.

(*c*) The quick flash is of a distinctly cautionary significance.

(*d*) Lights on wreck-marking buoys will always show cautionary characteristics, quick flashing on red or black buoys, interrupted quick flashing on horizontal banded buoys.

Bell Buoys have a flat-topped float with skeleton superstructure supporting a bell. Gong Buoys have a flat float with skeleton framework supporting a series of three or four gongs of varied tone. Whistle Buoys are usually conical, with whistle at top. Spar Buoys are long, slender buoys of wood or iron.

Anchorage Buoys are painted white.

Quarantine Anchorage Buoys are painted yellow.

Certain Other Special Buoys are in use locally, such as white with green top for dredging buoys, and black and white horizontally banded for fish-net areas in the Fifth Coast Guard District.

Station Buoys, colored the same as the regular aids, are placed alongside of lightships and important buoy stations to mark them in case the regular aid is

carried away. Lightship station buoys bear the letters "LS" above the initials of the station.

Caution regarding buoys.—Buoys are liable to be carried away, shifted, capsized, sunk, etc., lighted buoys may be extinguished, or whistle or bell buoys may not sound, as the result of a storm, the accumulation of ice, running ice, or other natural causes, or collision, or other accidents.

Unlighted daybeacons are constructed and distinguished with special reference to each locality. Daybeacons on the sides of channels are colored to conform to the coloring of buoys.

Reflectors are placed on some buoys and daybeacons to enable the navigator, using a searchlight, to readily locate such aids.

Aids privately maintained.—Aids listed herein as maintained by other than the United States Coast Guard are authorized by the Commandant, United States Coast Guard. They are carried in this List in order that confusion due to features of similarity with aids maintained by the Coast Guard may be avoided.

Abbreviations.—

1 = 1st order.
Rg = range lens.
Rf = reflector.
Hl = hand lantern.
Ll = lens lantern.
Pl = post lantern.
a = acetylene gas, compressed.
cp = candlepower.
e = electric.
m = mantle.
M = Mississippi River type buoy.
mm = millimeter.
o = oil in regular service lamp.
(s) = special buoy.
F = fixed.
Fl = flashing.
F. Fl = fixed and flashing.
Gp. Fl = group flashing.
Qk. Fl = quick flashing.
I. Qk. Fl = interrupted quick flashing.
S-L. Fl = short-long flashing.
Occ = occulting.
Gp. Occ = group occulting.
G = green.
R = red.
W = white.

Examples: (150 mm e) = 150-millimeter lens with electric lamp; (200 mm a) = 200 millimeter lens with acetylene gas.

Name; mark on aid Character of light	Description	Remarks
ELIZABETH RIVER		
Southern Branch Buoy 1	Black, with yellow top; 2d-cl. can (s).	At angle in channel south of railroad bridge. In 24 feet.
Southern Branch Buoy 2	Red, with yellow top; 2d-cl. nun (s).	On west side of channel. In 25 feet.
Southern Branch Buoy 4	Red, with yellow top; 2d-cl. nun (s).	In 24 feet.
Southern Branch Buoy 6	Red, with yellow top; 2d-cl. nun (s).	Marks west side of angle in channel. In 25 feet.
Southern Branch Buoy 8	Red, with yellow top; 2d-cl. nun (s).	In 21 feet.
Southern Branch Buoy 9	Black, with yellow top; 2d-cl. can (s).	At edge of channel. In 21 feet.
Southern Branch Buoy 11	Black, with yellow top; 2d-cl. can (s).	On end of shoal making off point. In 21 feet.
Southern Branch Buoy 12	Red, with yellow top; 2d-cl. nun (s).	At angle in channel. In 28 feet.
Southern Branch Buoy 13	Black, with yellow top; 2d-cl. can (s).	At lower angle in channel. In 21 feet.
Southern Branch Buoy 14	Red, with yellow top; 2d-cl. nun (s).	At angle in channel. In 21 feet.
Southern Branch Buoy 16	Red, with yellow top; 2d-cl. nun (s).	In 21 feet.
Southern Branch Buoy 17	Black, with yellow top; 2d-cl. can (s).	At angle in channel. In 21 feet.
SOUTHERN BRANCH LIGHT 18. U. F. R.	Red triangular daymark with yellow border.	120 cp. 31 feet high. On gable of boat-house. 1918–1944. (200 mm e)
Southern Branch Buoy 19	Black, with yellow top; 2d-cl. can (s).	On end of shoal making off Money Point. In 20 feet.
Southern Branch Buoy 20	Red, with yellow top; 2d-cl. nun (s).	In 20 feet.
Southern Branch Buoy 22	Red, with yellow top; 2d-cl. nun (s).	On end of shoal making off first point north of railroad bridge. In 10 feet.
Southern Branch Buoy 24	Red, with yellow top; 3d-cl. nun (s).	N. & W. R. R. bridge, center of draw, 225 yards, 11½°. In 6 feet.
SOUTHERN BRANCH LIGHT 27. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. South of mouth of Newton Creek. In 10 feet. 1942–1945. (90 mm e)
Southern Branch Buoy 29	Black, with yellow top; 3d-cl. can (s).	In 10 feet.
SOUTHERN BRANCH LIGHT 30. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. In 9 feet. 1942 (90 mm e)
SOUTHERN BRANCH LIGHT 32. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. In 8 feet. 1942 (90 mm e)
SOUTHERN BRANCH LIGHTED BUOY 34. Fl. R., 4 sec.	Red, yellow triangle	Flash 0.4 sec. 15 cp. 6 feet high. In 10 feet. Marks junction of channels at Deep Creek. (150 mm a)
Deep Creek Entrance Buoy 2	Red with yellow top; 3d-cl. nun (s).	In 11 feet.
Deep Creek Buoy 4	Red with yellow top; 3d-cl. nun (s).	At mouth of creek. In 8 feet.
SOUTHERN BRANCH LIGHT 35. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. South of mouth of Deep Creek. In 9 feet. 1942–1943 (90 mm e)
Southern Branch Buoy 38	Red, with yellow top; 3d-cl. nun (s).	In 9 feet.
SOUTHERN BRANCH LIGHT 40. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. In 9 feet. 1942 (90 mm e)
Southern Branch Buoy 41	Black, with yellow top; 3d-cl. can (s).	12 feet high. In 10 feet.
SOUTHERN BRANCH LIGHT 42. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. At entrance to New Mill Creek. In 8 feet. 1942 (90 mm e)
Southern Branch Daybeacon 43	Black square daymark with yellow border on pile.	12 feet high. In 8 feet.
SOUTHERN BRANCH LIGHT 46. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. At entrance to Stewart Creek. In 8 feet. 1942–1947 (90 mm e)
Southern Branch Buoy 45	Black, with yellow top; 3d.-cl. can (s).	In 8 feet.
SOUTHERN BRANCH LIGHT 47. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. West of entrance to Sykes Creek. In 8 feet. 1942 (90 mm e)
Southern Branch Daybeacon 48	Red triangular daymark with yellow border on pile.	12 feet high. In 8 feet.

Name; mark on aid Character of light	Description	Remarks
ELIZABETH RIVER		
SOUTHERN BRANCH LIGHT 50. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. West of entrance to Paul Creek. In 8 feet. 1942 (90 mm e)
Southern Branch Daybeacon 51	Black square daymark with yellow border on pile.	In 9 feet.
Southern Branch Daybeacon 53	Black square daymark with yellow border on pile. White reflector.	In 7 feet.
SOUTHERN BRANCH LIGHT 56. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. East of mouth of Paul Creek. In 9 feet. 1942 (90 mm e)
Southern Branch Buoy 55	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Southern Branch Daybeacon 58	Red triangular daymark with yellow border on white pile. Red reflector	12 feet high. In 8 feet.
SOUTHERN BRANCH LIGHT 59. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile.	Flash 0.4 sec. 30 cp. 14 feet high. East of mouth of Paul Creek. In 8 feet. 1941-1942 (90 mm e)
Southern Branch Daybeacon 60	Red triangular daymark with yellow border on pile.	In 8 feet.
SOUTHERN BRANCH LIGHT 61. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. East of mouth of Paul Creek. In 8 feet. 1942 (90 mm e)
Southern Branch Daybeacon 62	Red triangular daymark with yellow border on pile. Red reflector.	In 7 feet.
VIRGINIA CUT		
VIRGINIA CUT WEST LIGHT. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 11 cp. 14 feet high. In 4 feet. 1943 (200 mm e)
VIRGINIA CUT EAST LIGHT. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 50 cp. 14 feet high. In 5 feet. 1943 (200 mm e)
Virginia Cut East Daybeacon	Red triangular daymark with yellow border on white pile.	In 5 feet.
NORTH LANDING RIVER		
NORTH LANDING RIVER LIGHT 2. U. Fl. R., 4 sec.	Red trianuglar daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. In 3 feet. 1942 (90 mm e)
NORTH LANDING RIVER LIGHT 3. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. 1943 (90 mm e)
NORTH LANDING RIVER LIGHT 6. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. In 7 feet. 1942 (90 mm e)
Northern Landing River Daybeacon 7.	Black square daymark with yellow border on pile. Green reflector.	In 12 feet.
NORTH LANDING RIVER LIGHT 8. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. In 6 feet. 1942 (90 mm e)
NORTH LANDING RIVER LIGHT 10. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile structure, red tankhouse.	Flash 0.4 sec. 20 cp. 19 feet high. In 6 feet. 1939 (200 mm a)
NORTH LANDING RIVER LIGHT 12. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. In 8 feet. 1942 (90 mm e)
NORTH LANDING RIVER LIGHT 13. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. In 7 feet. 1942-1945 (90 mm e)
NORTH LANDING RIVER LIGHT 15. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. At West Landing. In 8 feet. 1942 (90 mm e)
NORTH LANDING RIVER LIGHT 16. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. In 7 feet. 1942 (90 mm e)
NORTH LANDING RIVER LIGHT 17. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile, cage work at top.	Flash 0.4 sec. 50 cp. 14 feet high. 1925-1939 (200 mm e)
North Landing River Daybeacon 20.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. Opposite mouth of West Neck Creek. In 8 feet.
NORTH LANDING RIVER LIGHT 22. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. North of entrance to Pokety Creek. In 6 feet. 1942 (90 mm e)

Name; mark on aid Character of light	Description	Remarks
NORTH LANDING RIVER		
NORTH LANDING RIVER LIGHT 24. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white slatted pile structure, red tankhouse.	Flash 0.4 sec. 15 cp. 18 feet high. In 7 feet. 1938 (150 mm a)
North Landing River Daybeacon 25.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 5 feet.
NORTH LANDING RIVER LIGHT 27. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. In 7 feet. 1942–1946 (90 mm e)
NORTH LANDING RIVER LIGHT 29. U. Fl. W., 4 sec.	White pile structure, black tankhouse.	Flash 0.4 sec. 70 cp. 18 feet high. 1925–1926 (200 mm a)
NORTH LANDING RIVER LIGHT 31. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. In 8 feet. 1942 (90 mm e)
NORTH LANDING RIVER LIGHT 33. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0. 4 sec. 30 cp. 14 feet high. In 6 feet. 1942–1946 (90 mm e)
NORTH LANDING RIVER LIGHT 34. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 10 cp. 14 feet high. In 7 feet. 1942 (90 mm e)
NORTH LANDING RIVER LIGHT 36. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 10 cp. 14 feet high. In 3 feet. 1941 (90 mm e)
NORTH LANDING RIVER LIGHT 37. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile structure, black tankhouse.	Flash 0.4 sec. 70 cp. 18 feet high. In 8 feet. 1925–1945 (200 mm a)
North Landing River Daybeacon 38.	Red triangular daymark with yellow border on white pile.	12 feet high. In 6 feet.
NORTH LANDING RIVER LIGHT 39. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. 1925–1942 (90 mm e)
North Landing River Daybeacon 40.	Red triangular daymark with yellow border on white pile.	12 feet high. In 4 feet.
NORTH LANDING RIVER LIGHT 42. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 10 cp. 14 feet high. In 6 feet. 1942 (90 mm e)
NORTH LANDING RIVER LIGHT 44. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 10 cp. 14 feet high. In 5 feet. 1942–1943 (90 mm e)
NORTH LANDING RIVER LIGHT 45. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile, cage work at top.	Flash 0.4 sec. 50 cp. 14 feet high. In 4 feet. 1925–1939 (200 mm e)
NORTH LANDING RIVER LIGHT 47. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 14 feet high. At Pungo Ferry. In 3 feet. 1942 (90 mm e)
North Landing River Daybeacon 48.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 9 feet.
NORTH LANDING RIVER LIGHT 49. U. Fl. W., 4 sec.	Black square daymark with yellow border on slatted pile structure.	Flash 0.4 sec. 50 cp. 16 feet high. 1925–1945 (200 mm e)
North Landing River Daybeacon 51.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 5 feet.
NORTH LANDING RIVER LIGHT 52. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 10 cp. 14 feet high. In 5 feet. 1942 (90 mm e)
NORTH LANDING RIVER LIGHT 53. U. Qk. Fl. G.	White pile dolphin, black tankhouse.	60 flashes per minute. 15 cp. 14 feet high. At angle in channel opposite mouth of Blackwater Creek. 1925 (200 mm a)
NORTH LANDING RIVER LIGHT 54. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 10 cp. 14 feet high. In 5 feet. 1942 (90 mm e)
NORTH LANDING RIVER LIGHT 55. U. Qk. Fl. W.	White pile dolphin, black tankhouse.	60 flashes per minute. 70 cp. 16 feet high. On east side of channel, at angle. 1925 (200 mm a)
NORTH LANDING RIVER LIGHT 57. U. Fl. W., 4 sec.	White pile structure, black tankhouse.	Flash 0.4 sec. 90 cp. 16 feet high. On east side of channel, off Munden dock. In 11 feet. 1925–1943 (200 mm e)
NORTH LANDING RIVER LIGHT 59. U. Qk. Fl. W.	White pile dolphin, black tankhouse.	60 flashes per minute. 70 cp. 16 feet high. On east side of channel, at angle. 1925 (200 mm a)
NORTH LANDING RIVER LIGHT 61. U. Fl. W., 4 sec.	White pile dolphin, black tankhouse.	Flash 0.4 sec. 70 cp. 16 feet high. On east side of channel at south end of Faraby Island. 1925 (200 mm a)
NORTH LANDING RIVER LIGHT 63. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile, cage work at top.	Flash 0.4 sec. 50 cp. 14 feet high. On east side of channel. 1925–1940 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
NORTH LANDING RIVER		
NORTH LANDING RIVER LIGHT 65. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile, cage work at top.	Flash 0.4 sec. 50 cp. 14 feet high. On east side of channel. 1925–1940 (200 mm e)
NORTH LANDING RIVER LIGHT 67. U. Qk.Fl.W.	Black square daymark with yellow border on pile, cage work at top.	60 flashes per minute. 50 cp. 14 feet high. On east side of channel, at angle. 1925–1940 (200 mm e)
North Landing River Buoy 68	Red; 3d-cl. nun (s); yellow top.	Opposite Light 67. In 6 feet.
CURRITUCK SOUND LIGHT 69. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile, cage work at top.	Flash 0.4 sec. 50 cp. 14 feet high. On east side of channel. 1925–1940 (200 mm e)
CURRITUCK SOUND LIGHT 71. U. Qk.Fl.W.	Black square daymark with yellow border on pile, cage work at top.	60 flashes per minute. 50 cp. 14 feet high. On east side of channel, at angle. 1925–1940 (200 mm e)
For Currituck Sound, see p. 22.		
Currituck Sound Buoy 72	Red; 3d-cl. nun (s); yellow top.	Opposite Light 71. In 6 feet.
BELL ISLAND LIGHT 73. Fl. W., 4 sec. U.	Black square daymark with yellow border on pile, cage work at top.	Flash 0.4 sec. 50 cp. 14 feet high. On east side of channel. 1925–1940 (200 mm e)
CEDAR BAY LIGHT 75. Qk.Fl.W. U.	Black square daymark with yellow border on pile, cage work on top.	60 flashes per minute. 50 cp 14 feet high. On east side of channel, at angle, in Cedar Bay. 1925–1940 (200 mm e)
Long Point Cut Entrance Daybeacon.	Red daymark on piles	16 feet high. In 6 feet.
Long Point Cut Channel Daybeacon.	White daymark on piles	16 feet high. In 6 feet.
NORTH ENTRANCE CUT LIGHT 77. U. Qk.Fl.W.	White pile structure, black tankhouse.	60 flashes per minute. 70 cp. 16 feet high. On east side of channel at angle and entrance to cut through Long Point. 1925 (200 mm a)
COINJOCK BAY LIGHT 78. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 10 cp. 14 feet high. At southern end of Long Point. In 3 feet. 1942 (90 mm e)
COINJOCK BAY LIGHT 79. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile structure.	Flash 0.4 sec. 50 cp. 16 feet high. On east side of channel. In 4 feet. 1925–1944 (200 mm e)
COINJOCK CUT LIGHT 81. Qk.Fl.W. U.	White house on pile	60 flashes per minute. 70 cp. 16 feet high. On east side of channel, at angle. 1925 (200 mm a)
NORTH RIVER		
NORTH RIVER LIGHT 1. Fl. W., 4 sec. U.	Black square daymark, yellow border on pile, cage work at top.	Flash 0.4 sec. 50 cp. 14 feet high. Northerly of mouth of Bumplanding Creek. In 4 feet. 1925–1944 (200 mm e)
North River Daybeacon 2	Red triangular daymark with yellow border on pile. Red reflector.	In 4 feet.
NORTH RIVER LIGHT 4. Qk.Fl.R. U.	Red triangular daymark with yellow border on pile structure, red tankhouse.	60 flashes per minute. 20 cp. 19 feet high. On west side of angle in channel. In 6 feet. 1939 (200 mm a)
North River Buoy 5	Black, yellow top; can (M)	Abreast of Light 4. In 6 feet.
North River Daybeacon 6	Red triangular daymark with yellow border on pile. Red reflector.	14 feet high. On east side of channel. In 10 feet.
North River Daybeacon 7	Black square daymark with yellow border on white pile. Green reflector.	In 8 feet.
NORTH RIVER LIGHT 9. Fl. W., 4 sec. U.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. On east side of angle in channel. In 9 feet. 1925–1944 (200 mm e)
North River Buoy 11	Black, yellow top; 3d-cl. can(s).	South edge of shoal at bend. In 9 feet.
NORTH RIVER LIGHT 12. Qk.Fl.R. U.	Red triangular daymark with yellow border on white pile.	60 flashes per minute. 10 cp. 14 feet high. In 10 feet. 1942–1944 (90 mm e)
North River Buoy 14	Red, yellow top; 3d-cl. nun(s).	Opposite Light 13. In 9 feet.
NORTH RIVER LIGHT 13. Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 70 cp. 16 feet high. On north side of angle in channel. 1925 (200 mm a)
NORTH RIVER LIGHT 15. Fl. W., 4 sec. U.	Black square daymark, yellow border on pile, cage work at top.	Flash 0.4 sec. 50 cp. 14 feet high. On north side of angle in channel. 1925–1941 (200 mm e)
NORTH RIVER LIGHT 17. Qk. Fl. W. U.	Black square daymark with yellow border on white dolphin.	60 flashes per minute. 55 cp. 16 feet high. On east side of angle in channel, at entrance to Deep Creek. 1925 (200 mm a)

Name; mark on aid Character of light	Description	Remarks
NORTH RIVER		
North River Daybeacon 19	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 7 feet.
North River Buoy 20	Red, yellow top; 3d-cl. nun(s).	On west side of channel. In 9 feet.
North River Daybeacon 21	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 8 feet.
NORTH RIVER LIGHT 23 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 45 cp. 16 feet high. On east side of angle in channel. 1925 (150 mm a)
North River Buoy 25	Black, yellow top; 3d-cl. can(s).	Marks north side of shoal. In 11 feet.
North River Buoy 28	Red, yellow top; 3d-cl. nun(s).	Opposite Light 27. In 8 feet.
NORTH RIVER LIGHT 27 Qk. Fl. W. U.	Black square daymark with yellow border on pile, cage work at top.	60 flashes per minute. 50 cp. 14 feet high. On east side of channel, at angle off northwest point of Buck Island. 1925-1940 (200 mm e)
NORTH RIVER LIGHT 30 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 10 cp. 14 feet high. West of Buck Island. In 9 feet. 1942 (90 mm e)
NORTH RIVER LIGHT 31 Fl. W., 4 sec. U.	White pile dolphin, black tankhouse.	Flash 0.4 sec. 70 cp. 16 feet high. On east side of channel, at angle off southwest point of Buck Island. 1925 (200 mm a)
North River Buoy 32	Red, yellow top; 3d-cl. nun(s).	Opposite Light 31. In 10 feet.
NORTH RIVER LIGHT 33 Fl. W., 4 sec. U.	White pile dolphin, black tankhouse.	Flash 0.4 sec. 70 cp. 16 feet high. On northeast side of channel, at angle. 1925 (200 mm a)
NORTH RIVER LIGHT 35 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 70 cp. 16 feet high. On northeast side of channel. 1925-1944 (200 mm a)
NORTH RIVER LIGHT 37 Qk. Fl. W. U.	Black square daymark with yellow border on white pile structure, with black tankhouse.	60 flashes per minute. 50 cp. 16 feet high. On northeast side of channel, at angle. In 9 feet. 1925-1941 (200 mm e)
North River Buoy 39	Black, yellow top; 3d-cl. can(s)	In 9 feet.
NORTH RIVER LIGHT 40 Qk. Fl. R. U.	Red triangular daymark with yellow border on white pile.	60 flashes per minute. 15 cp. 14 feet high. At angle in channel. In 11 feet. 1942 (200 mm e)
NORTH RIVER LIGHT 41 Fl. W., 4 sec. U.	Black square daymark with yellow border on pile, cage work at top.	Flash 0.4 sec. 50 cp. 16 feet high. On northeast side of channel, at angle. 1925-1944 (200 mm e)
North River Buoy 42	Red, yellow top; 3d-cl. nun(s).	In 12 feet.
NORTH RIVER RANGE FRONT LIGHT 43. U. Fl. W., 1 sec. Qk. Fl. W.	Black diamond daymark with yellow border south side, on white pile structure, black tankhouse.	Flash 0.4 sec. 1,300 cp. 15 feet high. North of north end of cut across bar. In 12 feet. Passing light: 60 flashes per minute. 15 cp. Visible around horizon. 16 feet high. (Rg e) 1893-1919 (200 mm e)
NORTH RIVER RANGE REAR LIGHT 43. U. Occ. W., 10 sec.	Black circular daymark with yellow border on triangular iron structure.	Light 5 sec., eclipse 5 sec. 1,300 cp. 35 feet high. 0.7 mile 7° from front light. 1893-1919 (Rg e)
North River Buoy 45	Black, yellow top; 3d-cl. can(s).	In 9 feet.
NORTH RIVER LIGHT 46 Fl. R., 4 sec. U.	White pile, cage work at top, red triangular daymark, yellow border.	Flash 0.4 sec. 15 cp. 14 feet high. In 9 feet. 1927-1939 (200 mm e)
North River Buoy 47	Black, yellow top; 3d-cl. can(s).	North River Range Front Light 43, 2,500 yards, 2½°. In 9 feet.
NORTH RIVER LIGHTED BELL BUOY 49. Fl. W., 4 sec. For Albemarle Sound, see pp. 23, 24, 25. For Croatan Sound, see p. 26. For Roanoke Sound, see pp. 22, 23.	Black, with yellow square	Flash 0.4 sec. 130 cp. 11 feet high. At entrance to channel. In 12 feet. (200 mm a)
ALLIGATOR RIVER		
ALLIGATOR RIVER LIGHTED BELL BUOY 1. Fl. G., 4 sec.	Black, with yellow square	Flash 0.4 sec. 25 cp. 11 feet high. At entrance to channel. In 14 feet. (200 mm a)
Alligator River Daybeacon 2	Red triangular daymark with yellow border on pile. Red reflector.	14 feet high. In 13 feet.
Alligator River Buoy 3	Black, yellow top; 3d-cl. can (s).	In 12 feet.
Alligator River Buoy 4	Red, yellow top; 2d-cl. nun (s). Red reflector.	In 8 feet.

Name; mark on aid Character of light	Description	Remarks
ALLIGATOR RIVER		
ALLIGATOR RIVER LIGHT 6. U. Fl. R., 4 sec.	White pile structure, red tankhouse	Flash 0.4 sec. 35 cp. 19 feet high. West side of channel. In 5 feet. 1930-1944 (200 mm a)
Alligator River Buoy 7	Black, yellow top; 3d-cl. can (s). White reflector.	A breast of Light 6. In 10 feet.
ALLIGATOR RIVER LIGHT 8 U. Fl. R., 4 sec.	White slatted pile structure with red tankhouse.	Flash 0.4 sec. 15 cp. 16 feet high. In 10 feet. 1943 (200 mm e)
ALLIGATOR RIVER LIGHT 10 U. Fl. R., 4 sec.	Red triangular daymark on white pile structure, red tankhouse.	Flash 0.4 sec. 35 cp. 19 feet high. Abreast of Sandy Point Shoal. In 5 feet. 1928-1944 (200 mm a)
ALLIGATOR RIVER LIGHT 12 U. Fl. R., 4 sec.	Red triangular daymark on white slatted pile structure with red tankhouse.	Flash 0.4 sec. 15 cp. 16 feet high. In 10 feet. 1943 (200 mm e)
ALLIGATOR RIVER LIGHT 14 U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile, cage work at top.	Flash 0.4 sec. 15 cp. 14 feet high. In 9 feet. 1928-1940 (200 mm e)
ALLIGATOR RIVER LIGHT 16 U. Fl. R., 4 sec.	White slatted pile structure with red tankhouse.	Flash 0.4 sec. 15 cp. 16 feet high. In 9 feet. 1943 (200 mm e)
ALLIGATOR RIVER LIGHT 18 U. Qk. Fl. R.	Red triangular daymark with yellow border on pile, cage work at top.	60 flashes per minute. 15 cp. 14 feet high. At angle in channel. In 9 feet. 1928-1945 (200 mm e)
ALLIGATOR RIVER LIGHT 20 U. Fl. R., 4 sec.	White slatted pile structure with red tankhouse.	Flash 0.4 sec. 15 cp. 16 feet high. In 10 feet. 1943 (200 mm e)
ALLIGATOR RIVER LIGHT 22 U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile, cage work at top.	Flash 0.4 sec. 15 cp. 14 feet high. West side of channel. In 10 feet. 1928-1940 (200 mm e)
ALLIGATOR RIVER LIGHT 24 U. Fl. R., 4 sec.	Red triangular daymark on white slatted pile structure with red tankhouse.	Flash 0.4 sec. 15 cp. 11 feet high. In 11 feet. 1943-1944 (200 mm e)
ALLIGATOR RIVER LIGHT 26 U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile, cage work at top.	Flash 0.4 sec. 15 cp. 14 feet high. In 8 feet. 1928-1940 (200 mm e)
ALLIGATOR RIVER LIGHT 28 U. Fl. R., 4 sec.	Red triangular daymark on white slatted pile structure, red tankhouse.	Flash 0.4 sec. 15 cp. 16 feet high. In 11 feet. 1943-1944 (200 mm e)
Alligator River Buoy 30	Red, yellow top; 3d-cl. nun (s) Red reflector.	In 11 feet.
ALLIGATOR RIVER LIGHT 31. U. Qk. Fl. W.	Black square daymark with yellow border on white pile structure.	60 flashes per minute. 50 cp. 17 feet high. At angle of channel. In 9 feet. 1928-1945 (200 mm e)
Alligator River Buoy 33	Black, yellow top; 3d-cl. can (s). White reflector.	In 9 feet.
Alligator River Buoy 35	Black, yellow top; 3d-cl. can (s). White reflector.	In 12 feet.
ALLIGATOR RIVER LIGHT 37. U Qk. Fl. W.	Black square daymark with yellow border on white pile with cage work at top.	60 flashes per minute. 50 cp. 14 feet high. At angle of channel. In 10 feet. 1928-1941 (200 mm e)
ALLIGATOR RIVER LIGHT 39. U. Qk. Fl. W.	White pile structure; black tankhouse.	60 flashes per minute. 30 cp. 19 feet high. At angle of channel. In 9 feet. 1928 (150 mm a)
Alligator River Buoy 41	Black, yellow top; 3d-cl. can (s). White reflector	In 11 feet.
Alligator River Daybeacon 43	Black square daymark with yellow border on white pile. Green reflector.	14 feet high. Off Deep Point. In 9 feet.
Alligator River Buoy 45	Black, yellow top; 3d-cl. can (s). White reflector.	In 11 feet.
ALLIGATOR RIVER LIGHT 46. U. Qk. Fl. R.	White pile structure; red tankhouse.	60 flashes per minute. 10 cp. 19 feet high. At angle of channel. In 8 feet. 1928 (150 mm a)
Alligator River Buoy 47	Black, yellow top; 3d-cl. can (s). White reflector.	In 9 feet.
Alligator River Buoy 49	Black, yellow top; 3d-cl. can (s). White reflector.	In 11 feet.
Alligator River Buoy 52	Red, yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet.

Name; mark on aid Character of light	Description	Remarks
ALLIGATOR RIVER		
ALLIGATOR RIVER LIGHT 54. Qk. Fl. R. U.	Red triangular daymark with yellow border on white structure.	60 flashes per minute. 35 cp. 20 feet high. At west side of entrance to canal. 1928-1944 (200 mm a)
PUNGO RIVER		
PUNGO RIVER LIGHT 25 Fl. W., 4 sec. U.	Black square daymark with yellow border on white structure.	Flash 0.4 sec. 45 cp. 16 feet high. On end of marshy point west side of Rutman Creek 1930-1943 (150 mm a)
Pungo River Buoy 24	Red, yellow square; 3d-cl. nun (s).	In 11 feet.
PUNGO RIVER LIGHT 23 Qk. Fl. W. U.	White pile structure, black tank house with yellow triangle.	60 flashes per minute. 30 cp. 19 feet high. At angle in channel, off mouth of Wilkerson Creek. In 10 feet. 1928 (150 mm a)
Pungo River Buoy 22	Red, yellow square; 3d-cl. nun (s).	In 12 feet
PUNGO RIVER LIGHT 21 Fl. W., 4 sec. U.	White pile structure, black tankhouse with yellow triangle.	Flash 0.4 sec. 30 cp. 19 feet high. On west side of channel. In 8 feet. 1928 (150 mm a)
Broad Creek Entrance Buoy 2	Red; 4th-cl. spar	At entrance to creek. In 11 feet.
Pungo River Buoy 19	Black, yellow triangle; 3d-cl. can (s).	In 11 feet.
PUNGO RIVER LIGHT 18 Qk. Fl. R. U.	White pile structure, red tankhouse with yellow square.	60 flashes per minute. 20 cp. 19 feet high. At angle in channel north of Smith Creek Point. In 12 feet. 1928-1943 (200 mm e)
Pungo River Buoy 17	Black yellow triangle; 3d-cl. can (s).	In 11 feet.
Pungo River Buoy 16	Red, yellow square; 2d-cl. nun (s). Red reflector.	In 12 feet.
Pungo River Buoy 15	Black, yellow triangle; 3d-cl. can (s). White reflector.	In 15 feet.
Pungo River Buoy 14	Red, yellow square; 3d-cl. nun (s).	In 12 feet.
Pungo River Buoy 12	Red, yellow square; 3d-cl. nun (s).	Abreast of Light 13. In 12 feet.
PUNGO RIVER LIGHT 13 Fl. W., 4 sec. U	White pile structure, black tankhouse with yellow triangle.	Flash 0.4 sec. 70 cp. 19 feet high. Off Lower Dowry Point. In 8 feet. 1928 (200 mm a)
Pungo River Buoy 11	Black, yellow triangle; 3d-cl. can (s).	In 12 feet.
PUNGO RIVER LIGHT 10 Qk. Fl. W. U.	White pile structure, red tankhouse with yellow square.	60 flashes per minute. 30 cp. 19 feet high. At turn in channel, off Durants Point. In 7 feet. 1928 (150 mm a)
Tom Creek Buoy 1	Black; 4th-cl. spar	In 9 feet. Off Tom Point.
BELHAVEN CHANNEL		
Belhaven Channel Entrance Buoy 2.	Red; 3d-cl. nun (s)	In 13 feet
Belhaven Channel Buoy 1	Black; 2d-cl. can (s)	In 12 feet.
Belhaven Channel Buoy 4	Red; 4th-cl. spar	In 12 feet.
Belhaven Channel Buoy 3	Black; 4th-cl. spar	In 13 feet
Belhaven Channel Buoy 5	Black; 4th-cl. spar	In 13 feet.
PANTEGO CREEK LIGHT. Fl. W., 4 sec. U.	Red pile structure	Flash 0.4 sec. 35 cp. 19 feet high. At north side of mouth of creek. In 7 feet. 1901-1919 (200 mm a)
Belhaven Channel Buoy 6	Red; 4th-cl. spar	In 11 feet.
Belhaven Channel Buoy 7	Black; 4th-cl. spar	In 12 feet.
Belhaven Channel Buoy 9	Black; 4th-cl. spar	In 12 feet.
PUNGO RIVER		
PUNGO RIVER LIGHT 8 Fl. R., 4 sec. U.	Red triangular daymark with yellow square on white pile.	Flash 0.4 sec. 10 cp. 14 feet high Off Durants Point. In 9 feet. 1942 (90 mm e)
PUNGO RIVER LIGHT 7 Fl. W., 4 sec. U.	White pile structure, black tankhouse with yellow triangle.	Flash 0.4 sec. 50 cp. 19 feet high. On shoal making off Woodstock Point In 7 feet 1901-1944 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
PUNGO RIVER		
Pungo River Buoy 5	Black, yellow triangle; 3d-cl. can (s).	South of light 7. In 12 feet.
PUNGO RIVER LIGHT 4 Fl. R., 4 sec. U.	Red triangular daymark with yellow square, on white pile.	Flash 0.4 sec. 7 cp. 14 feet high. Off Sandy Point. In 12 feet. 1942 (90 mm e)
PUNGO RIVER LIGHT 3 Fl. W., 4 sec. U.	White pile structure, yellow triangle, black tankhouse.	Flash 0.4 sec. 70 cp. 19 feet high. At end of shoal off Grassy Point. In 6 feet. 1928 (200 mm a)
Pungo River Buoy 8	Red, yellow square; 2d-cl. nun (s).	Southwesterly of Currituck Point. In 20 feet.
PUNGO RIVER LIGHTED BELL BUOY. I. Qk. Fl. W.	Red and black horizontal bands, yellow triangle on sides.	Flashes interrupted by eclipse. 90 cp. 11 feet high. Off shoal southeast of Wade Point. In 16 feet. (200 mm e)
GOOSE CREEK		
GOOSE CREEK LIGHT 1 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile structure.	Flash 0.4 sec. 50 cp. 16 feet high. On southeast side of channel. In 11 feet. 1929-1946. (200 mm e)
Goose Creek Buoy 1A	Black, yellow top; 3d-cl. can (s). White reflector.	In 9 feet.
Goose Creek Buoy 2	Red, yellow top; 3d-cl. nun (s).	In 9 feet.
Goose Creek Buoy 3	Black, yellow top; 3d-cl. can (s).	Northwesterly of Fulford Point. In 12 feet.
GOOSE CREEK LIGHT 4 Qk. Fl. R. U.	White pile structure, red tankhouse.	60 flashes per minute. 20 cp. 19 feet high. At turn north of Clark Point. In 7 feet. 1929 (200 mm a)
Goose Creek Buoy 5	Black, yellow top; 3d-cl. can (s).	In 10 feet.
Goose Creek Buoy 6	Red, yellow-top; 3d-cl. nun (s).	Off Clark Point. In 9 feet.
Goose Creek Buoy 6A	Red, yellow top; 3d-cl. nun (s).	In 9 feet.
GOOSE CREEK LIGHT 7 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 90 cp. 16 feet high. At turn abreast Store Point. In 7 feet. 1929-1946 (200 mm e)
GOOSE CREEK LIGHT 9 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 45 cp. 16 feet high. At turn abreast Long Neck Point. In 7 feet. 1929 (150 mm a)
Goose Creek Buoy 8	Red, with yellow top; 3d-cl. nun (s).	Abreast Light 9. In 9 feet.
GOOSE CREEK LIGHT 11 Qk. Fl. W. U.	White pile structure, black tankhouse.	60 flashes per minute. 45 cp. 16 feet high. At north entrance to cut. In 7 feet. 1929 (150 mm a)
GOOSE CREEK LIGHT 11A Qk. Fl. W. U.	White pile structure, black tankhouse.	60 flashes per minute; 70 cp. 19 feet high. At bend in channel in Jones Bay. In 6 feet. 1939 (200 mm a)
GOOSE CREEK LIGHT 12 Fl. W., 4 sec. U.	White pile structure, red tankhouse.	Flash 0.4 sec. 45 cp. 16 feet high. On west side of channel, Gale Creek. In 7 feet. 1929 (150 mm a)
Goose Creek Daybeacon 13	Black daymark with yellow border on pile. White reflector.	In 7 feet.
Goose Creek Daybeacon 14	Red daymark with yellow border on pile. Red reflector.	16 feet high. In 4 feet.
GOOSE CREEK LIGHT 15 Qk. Fl. W. U.	White pile structure, black tankhouse.	60 flashes per minute. 70 cp. 19 feet high. East side of channel, Bay River. In 12 feet. 1929-1946 (200 mm a)
BAY RIVER LIGHT 3 Fl. W., 4 sec. U.	Black box with yellow triangle on pile, cage work at top.	Flash 0.4 sec. 50 cp. 14 feet high. At bend in river off Pine Tree Point. In 7 feet. 1916-1940 (200 mm e)
For Bay River, see p. 34. *Bay River Buoy 1*	Black, yellow triangle 2d-cl. can (s). White reflector.	On north edge of shoal. Off Deep Point. In 13 feet.
BAY POINT LIGHT Fl. W., 4 sec. U.	Red and black slatted pile structure.	Flash 0.4 sec. 70 cp. 19 feet high. On south end of shoal, at junction of Jones Bay and Bay River. In 9 feet. 1910-1934 (200 mm a)
MAW POINT SHOAL JUNCTION LIGHTED BELL BUOY. I. Qk. Fl. W.	Red and black horizontal bands; yellow triangle.	Flashes interrupted by eclipse. 90 cp. Off Maw Point Shoal Daybeacon at junction of Bay and Neuse Rivers. In 19 feet. (200 mm e)

Name; mark on aid Character of light	Description	Remarks
GOOSE CREEK		
Maw Point Shoal Daybeacon	Red triangular daymark with yellow border on pile.	12 feet high. On easterly end of shoal at entrance to Neuse River. In 7 feet.
For Pamlico Sound, see p. 27. For Core Sound, see p. 37. For Cedar Island Bay, see p. 31.		
POINT OF MARSH LIGHT Fl. W., 4 sec. U.	Black square daymark, yellow border, on pile, cage work at top.	Flash 0.4 sec. 50 cp. 14 feet high. Marks northerly side of shoal. In 12 feet. 1934-1939 (200 mm e)
Neuse River Daybeacon	White skeleton structure on brown piles.	40 feet high. On point of shoal, off Piney Point, north side of River. In 4 feet.
PINEY POINT LIGHTED BELL BUOY 2. Fl. W., 4 sec.	Red, yellow triangle on sides	Flash 0.4 sec. 90 cp. In 22 feet. (200 mm e)
LOWER BROAD CREEK LIGHT. U. Fl. W., 4 sec.	Black slatted pile structure	Flash 0.4 sec. 25 cp. 16 feet high. At entrance to Broad Creek. In 7 feet. 1910 (150 mm e)
Gum Thicket Shoal Buoy 4	Red, yellow triangle on sides; 2d-cl. nun.	On end of shoal. On east side of shoal. In 16 feet.
Turnagain Bay, see p. 34. South River, see p. 34.		
GARBACON SHOAL LIGHTED BELL BUOY 5. Fl. W., 4 sec.	Black, yellow square on sides	Flash 0.4 sec. 70 cp. 11 feet high. Off north end of shoal southeast of Oriental. In 20 feet. (200 mm e)
Garbacon Shoal Daybeacon	Black square daymark on pile structure.	12 feet high. In 7 feet. North of Cedar Point.
For Neuse River, see p. 35		
ADAMS CREEK		
ADAMS CREEK LIGHTED BELL BUOY 1. Fl. G., 4 sec.	Black with yellow squares	Flash 0.4 sec. 30 cp. 11 feet high. Off entrance to Adams Creek. In 16 feet. (200 mm e)
Adams Creek Buoy 2	Red, yellow top; 3d-cl. nun(s). White reflector.	Marks 7-foot spot. In 11 feet.
ADAMS CREEK LIGHT 3 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 50 cp. 14 feet high. On point of shoal, east side of entrance to channel. In 9 feet. 1943 (200 mm e)
ADAMS CREEK LIGHT 4 Qk. Fl. R. U.	Red triangular daymark with yellow border on white pile, cage work at top.	60 flashes per minute. 15 cp. 14 feet high. At angle of channel. In 10 feet. 1941 (200 mm e)
Adams Creek Buoy 4A	Red, yellow top; 3d-cl. nun (s). Red reflector.	In 9 feet.
Adams Creek Buoy 6	Red, yellow top; 3d-cl. nun(s). Red reflector.	In 9 feet.
ADAMS CREEK RANGE FRONT LIGHT 7. U. Fl. W., 1 sec.	Black diamond daymark with yellow border on white pile structure.	Flash 0.1 sec. 45 cp. 19 feet high. On east side of channel south of Dumpling Creek. In 10 feet. 1912-1933 (150 mm a)
ADAMS CREEK RANGE REAR LIGHT 7. U. Occ. W., 6 sec.	Black circular day-mark with yellow border on white skeleton tower.	Light 3 sec., eclipse 3 sec. 70 cp. 25 feet high. 1,200 yards, 129° from front light. In 3 feet. 1912-1933 (200 mm a)
ADAMS CREEK RANGE FRONT LIGHT 9. U. Fl. W., 1 sec.	Black diamond daymark with yellow border on white pile structure.	Flash 0.1 sec. 45 cp. 19 feet high. Off entrance to Cedar Creek. In 9 feet. 1912-1919 (150 mm a)
ADAMS CREEK RANGE REAR LIGHT 9. U. Occ. W., 6 sec.	Black circular daymark with yellow border on white skeleton structure.	Light 3 sec., eclipse 3 sec. Same as Adams Creek Range Rear Light 7, 70 cp. 25 feet high. 400 yards, 26° from front light. In 3 feet. 1916-1933 (200 mm a)
Adams Creek Daybeacon 10	Red triangular daymark with yellow border on pile. Red reflector.	16 feet high. In 8 feet.
Adams Creek Daybeacon 11	Black square daymark, yellow border. Green reflector.	In 5 feet.
Adams Creek Daybeacon 12	Red triangular daymark, yellow border. Red reflector.	In 1 foot.
ADAMS CREEK LIGHT 13 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 45 cp. 19 feet high. At bend in channel. In 6 feet. 1912-1933 (150 mm a)
Adams Creek Daybeacon 14	Red triangular daymark, yellow border. Red reflector.	In 5 feet.

Name; mark on aid Character of light	Description	Remarks
ADAMS CREEK		
Adams Creek Daybeacon 15	Black square daymark. Yellow border. Green reflector	In 5 feet.
ADAMS CREEK LIGHT 16 Qk. Fl. W. U.	Red triangular daymark, yellow border on white pile with cage work at top.	60 flashes per minute. 50 cp. 14 feet high. At north entrance to canal. In 7 feet. 1912-1946 (200 mm e)
Adams Creek Daybeacon 17	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 2 feet.
ADAMS CREEK LIGHT 18 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 10 cp. 14 feet high. At north entrance to canal. In 8 feet. 1942-1945 (90 mm e)
CORE CREEK		
CORE CREEK LIGHT 19 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 70 cp. 19 feet high. At south entrance to canal. In 6 feet. 1926 (200 mm a)
CORE CREEK LIGHT 20 Fl. W., 4 sec. U.	White pile structure, red tankhouse.	Flash 0.4 sec. 70 cp. 9 feet high. On west side of channel opposite Eastman Creek. In 4 feet 1912-1919 (200 mm a)
Core Creek Daybeacon 21	Black square daymark with yellow border on white pile. Green reflector.	14 feet high. In 6 feet.
CORE CREEK RANGE FRONT LIGHT 24. U. Fl. W., 3 sec.	Red diamond daymark with yellow border on white pile structure.	Flash 0.3 sec. 45 cp. 16 feet high. On axis of channel. In 1 foot. 1912-1931 (150 mm Rg a)
CORE CREEK RANGE REAR LIGHT 24. U. Fl W., 1 sec.	Red circular daymark with yellow border on white pile structure.	Flash 0.1 sec. 45 cp. 30 feet high. 630 yards, 177° from front light. In 1 foot. 1912-1926 (150 mm Rg a)
Core Creek Buoy 25	Black, yellow top; 3d-cl. can (s).	In 10 feet.
Core Creek Buoy 26	Red, yellow top; 3d-cl. nun (s)	In 9 feet.
Core Creek Buoy 28	Red, yellow top; 3d-cl. nun (s)	In 9 feet.
Core Creek Buoy 30	Red, yellow top; 3d-cl. nun(s)	In 10 feet.
CORE CREEK LIGHT 29 Qk. Fl. W. U.	White pile structure, black tankhouse.	60 flashes per minute. 70 cp. 19 feet high. At east side of angle in channel. In 7 feet. 1912-1926 (200 mm a)
Core Creek Buoy 30A	Red, yellow top; 3d-cl. nun(s)	In 10 feet.
Core Creek Buoy 31	Black, yellow top; 3d-cl. can (s)	In 10 feet.
LOG SLOUGH LIGHT Fl. W., 4 sec. U	Black slatted pile structure	Flash 0.4 sec. 130 cp. 12 feet high. East side of shoal at north entrance to Crab Point Thoroughfare. 1929 (200 mm a)
Newport Marshes Buoy 32	Red, yellow top; 3d-cl. nun (s)	In 10 feet.
Newport Marshes Buoy 33	Black, yellow top; 3d-cl. can (s).	In 10 feet.
NEWPORT MARSHES LIGHT 34. U. Qk. Fl. R.	White pile structure, red tankhouse.	60 flashes per minute. 20 cp. 24 feet high. At angle in channel. In 9 feet. 1919-1943 (200 mm a)
NEWPORT MARSHES LIGHT 36. U. Fl. W., 4 sec.	White pile structure, red tankhouse.	Flash 0.4 sec. 45 cp. 19 feet high. At angle in channel. In 7 feet. 1919-1942 (150 mm a)
Newport Marshes Buoy 37	Black, yellow top; 3d-cl. can (s) White reflector.	Marks turning point in channel.
Newport Marshes Buoy 39	Black, yellow top; 3d-cl. can(s)	In 10 feet.
CALICO CREEK		
Calico Creek Daybeacon 2	Red triangular daymark on pile.	850 yards 181° from Newport Marshes Light 36. In 11 feet.
Calico Creek Daybeacon 4	Red triangular daymark on pile.	In 16 feet.
Calico Creek Daybeacon 6	Red triangular daymark on pile.	In 6 feet.
Calico Creek Daybeacon 7	Black square daymark on pile.	In 8 feet.
Calico Creek Daybeacon 9	Black square daymark on pile.	In 10 feet.
GALLANT CHANNEL		
GALLANT CHANNEL LIGHT 6. U. Fl. R., 4 sec.	Red slatted pile structure	Flash 0.4 sec. Forms range with Newport Marshes Light 34 for reach of Gallant Channel. 15 cp. 19 feet high. At angle opposite Gallant Point. In 8 feet. 1916-1946 (150 mm a)

Name; mark on aid Character of light	Description	Remarks
GALLANT CHANNEL		
Gallant Channel Buoy 8	Red; 3d-cl. nun (s)	Off 3-foot shoal. In 8 feet.
GALLANT CHANNEL LIGHT 10. U. Qk. Fl. R.	Red slatted pile structure	60 flashes per minute. 15 cp. 16 feet high. At angle in channel, south of Gallant Point. In 8 feet. 1943 (200 mm e)
Gallant Channel Buoy 11	Black; 3d-cl. can (s)	Off 3-foot lump. In 8 feet.
Town Marsh Buoy 2	Red; 3d-cl. nun (s)	In second angle of channel off west end of Town Marsh. In 10 feet.
REIDS CREEK LIGHT Qk. Fl. W. U.	Black slatted pile structure	60 flashes per minute. 45 cp. 16 feet high. On west side of channel, abreast Town Marsh. In 10 feet. 1900-1931 (150 mm a)
SHARK SHOAL LIGHT 3 Fl. W., 4 sec. U.	Black slatted pile structure	Flash 0.4 sec. 30 cp. 16 feet high. At angle on west side of channel. 1929-1947 (90 mm e)
SHARK SHOAL LIGHTED BUOY 1. Fl. W., 4 sec.	Black	Flash 0.4 sec. 45 cp. 8 feet high. At entrance to Beaufort Channel. In 12 feet. (150 mm a)
BEAUFORT INLET		
BEAUFORT INLET LIGHTED BUOY 1. Fl. W., 2.5 sec.	Black	Flash 0.5 sec. 140 cp. 12 feet high. In 50 feet. Elevated tank, Beaufort, 9,300 yards. 8°. (200 mm e)
Beaufort Inlet Buoy 3	Black; 1st-cl. can	In 32 feet.
BEAUFORT INLET LIGHTED BUOY 4. Fl. R., 4 sec.	Red	Flash 0.4 sec. 40 cp. 12 feet high. Fort Macon Coast Guard Station, 3,500 yards, 344°. In 30 feet. (200 mm a)
Beaufort Inlet Buoy 5	Black; 2d-cl. can	Fort Macon Coast Guard Station, 1 mile 700 yards, 342½°. In 25 feet.
Beaufort Inlet Buoy 6	Red; 2d-cl. nun	Fort Macon Coast Guard Station, 1 mile 800 yards, 338°. In 30 feet.
BEAUFORT INLET LIGHTED BUOY 7. Fl. G., 4 sec.	Black	Flash 0.4 sec. 25 cp. 11 feet high. Fort Macon Coast Guard Station, 1 mile 80 yards, 333° In 30 feet. (200 mm a)
BEAUFORT INLET LIGHTED BUOY 8. Fl. R., 4 sec.	Red	Flash 0.4 sec. 35 cp 11 feet high. Fort Macon Coast Guard Station, 2,180 yards, 332°. In 30 feet. (200 mm a)
Beaufort Inlet Buoy 9	Black; 2d-cl. can	Fort Macon Coast Guard Station, 1,400 yards. 313½°. In 30 feet.
BEAUFORT INLET LIGHTED BUOY 11. Qk. Fl. W.	Black	75 flashes per minute, 130 cp. 11 feet high. At turn in channel. In 36 feet. (200 mm a)
Beaufort Inlet Buoy 10	Red; 2d-cl. nun	Fort Macon Coast Guard Station, 1,600 yards, 309°. In 30 feet.
BEAUFORT INLET LIGHTED BUOY 12. Qk. Fl. R.	Red	75 flashes per minute. 35 cp. 12 ft. high Cupola, Fort Macon Coast Guard Station, 1,360 yards 99°. In 36 feet. (200 mm a)
MOREHEAD CITY CHANNEL LIGHTED BUOY 13. Qk. Fl. G.	Black	75 flashes per minute. 25 cp. 11 feet high. Tank, Beaufort, 2,930 yards, 13½°. In 32 feet. (200 mm a)
Morehead City Channel Buoy 14	Red; 2d-cl. nun	Elevated tank, Beaufort. 2,700 yards. 18½°. In 32 feet.
Morehead City Channel Buoy 15	Black; 2d-cl. can	Elevated tank, Beaufort, 2,730 yards 26°. In 30 feet.
MOREHEAD CITY CHANNEL LIGHTED BUOY 16. Fl. R., 4 sec.	Red	Flash 0.4 sec. 15 cp. 11 feet high. Tank, Beaufort. 2,520 yards, 40°. In 30 feet. (150 mm a)
Morehead City Channel Buoy 17	Black; 2d-cl. can	Tank, Beaufort, 2,680 yards, 40°. In 30 feet.
Morehead City Channel Buoy 18	Red; 2d-cl. nun	Tank, Beaufort, 2,800 yards, 64°. In 30 feet.
MOREHEAD CITY CHANNEL LIGHTED BUOY 19. Qk. Fl. G.	Black	75 flashes per minute. 25 cp. 11 feet high. Tank, Beaufort, 2,950 yards, 61½°. In 30 feet. (200 mm a)
Morehead City Channel Buoy 20	Red; 2d-cl. nun	In 24 feet.
MOREHEAD CITY CHANNEL LIGHTED BUOY 21. Fl. W., 4 sec.	Black	Flash 0.4 sec. 45 cp. 8 feet high. Tank, Beaufort 3,160 yards. 76°. In 30 feet. (150 mm a)
MOREHEAD CITY TERMINAL LIGHT. U. Fl. R., 4 sec.	On red box	Flash 0.4 sec. 15 cp. 18 feet high. On end of Municipal Pier. 1939 (200 mm e)
Morehead City Wreck Buoy 41	Black, yellow top. 3d-cl. can (s). White reflector.	470 yards 95° from tank, Morehead City. In 15 feet.

Name; mark on aid Character of light	Description	Remarks
BOGUE SOUND		
Bogue Sound Buoy 2	Red with yellow top; 3d-cl. nun (s). Red reflector.	Standpipe, Morehead City, 1,225 yards, 305°. In 12 feet.
BOGUE SOUND LIGHTED BUOY 3. Fl. G., 4 sec.	Black with yellow square	Flash 0.4 sec. 10 cp. 8 feet high. At turn into Morehead City Channel. In 12 feet. (150 mm a)
Bogue Sound Buoy 4	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 12 feet.
MOREHEAD CITY CHANNEL LIGHT. I. Qk. Fl. R. U.	Red and black daymark, yellow triangular, on pile structure.	Flashes interrupted by eclipse. 30 cp. 13 feet high. At entrance to channel. In 8 feet. 1915–1946 (200 mm e)
Morehead City East Channel Daybeacon 3.	Black square daymark on pile. Green reflector.	In 9 feet.
Morehead City East Channel Daybeacon 2.	Red triangular daymark on pile. Red reflector.	In 7 feet.
Morehead City Channel Junction Daybeacon.	Black square daymark with black and red horizontal bands on black pile. White reflector.	250 yards 210° from standpipe, Morehead City. 12 feet high. In 6 feet.
BOGUE SOUND LIGHT 5 Fl. W., 4 sec. U.	White 3-pile structure, black tankhouse.	Flash 0.4 sec. 130 cp. 19 feet high. On south side of channel, at turn. In 9 feet. 1915–1945 (200 mm a)
Bogue Sound Buoy 5A	Black with yellow top; 3d-cl. can. White reflector.	In 9 feet.
MOREHEAD CITY WEST CHANNEL LIGHT. I. Qk. Fl. W U.	Red and black pile structure, yellow triangle.	Flashes interrupted by eclipse. 30 cp. 16 feet high. In 7 feet. 1931 (90 mm e)
Morehead City West Channel Daybeacon 1.	Black pointer on pile. White reflector.	In 6 feet.
Morehead City West Channel Daybeacon 2.	Red pointer on pile. Red reflector.	In 5 feet.
Morehead City West Channel Daybeacon 3.	Black pointer on pile. White reflector.	12 feet high. In 5 feet.
Bogue Sound Buoy 5B	Black with yellow top; 3d-cl. can. White reflector.	In 9 feet.
BOGUE SOUND LIGHT 4A Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile structure.	Flash 0.4 sec. 35 cp. 16 feet high. 390 yards, 295½° from center of draw span of Atlantic Beach Bridge. In 11 feet. 1944 (200 mm a)
Bogue Sound Daybeacon 5C	Black daymark with yellow border on pile. White reflector.	14 feet high. In 11 feet.
Bogue Sound Daybeacon 6	Red triangular daymark with yellow border on pile. Red reflector.	In 8 feet.
Bogue Sound Daybeacon 7	Black square daymark with yellow border on pile. White reflector.	12 feet high. In 6 feet.
Bogue Sound Daybeacon 8	Red triangular daymark with yellow border on pile. Red reflector.	In 8 feet.
BOGUE SOUND LIGHT 9 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 130 cp. 15 feet high. On south side of channel. In 6 feet. 1915 (200 mm a)
Bogue Sound Daybeacon 10	Red triangular daymark with yellow border on pile. Red reflector.	14 feet high. In 6 feet.
Bogue Sound Daybeacon 11	Black square daymark with yellow border on pile. White reflector.	12 feet high. In 10 feet.
Bogue Sound Daybeacon 12	Red triangular daymark with yellow border on pile. Red reflector.	14 feet high. In 6 feet.
BOGUE SOUND LIGHT 13 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 130 cp. 16 feet high. In 6 feet. 1930 (200 mm a)
Bogue Sound Daybeacon 14	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 6 feet.
Bogue Sound Daybeacon 15	Black square daymark with yellow border on pile. White reflector.	12 feet high. In 6 feet.
BOGUE SOUND LIGHT 17 Fl. W., 4 sec U.	Black square daymark with yellow border on pile.	Flash 0.4 sec. 50 cp. 12 feet high. At bend in channel. In 6 feet. 1930–1943 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
BOGUE SOUND		
Bogue Sound Daybeacon 18	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 6 feet.
Bogue Sound Daybeacon 19	Black square daymark with yellow border on pile. White reflector.	12 feet high. In 6 feet.
Bogue Sound Daybeacon 20	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 6 feet.
BOGUE SOUND LIGHT 21 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 130 cp. 15 feet high. In 6 feet. 1930 (200 mm a)
Bogue Sound Daybeacon 22	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 5 feet.
Bogue Sound Daybeacon 23	Black square daymark with yellow border on pile. White reflector.	12 feet high. In 6 feet.
Bogue Sound Daybeacon 24	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 6 feet.
BOGUE SOUND LIGHT 25 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 130 cp. 15 feet high. At bend in channel. In 6 feet. 1930 (200 mm a)
Bogue Sound Daybeacon 26	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 6 feet.
Bogue Sound Daybeacon 27	Black square daymark with yellow border on pile. White reflector.	12 feet high. In 6 feet
Bogue Sound Daybeacon 28	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 10 feet.
BOGUE SOUND LIGHT 29 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 130 cp. 15 feet high. In 6 feet. 1930 (200 mm a)
Bogue Sound Daybeacon 30	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 6 feet.
Bogue Sound Daybeacon 31	Black square daymark with yellow border on pile. White reflector.	14 feet high. In 6 feet.
Bogue Sound Daybeacon 32	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 4 feet.
BOGUE SOUND LIGHT 33 Fl. W., 4 sec. U.	Black square daymark with yellow border on pile.	Flash 0.4 sec. 90 cp. 15 feet high. At bend in channel. In 6 feet. 1930-1946 (200 mm e)
Bogue Sound Daybeacon 34	Red triangular daymark with yellow border on pile. Red reflector.	14 feet high. In 4 feet.
Bogue Sound Daybeacon 35	Black square daymark with yellow border on pile. White reflector.	Lovett Island, right tangent, 670 yards 130°. 14 feet high. In 8 feet.
Bogue Sound Daybeacon 36	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 6 feet.
BOGUE SOUND LIGHT 37 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 130 cp. 15 feet high. In 6 feet. 1930 (200 mm a)
Bogue Sound Daybeacon 38	Red triangular daymark with yellow border on pile. Red reflector.	14 feet high. In 6 feet.
Bogue Sound Daybeacon 40	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 6 feet.
BOGUE SOUND LIGHT 41 Qk. Fl. W. U.	White pile structure, black tankhouse.	60 flashes per minute. 130 cp. 15 feet high. In 6 feet. 1930 (200 mm a)
Bogue Sound Daybeacon 42	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 7 feet.
BOGUE SOUND LIGHT 43 Fl. W., 4 sec. U.	White pile structure with black tankhouse.	Flash 0.4 sec. 130 cp. 15 feet high. In 6 feet. 1930 (200 mm a)
Bogue Sound Daybeacon 44	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 6 feet.
BOGUE SOUND LIGHT 45 Qk. Fl. W. U.	Black square daymark with yellow border on pile structure.	60 flashes per minute. 90 cp. 16 feet high. In 7 feet. 1939 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
BOGUE SOUND		
Bogue Sound Buoy 45A	Black with yellow top; 3d-cl. spar.	In 15 feet.
BOGUE SOUND LIGHT 46 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile.	Flash 0.4 sec. 25 cp. 16 feet high. In 9 feet. 1932-1942 (200 mm e)
SWANSBORO LIGHT 2 Fl. R., 4 sec. U.	Red triangular daymark on red pile. Obscured from 303° to 33°.	Flash 0.4 sec. 15 cp. 14 feet high. At entrance to White Oak River. In 16 feet. 1939-1946. (200 mm e)
Swansboro Buoy 3	Black; 3d-cl. can (s) White reflector.	In 12 feet.
Swansboro Daybeacon 4	Red triangular daymark on red pile.	On south side of channel. In 10 feet.
Bogue Sound Buoy 46A	Red; 3d-cl. nun (s) White reflector	In 12 feet.
BOGUE SOUND LIGHT 46B Qk. Fl. W. U.	Red triangular daymark with yellow border on pile structure.	60 flashes per minute. 50 cp. 17 feet high. In 12 feet. 1939-1944 (200 mm e)
Bogue Sound Buoy 47	Black; 3d-cl. can (s) White reflector.	In 13 feet.
Bogue Sound Buoy 47A	Black with yellow top; 3d-cl. can(s).	In 9 feet.
Bogue Sound Buoy 47B	Black; 3d-cl. can (s)	In 8 feet.
BOGUE SOUND LIGHT 48 Qk. Fl. R. U.	White pile structure, red tankhouse.	60 flashes per minute. 15 cp. 16 feet high. In 3 feet. 1933 (200 mm e)
Bogue Sound Buoy 48A	Red; nun (M)	In 9 feet.
BOGUE SOUND LIGHT 49 Qk. Fl. W. U.	White pile structure, black tankhouse.	60 flashes per minute. 50 cp. 16 feet high. In 2 feet. 1930-1931 (200 mm e)
Queen Creek Daybeacon 51	Black square daymark with yellow border on pile. Yellow reflector.	In 3 feet.
Queen Creek Daybeacon 53	Black square daymark with yellow border on pile. Yellow reflector.	12 feet high. In 7 feet.
SAUNDERS CREEK LIGHT 55. Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1932 (200 mm e)
BEAR CREEK LIGHT 58 Qk. Fl. R. U.	Red triangular daymark with yellow border on white pile.	60 flashes per minute. 15 cp. 16 feet high. At bend in channel. In 4 feet. 1942 (200 mm e)
New River Daybeacon 59	Black square daymark with yellow border on pile. White reflector.	In 2 feet.
BROWNS INLET LIGHT 61 Fl. W., 4 sec. U.	White pile structure, black tankhouse.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1935-1944 (200 mm e)
Freeman Creek Daybeacon 63	Black square daymark with yellow border on pile. White reflector.	Browns Inlet Light 61, 1,900 yards. 224½°.
NEW RIVER		
CRAIG POINT LIGHT 65 Qk. Fl. W. U.	White pile structure, black tankhouse.	60 flashes per minute. 50 cp. 16 feet high. At bend in channel. In 2 feet. 1930 (200 mm e)
New River Daybeacon 67	Black square daymark with yellow border on pile. White reflector.	Craig Point Light 65, 1,500 yards, 108° 12 feet high. In 6 feet.
New River Daybeacon 69	Black square daymark with border on pile. White reflector.	Craig Point Light 65, 2,250 yards, 108°. 12 feet high. In 6 feet.
NEW RIVER LIGHT 70 Qk. Fl. R. U.	Red triangular daymark on slatted pile structure.	60 flashes per minute. 15 cp. 16 feet high. At turn in channel. In 4 feet. 1933-1944 (200 mm e)
New River Buoy 71	Black, yellow top; 3d-cl can(s).	In 16 feet.
New River Buoy 71A	Black with yellow top; 3d-cl. can (s).	In 10 feet.
New River Daybeacon 72	Red triangular daymark with yellow border on pile. Red reflector	In 10 feet.
New River Buoy 73	Black can; yellow top (M)	In 10 feet.
New River Daybeacon 74	Red triangular daymark with yellow border on pile. Red reflector.	In 6 feet.
For continuation of Intracoastal Waterway, see p. 40.		
New River Inlet Buoy 1	Black; 3d-cl. can (s)	In 20 feet.
New River Inlet Buoy 2	Red; 3d-cl. (s) nun	In 20 feet.
NEW RIVER INLET LIGHT 2A. Fl. W., 4 sec. U.	White slatted daymark on white skeleton tower.	Flash 0.4 sec. 140 cp. 16 feet high On shore, east side of inlet. 1941-1942 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
NEW RIVER		
NEW RIVER LIGHT 4 Fl. R., 4 sec. U.	Red triangular daymark on pile.	Flash 0.4 sec. 20 cp. 14 feet high. In 8 feet. 1940–1942 (200 mm e)
NEW RIVER LIGHT 5 Fl. W., 4 sec. U.	Black square daymark on pile.	Flash 0.4 sec. 30 cp. 14 feet high. On west side of channel. In 10 feet. 1940–1943 (90 mm e)
New River Daybeacon 9	Black square daymark on pile.	13 feet high. In 6 feet.
NEW RIVER LIGHT 11 Fl. W., 4 sec. U.	Black square daymark on pile.	Flash 0.4 sec. 30 cp. 14 feet high. Off Hall Point. In 8 feet 1940-1947 (90 mm e)
COURTHOUSE BAY CHANNEL RANGE FRONT LIGHT. Fl. W., 1 sec. U.	White and red triangular daymark, apex up, on black pile.	Flash 0.3 sec. 30 cp. 11 feet high. In 7 feet. 1942 (90 mm e)
COURTHOUSE BAY CHANNEL RANGE REAR LIGHT. Occ. W., 2 sec. U.	White and red triangular daymark, apex down, on black pile.	Light 1 sec., eclipse 1 sec. 30 cp. 18 feet high. On jetty. 1942 (90 mm e)
COURTHOUSE BAY CHANNEL LIGHT. Fl. R., 4 sec.	White square daymark on piles.	Flash 0.4 sec. 10 cp. 7 feet high. On shore. 1942 (90 mm e)
New River Daybeacon 13	Black square daymark on pile.	13 feet high. In 8 feet.
New River Daybeacon 15	Black square daymark on pile.	14 feet high. In 8 feet.
NEW RIVER LIGHT 17 Qk. Fl. W. U.	Black square daymark on pile	60 flashes per minute. 30 cp. 14 feet high. In 9 feet. 1940-1942 (90 mm e)
NEW RIVER LIGHT 19 Fl. W., 4 sec. U.	Black square daymark on pile.	Flash 0.4 sec. 30 cp. 14 feet high. On south side of channel. In 8 feet. 1940–1947 (90 mm e)
NEW RIVER LIGHT 21 Qk. Fl. W. U.	Black square daymark on pile.	60 flashes per minute. 30 cp. 14 feet high. At turn in channel. In 9 feet. 1940 (90 mm e)
NEW RIVER LIGHT 23 Qk. Fl. W. U.	Black square daymark on pile	60 flashes per minute. 30 cp. 14 feet high. At turn in channel. In 7 feet. 1940 (90 mm e)
NEW RIVER LIGHT 25 Fl. W., 4 sec. U.	Black square daymark on pile.	Flash 0.4 sec. 30 cp. 14 feet high. In Stone Bay. In 8 feet. 1940-1942 (90 mm e)
NEW RIVER LIGHT 27 Fl. W., 4 sec. U.	Black square daymark on pile.	Flash 0.4 sec. 30 cp. 14 feet high. On edge of shoal. In 10 feet. 1940-1946 (90 mm e)
NEW RIVER LIGHT 29 Qk. Fl. W. U.	Black square daymark on pile.	60 flashes per minute. 30 cp. 14 feet high. Off Grey Point. In 10 feet. 1940-1947 (90 mm e)
New River Daybeacon 31	Black square daymark on pile.	13 feet high. Off Spring Point. In 10 feet.
NEW RIVER LIGHT 32 Qk. Fl. R. U.	Red triangular daymark on pile.	60 flashes per minute. 10 cp. 14 feet high. At turn in channel. In 10 feet. 1940 (90 mm e)
NEW RIVER LIGHT 33 Fl. W., 4 sec. U.	Black square daymark on pile.	Flash 0.4 sec. 30 cp. 14 feet high. Off Town Point. In 10 feet. 1940 (90 mm e)
NEW RIVER LIGHT 34 Qk. Fl. R. U.	Red triangular daymark on pile.	60 flashes per minute. 10 cp. 14 feet high. West of Hadnot Point. In 10 feet. 1940 (90 mm e)
New River Daybeacon 35	Black square daymark on pile.	13 feet high. In Morgan Bay. In 10 feet.
NEW RIVER LIGHT 36 Qk. Fl. R. U.	Red triangular daymark on pile.	60 flashes per minute. 10 cp. 14 feet high. At turn in channel. In 10 feet. 1940 (90 mm e)
Northeast Creek Obstruction Buoy 1A.	Black; 4th-cl. spar	Marks sewer valve 25 feet 328° from buoy. In 5 feet.
NEW RIVER LIGHT 38 Qk. Fl. R. U.	Red triangular daymark on pile.	60 flashes per minute. 10 cp. 14 feet high. Off Mumford Point. In 9 feet. 1940–1947 (90 mm e)
NEW RIVER LIGHT 39 Fl. W., 4 sec. U.	Black square daymark on pile.	Flash 0.4 sec. 30 cp. 14 feet high. On west side of channel. In 8 feet. 1942 (90 mm e)
New River Daybeacon 41	Black square daymark on pile.	13 feet high. On west side of channel. In 8 feet.
New River Daybeacon 43	Black square daymark on pile.	13 feet high. Off Jacks Point. In 5 feet.
NEW RIVER LIGHT 44 Qk. Fl. R. U.	Red triangular daymark on pile.	60 flashes per minute. 10 cp. 14 feet high. At turn in channel. In 6 feet. 1940 (90 mm e)
NEW RIVER LIGHT 45 Fl. W., 4 sec. U.	Black square daymark on pile.	Flash 0.4 sec. 30 cp. 14 feet high. At inner end of cut. In 6 feet. 1940 (90 mm e)

Name; mark on aid Character of light	Description	Remarks
CURRITUCK SOUND		
Obstruction Buoy	Red and black horizontal bands; 4th-cl. spar.	Marks sunken pier. Currituck Sound Light 71, 2.1 miles, 301°. In 6 feet.
MONKEY TAIL SHOAL LIGHT. U. Fl. W., 5 sec.	Black pile with cage work at top.	Flash 0.5 sec. 30 cp. 15 feet high. In 3 feet. 1934-1940 (200 mm e)
WHALE HEAD BAY LIGHT 1. U. Fl. W., 5 sec.	Black square daymark on pile.	Flash 0.5 sec. 30 cp. 14 feet high. In 5 feet. 1941 (90 mm e)
WHALE HEAD BAY LIGHT 2. U. Fl. R., 5 sec.	Red box on a pile	Flash 0.5 sec. 10 cp. 14 feet high. In 4 feet. 1941 (90 mm e)
WATERLILY LIGHT Fl. W., 5 sec. U.	Pile on wharf	Flash 0.5 sec. 30 cp. 16 feet high. In 4 feet. 1934 (90 mm e)
POPLAR BRANCH LIGHT. Fl. W., 5 sec. U.	On pile	Flash 0.5 sec. 30 cp. 12 feet high. On north side of channel. In 4 feet. 1934-1941. (90 mm e)
LONE OAK CHANNEL		
LONE OAK CHANNEL LIGHT. U. Fl. W., 5 sec.	Black pile with cage work at top.	Flash 0.5 sec. 30 cp. 15 feet high. On north side of channel. In 3 feet. 1934-1940 (200 mm e)
WELLS CREEK LIGHT Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. On north side of channel. In 4 feet. 1934 (90 mm e)
BEASLEY BAY LIGHT Fl. W., 5 sec. U.	Red pile with cage work at top.	Flash 0.5 sec. 30 cp. 15 feet high. On south side of channel. In 4 feet. 1934-1940 (200 mm e)
Powell Point Daybeacon	Red slatted pile structure. White reflector.	17 feet high. At junction of Currituck and Albemarle Sounds. In 6 feet.
COLLINGTON ISLAND SHOAL LIGHT. U. Fl. W., 4 sec.	Red pile with cage work at top.	Flash 0.4 sec. 30 cp. 14 feet high. A junction of Roanoke and Croatan Sounds. In 7 feet. 1912-1940 (200 mm e)
ROANOKE SOUND		
Roanoke Sound Buoy 46	Red; 2d-cl. nun(s)	3,300 yards 78° from Croatan Light. In 7 feet.
Roanoke Sound Buoy 43	Black; 2d-cl. can(s)	In 10 feet.
ROANOKE SOUND LIGHT 42. U. Fl. W., 4 sec.	Red pile with cagework at top.	Flash 0.4 sec. 50 cp. 14 feet high. 3,810 yards 15° from stack at Manteo. 1912-1940 (200 mm e)
Roanoke Island Daybeacon 39	Black square daymark on pile.	12 feet high. In 7 feet.
Roanoke Island Daybeacon 37	Black square daymark on pile.	12 feet high. In 6 feet.
MANTEO CHANNEL JUNCTION LIGHT. U. I. Qk. Fl. W.	Red and black horizontal banded pile with cage work at top.	Flashes interrupted by eclipse. 50 cp. 14 feet high. 1,975 yards 64° from stack at Manteo. (200 mm e) 1912-1940
MANTEO CHANNEL LIGHT 2. U. Fl. R., 4 sec.	Red slatted pile structure	Flash 0.4 sec. 10 cp. 16 feet high. 800 yards 130° from stack at Manteo. 1923 (90 mm e)
Manteo Channel Daybeacon 4	Red triangular daymark on pile.	12 feet high. In 7 feet.
ROANOKE ISLAND CUT THROUGH LIGHT. U. Fl. W., 4 sec.	Black slatted pile structure	Flash 0.4 sec. 30 cp. 16 feet high. 1.3 miles 281° from east gable on Duck Island. (90 mm e) 1934
Roanoke Island Daybeacon 36	Red triangular daymark on pile.	12 feet high. In 5 feet.
ROANOKE ISLAND LIGHT 33. U. Fl. W., 4 sec.	Black box on pile	Flash 0.4 sec. 30 cp. 14 feet high. In 4 feet. 2,300 yards 93° from stack at Manteo. (90 mm e) 1942
Roanoke Island Daybeacon 32	Red triangular daymark on pile.	12 feet high. In 6 feet.
ROANOKE ISLAND LIGHT 31. U. Fl. W., 4 sec.	Black box on pile	Flash 0.4 sec. 30 cp. 14 feet high. In 2 feet. 2,700 yards 109° from stack at Manteo. (90 mm e) 1942
Roanoke Island Daybeacon 29	Black square daymark on pile.	12 feet high.
Roanoke Island Daybeacon 28	Red triangular daymark on pile.	12 feet high. In 7 feet.
ROANOKE ISLAND LIGHT 26. U. Fl. R., 4 sec.	Red box on pile	Flash 0.4 sec. 10 cp. 14 feet high. 5,500 yards 128° from stack at Manteo. 1942 (90 mm e)
Roanoke Island Daybeacon 23	Black square daymark on pile.	12 feet high. In 7 feet.
ROANOKE ISLAND LIGHT 21. U. Fl. W., 4 sec.	Black box on pile	Flash 0.4 sec. 30 cp. 14 feet high. 6,800 yards 298° from chimney, Bodie Island Coast Guard Station. 1942 (90 mm e)

Name; mark on aid Character of light	Description	Remarks
ROANOKE SOUND		
ROANOKE ISLAND LIGHT 19. U. Fl. W., 4 sec.	Black box on pile	Flash 0.4 sec. 30 cp. 14 feet high. 5,500 yards 289° from chimney, Bodie Island Coast Guard Station. 1942 (90 mm e)
Roanoke Island Daybeacon 18 Roanoke Island Daybeacon 16 Roanoke Island Daybeacon 14	Red triangular daymark on pile.	12 feet high.
ROANOKE ISLAND LIGHT 13. U. Fl. W., 4 sec.	Black box on pile	Flash 0.4 sec. 30 cp. 14 feet high. 4,150 yards 256½° from chimney, Bodie Island Coast Guard Station. 1942 (90 mm e)
Roanoke Island Daybeacon 12	Red triangular daymark on pile.	12 feet high.
ROANOKE ISLAND LIGHT 11. U. Fl. W., 4 sec.	Black box on pile	Flash 0.4 sec. 30 cp. 14 feet high. 4,375 yards 224° from chimney, Bodie Island Coast Guard Station. 1942 (90 mm e)
ROANOKE ISLAND LIGHT 9. U. Fl. W., 4 sec.	Black box on pile	Flash 0.4 sec. 30 cp. 14 feet high. 5,150 yards 204½° from chimney, Bodie Island Coast Guard Station. 1942 (90 mm e)
ROANOKE ISLAND LIGHT 7. U. Fl. W., 4 sec.	Black box on pile	Flash 0.4 sec. 30 cp. 14 feet high. 5,550 yards 186½° from chimney, Bodie Island Coast Guard Station. 1942 (90 mm e)
ROANOKE ISLAND LIGHT 5. U. Fl. W., 4 sec.	Black box on pile	Flash 0.4 sec. 30 cp. 14 feet high. 6,120 yards 175° from chimney, Bodie Island Coast Guard Station. 1942 (90 mm e)
OREGON INLET LIGHTED BUOY 4. Fl. R., 5 sec.	Red	Flash 0.5 sec. 10 cp. In 14 feet. (150 mm e)
OREGON INLET LIGHT 5. Qk. Fl. W. U.	Black box on pile	60 flashes per minute. 30 cp. 10 feet high. On shore, northerly of Oregon Inlet Coast Guard Station. 1943 (90 mm e)
OREGON INLET LIGHTED WHISTLE BUOY 2. Fl. W., 5 sec.	Red	Flash 0.5 sec. 130 cp. 11 feet high. At entrance to inlet. In 39 feet. (200 mm a)
ALBEMARLE SOUND		
WADE POINT LIGHT F. W.	White square house on brown piles. BELL; group, 2 strokes every 20 sec.	680 cp. 39 feet high. On east part of shoal off point. In 7 feet. 1826–1919 (4 iov)
PASQUOTANK RIVER		
PASQUOTANK RIVER SLUE LIGHT 1. U. Fl. G., 5 sec.	Black pile with cage work at top.	Flash 0.5 sec. 11 cp. 14 feet high. In 10 feet. 1939 (200 mm e)
PASQUOTANK RIVER LIGHT 2. U. Fl. W., 5 sec.	Red pile with cage work at top.	Flash 0.5 sec. 50 cp. 14 feet high. On southwest edge of shoal. In 7 feet. 1907–1940 (200 mm e)
PASQUOTANK RIVER LIGHT 3. U. Fl. W., 5 sec.	Black pile with cage work at top.	Flash 0.5 sec. 50 cp. 14 feet high. In 6 feet. 1939 (200 mm e)
PASQUOTANK RIVER LIGHT 4. U. Fl. R., 4 sec.	Red slatted pile structure	Flash 0.4 sec. 30 cp. On southwest edge of shoal. 19 feet high. In 6 feet. 1923 (200 mm e)
PASQUOTANK RIVER OBSTRUCTION LIGHT A. U. Qk. Fl. R.	Red pile	75 flashes per minute. 25 cp. 14 feet high. 1,918 yards, 86½° from Pasquotank River Light 5. In 7 feet. 1944 (200 mm e)
PASQUOTANK RIVER LIGHT 5. U. Qk. Fl. W.	Black pile with cage work at top.	75 flashes per minute. 80 cp. Pasquotank River Light 4; 2.4 miles, 122½°. 14 feet high. In 8 feet. 1935–1941 (150 mm e)
PASQUOTANK RIVER OBSTRUCTION LIGHT B. Qk. Fl. R. U.	Red pile	75 flashes per minute. 25 cp. 14 feet high. In 8 feet. 1944 (200 mm e)
PASQUOTANK RIVER OBSTRUCTION LIGHT C. Qk. Fl. R. U.	White pile	75 flashes per minute. 25 cp. 14 feet high. In 2 feet. 1944 (200 mm e)
PASQUOTANK RIVER OBSTRUCTION LIGHT D. Qk. Fl. R. U.	Red pile	75 flashes per minute. 25 cp. 14 feet high. In 7 feet. 1944 (200 mm e)
PASQUOTANK RIVER OBSTRUCTION LIGHT E. Qk. Fl. R. U.	White pile	75 flashes per minute. 25 cp. 14 feet high. In 7 feet. 1944 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
PASQUOTANK RIVER		
PASQUOTANK RIVER OBSTRUCTION LIGHT F. Qk. Fl. R. U.	Red pile	75 flashes per minute. 25 cp. 14 feet high. In 9 feet. 1944 (200 mm e)
PASQUOTANK RIVER LIGHT 7. U. Qk. Fl. G.	Black slatted pile structure	75 flashes per minute. 15 cp. On north edge of shoal off point. 19 feet high. In 7 feet. 1907–1941 (150 mm e)
Pasquotank River Buoy 8	Red; 3d-cl. nun (s) Red reflector.	Marks south edge of shoal off point. Pasquotank River Light 7; 2,800 yards, 117° In 10 feet.
PASQUOTANK RIVER LIGHT 9. U. Fl. W., 4 sec.	Black slatted pile structure	Flash 0.4 sec. 50 cp. Pasquotank River Light 7, 2,700 yards, 146°. 19 feet high. In 12 feet. 1935 (200 mm e)
Pasquotank River Daybeacon 11. Pasquotank River Daybeacon 13. Pasquotank River Daybeacon 15. Pasquotank River Daybeacon 16. Pasquotank River Daybeacon 17. Pasquotank River Daybeacon 18. Pasquotank River Daybeacon 19.	Even-numbered daybeacons are red triangular daymark with yellow square. Odd-numbered daybeacons are black square daymark with yellow triangle.	In 9 feet.
LITTLE RIVER		
Stevenson Point Flats Buoy	Red and black horizontal bands; 3d-cl. spar.	Stevenson Point, 1.0 mile, 310°. In 12 feet.
Stevenson Point Flats Entrance Buoy 1.	Black; 4th-cl. spar	In 8 feet.
Mill Point Flats Buoy 2	Red; 4th-cl. spar	In 9 feet.
PERQUIMANS RIVER		
REED POINT LIGHT Fl. W., 5 sec. U.	Red pile with cage work at top.	Flash 0.5 sec. 90 cp. 14 feet high. South side Durants Creek. In 12 feet. 1897–1940 (200 mm e)
Perquimans Bluff Flats Buoy	Red and black horizontal bands; 2d-cl. can (s).	On southeast edge of flats. In 13 feet.
Harvey Point Flats Daybeacon	White slatted daymark on pile. White reflector.	11 feet high. On edge of flats northeast of point. In 5 feet.
Blount Point Spit Buoy 3	Black; 4th-cl. spar	In 10 feet.
GRASSY POINT LIGHT Fl. W., 5 sec. U.	Red pile with cage work at top.	Flash 0.5 sec. 30 cp. 14 feet high. On south end of spit off point. In 12 feet. 1912–1940 (200 mm e)
Hertford Shoal Daybeacon	Black slatted daymark on pile White reflector.	Barrow Point, tangent, 3,150 yards 137°. In 7 feet.
SCUPPERNONG RIVER		
SCUPPERNONG RIVER ENTRANCE LIGHT. U. Fl. W., 5 sec.	Black pile with cage work at top.	Flash 0.5 sec. 50 cp. 14 feet high. In 10 feet. 1904–1940 (200 mm e)
MILL POINT LIGHT Fl. R., 5 sec. U.	Red pile with cage work at top.	Flash 0.5 sec. 15 cp. 14 feet high. On south side of channel. In 6 feet. 1927–1940 (200 mm e)
Scuppernong River Buoy 1	Black; 4th-cl. spar	Mill Point Light, 590 yards, 297½° In 10 feet.
Scuppernong River Buoy 3	Black; 4th-cl. spar	Mill Point Light, 2.1 miles, 299°. In 10 feet.
Scuppernong River Buoy 5	Black; 4th-cl. spar	Mill Point Light, 2.4 miles, 304°. In 10 feet.
Scuppernong River Buoy 7	Black; 4th-cl. spar	Mill Point Light, 2.5 miles, 304°. In 10 feet.
Scuppernong River Buoy 9	Black; 4th-cl. spar	Mill Point Light, 2.8 miles, 297°. In 10 feet.
Scuppernong River Buoy 2	Red; 4th-cl. spar	Mill Point Light, 2.9 miles, 298°. In 10 feet.
BULL BAY		
Entrance Buoy 2	Red; 3d-cl. spar	Scuppernong River Entrance Light, 2,965 yards, 95°. In 11 feet.
Channel Buoy 1	Black; 4th-cl. spar	On northwest point Dumping Shoal In 8 feet.
Inner Buoy 4	Red; 4th-cl. spar	On south point of shoal. In 9 feet.
ALBEMARLE SOUND		
LAUREL POINT LIGHT Fl. W., 5 sec. U.	White skeleton tower on brown piles.	Flash 0.5 sec. 140 cp. 40 feet high. Northeast from point. In 10 feet. 1890–1929 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
ALBEMARLE SOUND		
Laurel Point Bell Buoy 1	Black	Laurel Point Light 700 yards, 180°. In 12 feet.
Batts Island Shoal Buoy 2	Red; 2d-cl. nun	Off south end of shoal, off mouth of Yeopim River. In 17 feet.
Bluff Point Shoal Buoy 4	Red; 2d-cl. nun	On southeast point of shoal. In 17 feet.
MACKAY CREEK LIGHT. Fl. W., 3 sec. U.	White slatted pile structure	Flash 0.3 sec. 130 cp. 15 feet high. At entrance to channel leading to creek. In 6 feet. 1926–1932 (200 mm a)
Bombing Target A	Pile structure	In 5 to 14 feet.
Bombing Target C	White reflectors	
Bombing Target D		
Bombing Target B	Pile structure. Red reflectors.	In 16 feet.
EDENTON BAY		
Reedy Point Shoal Buoy	Red and black horizontal bands; 3d-cl. spar.	In 12 feet.
EDENTON BAY LIGHTED BELL BUOY 2. Fl. R., 4 sec.	Red	Flash 0.4 sec. 20 cp. 12 feet high. Edenton Harbor Range Front Light. 1.5 miles, 11°. In 12 feet. (200 mm a)
Johnson Point Shoal Buoy 4	Red; 4th-cl. spar	On west point of shoal. In 9 feet.
Johnson Creek Buoy 6	Red; 4th-cl. spar	In 9 feet.
Johnson Creek Buoy 8	Red; 4th-cl. spar	In 9 feet.
EDENTON HARBOR RANGE FRONT LIGHT. F. R. U.	White square daymark on iron post.	20,000 cp. 14 feet high. On wharf, on axis of channel. 1879–1940 (Rf e)
EDENTON HARBOR RANGE REAR LIGHT. U. F. R.	Black circular daymark on white skeleton tower.	20,000 cp. 33 feet high. 135 yards 14° from front light. 1879–1939 (Rf e)
Cut Buoy 1	Black; 4th-cl. spar	Entrance to cut. In 8 feet.
Warren Mill Creek Buoy 3	Black; 4th-cl. spar	In 10 feet.
Bachelor Bay Buoy 1	Black; 2d-cl. can	On northwest edge of shoal. In 11 feet.
ROANOKE RIVER		
Roanoke River Daybeacon	White square house on brown piles.	35 feet high. In 7 feet.
ROANOKE RIVER ENTRANCE LIGHT 1. U. Fl. G., 5 sec.	Black pile with cage work at top	Flash 0.5 sec. 15 cp. 14 feet high. Roanoke River Daybeacon 1.6 miles 263°. In 12 feet. 1940–1941 (200 mm e)
Roanoke River Daybeacon 2	Red triangular daymark on pile.	In 12 feet. 14 feet high.
ROANOKE RIVER LIGHT 3. Fl. W., 5 sec. U.	Black pile with cage work at top.	Flash 0.5 sec. 90 cp. 14 feet high. South side of entrance to dredged channel. In 11 feet. 1932–1940 (200 mm e)
Roanoke River Buoy 4	Red, 3d-cl. nun (s)	In 11 feet.
Roanoke River Buoy 5	Black, 3d-cl. can (s) White reflector.	In 11 feet.
Roanoke River Buoy 6	Red. 3d-cl. nun (s) Red reflector.	In 11 feet.
Roanoke River Buoy 7	Black, 3d-cl. can (s)	In 11 feet.
ROANOKE RIVER LIGHT 8. Fl. R., 5 sec. U.	Red pile with cage work at top.	Flash 0.5 sec. 25 cp. 14 feet high. In 8 feet. 1932–1940 (200 mm e)
Roanoke River Buoy 9	Black, 3d-cl. can (s)	In 11 feet.
Roanoke River Buoy 10	Red, 3d-cl. nun (s) Red reflector.	In 11 feet.
ROANOKE RIVER LIGHT 11. U. Fl. W., 3 sec.	Black slatted pile structure	Flash 0.3 sec. 130 cp. 16 feet high. In 10 feet. 1932–1941 (200 mm a)
Roanoke River Buoy 11A	Black; can (M) White reflector.	In 8 feet.
Roanoke River Buoy 13	Black; can (M) White reflector.	In 11 feet.
Roanoke River Daybeacon 15	Black square daymark on pile. White reflector.	16 feet high. In 15 feet.
Roanoke River Daybeacon 18	Red triangular daymark on pile. Red reflector.	16 feet high. In 11 feet.
ROANOKE RIVER LIGHT 20 U. Fl. W., 4 sec.	Red triangular daymark on pile.	Flash 0.4 sec. 30 cp. 16 feet high. In 13 feet. 1947 (90 mm c)
Roanoke River Daybeacon 22	Red triangular daymark on red pile. Red reflector.	16 feet high. In 7 feet.
PLYMOUTH PIER LIGHT 1. F. G. U.	On east corner of pier	130 cp. 8 feet high. Maintained by North Carolina Pulp Co. 1938 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
ROANOKE RIVER		
PLYMOUTH PIER LIGHT 3. F. G. U.	On west corner of pier	130 cp. 8 feet high. Maintained by North Carolina Pulp Co. 1938 (200 mm e)
CHOWAN RIVER		
WOODLEY PIER LIGHT Fl. W., 3 sec. U.	Red slatted pile structure	Flash 0.3 sec. 45 cp. 19 feet high. On east side of channel. In 13 feet. 1908-1919 (150 mm a)
HOLIDAY ISLAND LIGHT Fl. W., 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 45 cp. 19 feet high. On west side of channel. In 10 feet. 1908-1919 (150 mm a)
CROATAN SOUND		
Caroon Point Buoy 2	Red; 2d-cl. nun	On edge of shoal. Croatan Light 1.1 miles, 141°. In 10 feet.
CROATAN LIGHT Fl. W., R. sector, 5 sec. U.	White skeleton tower on brown piles. BELL. 1 stroke every 30 sec. (CO_2). Not sounded from June 15 to Sept. 15.	Flash 0.5 sec. White 300 cp. Red 100 cp. Red from 276° to 314°; southwest edge marks channel. 38 feet high. On northeast side of channel between Croatan and Albemarle Sounds. In 7 feet. 1835-1939 (200 mm e)
Croatan Sound Buoy 1	Red; 3d-cl. spar	On west side of channel, Croatan Light, 200 yards 52°. In 12 feet.
Croatan Sound Buoy 3	Black; 3d-cl. can (s)	Croatan Light, 1,500 yards, 320°. In 12 feet.
CAMP WRIGHT PIER LIGHT. U. F. R.	Post on pier	10 cp. 10 feet high. Northwest Point, Roanoke Island. Maintained by U. S. Dept. of Interior. 1940 (e)
Croatan Sound Buoy 5	Black; 2d-cl. spar	On east side of channel. Croatan Light, 1.6 miles, 316½°. In 11 feet.
Croatan Sound Buoy 7	Black; 3d-cl. spar	Off Redstone Point, on west side of channel. Blockade Shoal Light, 1.5 miles, 134°. In 18 feet.
MANNS HARBOR CANAL LIGHT. U. Fl. W., 5 sec.	Red and black slatted pile structure.	Flash 0.5 sec. 30 cp. 16 feet high. In 4 feet. 1934 (90 mm e)
Croatan Sound Buoy 9	Black; 3d-cl. can (s)	On southwest end of shoal making off northwest point Roanoke Island. Blockade Shoal Light 1,400 yards, 132°. In 15 feet.
BLOCKADE SHOAL LIGHT Fl. W., 5 sec. U.	Red pile with cage work at top	Flash 0.5 sec. 50 cp. 14 feet high. In 9 feet. 1898-1939 (200 mm e)
Croatan Sound Buoy 11	Black; 3d-cl. can (s)	In 18 feet.
Croatan Sound Buoy 13	Black; 4th-cl. spar	In 13 feet.
Croatan Sound Buoy 15	Black; 4th-cl. spar	Roanoke Marshes Lighthouse, 3.6 miles, 170°. In 12 feet.
Croatan Sound Buoy 17	Black; 3d-cl. can (s)	Roanoke Marshes Lighthouse, 2.9 miles, 171°. In 12 feet.
Croatan Sound Buoy 19	Black; 4th-cl. spar	Roanoke Marshes Lighthouse, 2.2 miles, 171½°. In 12 feet.
Croatan Sound Buoy 21	Black; 4th-cl. spar	Roanoke Marshes Lighthouse, 1.4 miles, 173°. In 12 feet.
Croatan Sound Buoy 23	Black; 3d-can (s)	Roanoke Marshes Lighthouse, 0.8 mile, 178°. In 12 feet.
Rocks Buoy	Red and black horizontal bands; 2d-cl. nun.	Marks 5-foot lump. Roanoke Marshes Lighthouse, 0.5 mile, 140°. In 11 feet.
Oyster Creek Daybeacon	Black square daymark on pile	On small island, north side of entrance. In 6 feet.
OYSTER CREEK LIGHT Fl. W., 5 sec. U.	White box on black pile	Flash 0.5 sec. 30 cp. 16 feet high. In 9 feet. 1915-1935 (90 mm e)
ROANOKE MARSHES LIGHT. Gp. Fl. W., R. sector, 5 sec. 2 flashes.	White square house on brown piles. HORN, diaphragm, air: Blast 3 sec., silent 17 sec. Bell if horn is disabled, 1 stroke every 12 sec.	Flash 0.5 sec., eclipse 1 sec., flash 0.5 sec., eclipse 3 sec. Red from 165° to 169°. White 4,500 cp. Red 1,300 cp. 37 feet high. On east side of channel. In 13 feet. 1831-1877 (6 e)
Roanoke Marshes Buoy	Red and black horizontal bands; 3d-cl. spar.	Roanoke Marshes Lighthouse, 780 yards, 9°. In 15 feet.
Obstruction Buoy	Red and black horizontal bands; 4th-cl. spar.	40 yards southwest of pile of stones. Roanoke Marshes Lighthouse, 1,600 yards, 342°. In 10 feet.
Croatan Sound Channel Entrance Buoy 6.	Red; 2d-cl. nun	Roanoke Marshes Lighthouse, 1.7 miles, 1°. In 11 feet.

Name; mark on aid Character of light	Description	Remarks
PAMLICO SOUND		
STUMPY POINT BAY LIGHT. U. Fl. W., 5 sec.	Red slatted pile structure	Flash 0.5 sec. 45 cp. 19 feet high. On point of shoal making off point. In 8 feet. 1923 (150 mm a)
STUMPY POINT BAY LIGHT 2. U. Fl. W., 5 sec.	White box on pile	Flash 0.5 sec. 30 cp. 12 feet high. In 5 feet. 1932 (90 mm e)
STUMPY POINT BAY LIGHT 4. U. Fl. W., 5 sec.	White box on pile	Flash 0.5 sec. 30 cp. 12 feet high. In 5 feet. 1932 (90 mm e)
CHICAMACOMICO LIGHT 1. U. Fl. W., 5 sec.	Black slatted pile structure	Flash 0.5 sec. 50 cp. 16 feet high. At north side of entrance to channel into Chicamacomico. In 8 feet. 1919–1932 (200 mm e)
CHICAMACOMICO LIGHT 3. U. Fl. W., 5 sec.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. On south side of inner end of channel into Chicamacomico. In 6 feet. 1919–1936 (200 mm e)
CHICAMACOMICO LIGHT 5. U. Fl. W., 5 sec.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. Spire at Chicamacomico, 1.5 miles, 137°. In 6 feet. 1936 (200 mm e)
CHICAMACOMICO INNER LIGHT. U. Fl. W., 5. sec.	Small white house on piles	Flash 0.5 sec. 50 cp. 12 feet high. Spire at Chicamacomico, 1,600 yards, 165°. 1936 (200 mm e)
LONG SHOAL LIGHT. Fl. W., 5 sec. U.	White skeleton tower on brown piles.	Flash 0.5 sec. 280 cp. 40 feet high. On shoal. In 9 feet. 1825–1934 (300 mm a)
Long Shoal Bell Buoy 2	Red	Off end of shoal. Long Shoal Light, 2.1 miles, 310½°. In 13 feet.
Pains Bay Shoal Buoy 2	Red; 3d-cl. nun (s)	Off west end of shoal. In 12 feet.
Pingleton Point Buoy 3	Black; 3d-cl. can (s)	Off east side of shoal. In 10 feet.
PINGLETON SHOAL LIGHT. U. Fl. W., 4 sec.	Black slatted pile structure	Flash 0.4 sec. 50 cp. 16 feet high. On end of shoal. In 6 feet. 1825–1867 (200 mm e)
FAR CREEK ENTRANCE LIGHT. U. Fl. W., 4 sec.	Black slatted pile structure	Flash 0.4 sec. 50 cp. 16 feet high. In 6 feet. 1933–1934 (200 mm e)
Far Creek Channel Daybeacon 3	Black square daymark on pile	In 4 feet.
Far Creek Channel Daybeacon 5	Black square daymark on pile	In 5 feet.
FAR CREEK CHANNEL LIGHT. U Fl. W., 5 sec.	Black pile	Flash 0.5 sec. 30 cp. 12 feet high. At angle in channel. In 6 feet. 1933–1941 (90 mm e)
GIBBS SHOAL LIGHT. Fl. W., 4 sec. U.	Black slatted pile structure	Flash 0.4 sec. 50 cp. 19 feet high. At southeast end of shoal. In 6 feet. 1929–1932 (200 mm e)
Gull Shoal Bell Buoy 2	Red	Gull Shoal Light 1,350 yards 289°. In 18 feet.
GULL SHOAL LIGHT. Fl. W., 6 sec. U.	White skeleton tower on brown piles.	Flash 1 sec. 230 cp. 40 feet high. On east end of shoal. In 9 feet. 1891–1934 (300 mm e)
Long Point Shoal Buoy 2	Red; 2d-cl. nun	Gull Shoal Light, 1.8 miles, 138°. In 11 feet.
WYSOCKING BAY LIGHT. Fl. W., 4 sec. U.	Black slatted pile structure	Flash 0.4 sec. 50 cp. 16 feet high. On point of shoal, south side of entrance to bay. In 7 feet. 1923 (200 mm e)
Long Point Inner Shoal Buoy 4	Red; 3d-cl. nun	Gull Shoal Light, 2.9 miles, 121°. In 8 feet.
Gull Rocks Buoy 1	Black; 3d-cl. can (s)	North of edge of Gull Rocks Shoal. Gull Shoal Light, 3.6 miles, 109°. In 8 feet.
DOUGLAS BAY LIGHT. Fl. W., 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 45 cp. 16 feet high. At head of Wysocking Bay. In 6 feet. 1927 (150 mm a)
HOG ISLAND SHOAL LIGHT. U. Fl. W., 3 sec.	Red slatted pile structure	Flash 0.3 sec. 45 cp. 16 feet high. On shoal, 800 yards east of island, Wysocking Bay. In 6 feet. 1923 (150 mm e)
Bluff Shoal Slue Buoy 1	Black; 2d-cl. can	South side of slue. In 12 feet.
Hog Island Lump Buoy 2A	Red; 2d-cl. nun	Gull Shoal Light, 4.4 miles, 62°. In 11 feet.
BLUFF SHOAL LIGHT. Fl. W., 10 sec. U.	Black skeleton tower on piles	Flash 1 sec. 280 cp. 40 feet high. Near middle of shoal. In 10 feet. 1904–1935 (300 mm a)
Standard Point Buoy 11	Black; 2d-cl. can. White reflector.	Bluff Shoal Light, 2.4 miles, 45°. In 14 feet.
Northwest Point Royal Shoal Daybeacon.	Brown piles	On northwest point of shoal. In 6 feet.
SOUTHWEST POINT ROYAL SHOAL LIGHT. U. Fl. W., 5 sec.	Black skeleton tower on brown piles.	Flash 0.5 sec. 230 cp. 40 feet high. On southwest point of shoal. In 6 feet. 1826–1926 (300 mm a)

Name; mark on aid Character of light	Description	Remarks
PAMLICO SOUND		
SOUTHWEST POINT LIGHTED BELL BUOY 1A. Qk. Fl. G.	Black	75 flashes per minute. 25 cp. 1,340 yards 176° from Southwest Point Royal Shoal Light. In 15 feet. (200 mm a)
Royal Shoal Anchorage Buoy 1	Black; 3d-cl. can (s)	Marks entrance to anchorage. Southwest Point Royal Shoal Light, 1,370 yards, 11°. In 9 feet.
BRANT ISLAND SHOAL LIGHT. U. Fl. W., 4 sec.	White skeleton tower on brown piles.	Flash 0.4 sec. 140 cp. 40 feet high. On east end of shoal. In 7 feet. 1831–1930 (200 mm e)
HODGES REEF LIGHT Fl. W., 4 sec. U.	Black slatted pile structure	Flash 0.4 sec. 30 cp. 16 feet high. On end of reef. In 9 feet. 1930–1944 (90 mm e)
HODGES REEF LOWER LIGHT. U. Fl. W., 5 sec.	Black pile with cagework at top.	Flash 0.5 sec. 50 cp. 14 feet high. In 9 feet. 1936–1937 (200 mm e)
For Pamlico River, see p. 32, 33 For Core Sound, see p. 37.		
CAPE CHANNEL TO CAPE HATTERAS LIGHT		
NORTH POINT LIGHT Fl. W., 5 sec. U.	Black pile with cagework at top.	Flash 0.5 sec. 50 cp. 14 feet high. On north side of west entrance to Cape Channel. In 9 feet. 1919–1937 (200 mm e)
Cape Channel Buoy 1	Black; 3d-cl. can (s)	On south end of shoal. North Point Light, 905 yards, 225½°. In 7 feet.
Cape Channel Buoy 2	Red; 3d-cl. nun (s)	Muddy Slue Light, 260 yards, 56½°. In 8 feet.
MUDDY SLUE LIGHT Fl. W., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. On south side of west entrance to Cape Channel. In 11 feet. 1905–1934 (90 mm e)
Cape Channel Buoy 4	Red; 3d-cl. nun (s)	Muddy Slue Light, 700 yards, 273° In 9 feet.
Mid-Channel Buoy	Black and white vertical stripes; 3d-cl. can.	Muddy Slue Light, 1.2 miles, 277°. In 11 feet.
Anchorage Buoy	Black and white vertical stripes; 3d-cl. nun.	Muddy Slue Light, 2.2 miles, 284° In 10 feet.
AVON CHANNEL LIGHT 5 Fl. W., 4 sec. U.	Black box on pile	Flash 0.4 sec. 30 cp. 1.7 miles 87½° from Muddy Slue Light. 12 feet high. In 6 feet. 1946 (90 mm e)
AVON CHANNEL LIGHT 6 Fl. R., 4 sec. U.	Red box on pile	Flash 0.4 sec. 10 cp. 2.42 miles 75° from Muddy Slue Light. 12 feet high. In 6 feet. 1946 (90 mm e)
AVON CHANNEL LIGHT 7 Fl. W., 4 sec. U.	Black box on pile	Flash 0.4 sec. 30 cp. 2.82 miles 77° from Muddy Slue Light. 12 feet high. In 6 feet. 1946 (90 mm e)
AVON CHANNEL LIGHT 9 Fl. W., 4 sec. U.	Black box on pile	Flash 0.4 sec. 30 cp. 3.3 miles 76° from Muddy Slue Light. 12 feet high. In 6 feet. 1946 (90 mm e)
AVON CHANNEL LIGHT 10 Fl. R., 4 sec. U.	Red box on pile	Flash 0.4 sec. 10 cp. 3.67 miles 69½° from Muddy Slue Light. 12 feet high. In 6 feet. 1946 (90 mm e)
AVON CHANNEL LIGHT 12 Fl. R., 4 sec. U.	Red box on pile	Flash 0.4 sec. 10 cp. 3.8 miles 69½° from Muddy Slue Light. 12 feet high. In 6 feet. 1946 (90 mm e)
AVON CHANNEL LIGHT 13 Fl. W., 4 sec. U.	Black box on pile	Flash 0.4 sec. 30 cp. 4.2 miles 73°45′ from Muddy Slue Light. 12 feet high. In 6 feet. 1946 (90 mm e)
AVON CHANNEL LIGHT 14 Fl. R., 4 sec. U.	Red box on pile	Flash 0.4 sec. 10 cp. 4.9 miles 68° from Muddy Slue Light. 12 feet high. In 6 feet. 1946 (90 mm e)
AVON CHANNEL LIGHT 16 Fl. R., 4 sec. U.	Red box on pile	Flash 0.4 sec. 10 cp. 5.15 miles 69° from Muddy Slue Light. 12 feet high. In 7 feet. 1946 (90 mm e)
ROLLINSON CHANNEL		
ROLLINSON CHANNEL LIGHT 1. U. Fl. W., 5 sec.	Black pile with cage work at top.	Flash 0.5 sec. 50 cp. 14 feet high. Oliver Reef Light, 3,850 yards, 279° In 8 feet. 1937 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
ROLLINSON CHANNEL		
Rollinson Channel Daybeacon 3	Black square daymark on pile. White reflector.	4,500 yards 109° from Oliver Reef Light. 12 feet high. In 5 feet.
ROLLINSON CHANNEL LIGHT 6. U. Fl. R., 5 sec.	Red pile with cagework at top.	Flash 0.5 sec. 15 cp. Oliver Reef Light, 4,900 yards 293½°. 14 feet high. In 10 feet. 1937 (200 mm e)
Rollinson Channel Daybeacon 8	Red triangular daymark on pile. Red reflector.	5,970 yards 121° from Oliver Reef Light 12 feet high. In 5 feet.
Rollinson Channel Daybeacon 10.	Red triangular daymark on pile. Red reflector.	7,200 yards 126° from Oliver Reef Light. 12 feet high. In 5 feet.
ROLLINSON CHANNEL LIGHT 11. U. Fl. G., 5 sec.	Black pile with cagework at top.	Flash 0.5 sec. 11 cp. Flag Tower at Hatteras, 500 yards, 104°. 14 feet high. In 4 feet. 1937 (200 mm e)
HATTERAS INLET		
HATTERAS INLET LIGHTED BELL BUOY 1. Fl. W., 5 sec.	Black	Flash 0.5 sec. 70 cp. 12 feet high. Off entrance to inlet. In 39 feet. (200 mm a)
HATTERAS INLET LIGHT 2. Fl. W., 5 sec. U.	Red skeleton tower with daymark.	Flash 0.5 sec. 30 cp. 17 feet high. 3.400 yards 71½° from cupola, Hatteras Inlet Coast Guard Station. 1935–1946 (90 mm e)
HATTERAS INLET LIGHT 3. Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. Spire, Hatteras, 2.7 miles, 74½°. In 5 feet. 1935 (90 mm e)
HATTERAS INLET LIGHT 4. Fl. W., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. Spire, Hatteras, 1.7 miles, 74½°. In 5 feet. 1935 (90 mm e)
Cross Shoal Daybeacon	Black slatted pile structure	16 feet high. Marks channel from sound to anchorage inside of Barney Slue. In 4 feet.
Barney Slue Daybeacon	Red slatted pile structure	16 feet high. Marks channel from sound to anchorage inside of Barney Slue. In 6 feet.
BARNEY SLUE LIGHT. Fl. W., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. Barney Slue Beacon, 0.5 mile. 154½°. In 7 feet. 1935-1944 (90 mm e)
OLIVER REEF LIGHT. Fl. W., 3 sec. U.	Black skeleton tower on brown piles.	Flash 0.3 sec. 230 cp. 40 feet high. On northwest end of Oliver Reef. In 7 feet. 1905–1919 (300 mm a)
LOG SHOAL LIGHTED BELL BUOY 1. Fl. G., 4 sec.	Black BELL, on buoy.	Flash 0.4 sec. 20 cp. 1.5 miles 37° from Oliver Reef Light. 11 feet high. In 12 feet. (150 mm a)
SLOUGH LIGHT. Fl. W., 5 sec. U.	Black square daymark on pile.	Flash 0.5 sec. 30 cp. 12 feet high. In 4 feet, 1,205 yards. 7½° from cupola Hatteras Inlet Coast Guard Station. 1943 (90 mm e)
OCRACOKE INLET		
OCRACOKE LIGHT. F. W.	White tower	7,000 cp. 75 feet high. On west part of Ocracoke Island. 1798–1823 (4 e)
OCRACOKE INLET ENTRANCE LIGHTED BELL BUOY 2. Fl. W., 5 sec.	Red BELL, on buoy.	Flash 1 sec. 130 cp. 11 feet high 7,800 yards 181½° from Ocracoke Light. In 42 feet. (200 mm a)
Ocracoke Inlet Bar Buoy	Black and white vertical stripes; 2d-cl. nun.	Shifted as channel changes. In 13 feet.
OCRACOKE INLET LIGHTED BUOY 2A Qk. Fl. R.	Red	75 flashes per minute. 15 cp. 8 feet high. In 14 feet. (200 mm e)
CHANNEL LIGHTED BUOY. Qk. Fl. W.	Black and white vertical stripes.	75 flashes per minute. 45 cp. 8 feet high. In 28 feet. (150 mm a)
JUNCTION LIGHTED BUOY. I. Qk. Fl. G.	Red and black horizontal bands.	Flashes interrupted by eclipse. 10 cp. 8 feet high. At junction of Wallace and Ocracoke Channels. In 25 feet. (200 mm e)
TEACHES HOLE CHANNEL LIGHTED BUOY 5. Fl. W., 5 sec.	Black	Flash 0.5 sec. 45 cp. 12 feet high. In 12 feet. (150 mm a)
TEACHES HOLE CHANNEL LIGHT 7. U. Fl. W., 5 sec.	Black pile	Flash 0.5 sec. 30 cp. 12 feet high. In 12 feet. 1942–1945 (90 mm e)
TEACHES HOLE CHANNEL LIGHT. U. Fl. R., 5 sec.	Red box on pile	Flash 0.5 sec. 10 cp. 13 feet high. On east side of channel. In 8 feet. 1934–1942 (90 mm e)
Point of Shoal Buoy 9	Black; 3d-cl. can (s) White reflector.	In 9 feet.

Name; mark on aid Character of light	Description	Remarks
OCRACOKE INLET		
Teaches Hole Channel Buoy 9A	Black; can (M)	In 8 feet.
Point of Shoal Buoy 10	Red; 3d-cl. spar	In 12 feet.
COCKLE SHOAL LIGHT. Fl. W., 4 sec. U.	Red and black slatted pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. On shoal. In 10 feet. 1905–1944 (90 mm e)
Ocracoke Junction Buoy	Red and black horizontal bands; can (M).	In 7 feet.
Silver Lake Entrance Buoy 1	Black; 3d-cl. spar	In 9 feet.
Silver Lake Entrance Buoy 2	Red; 3d-cl. spar	In 12 feet.
Silver Lake Entrance Buoy 3	Black; 3d-cl. spar	In 11 feet.
Silver Lake Entrance Buoy 4	Red; nun (M)	In 11 feet.
Silver Lake Entrance Buoy 5	Black; 3d-cl. spar	In 9 feet.
Silver Lake Entrance Buoy 6	Red; nun (M). Red reflector.	In 8 feet.
SILVER LAKE ENTRANCE LIGHT. U. Fl. W., 5 sec.	Black box on pile	Flash 0.5 sec. 30 cp. 12 feet high. Ocracoke Lighthouse, 800 yards, 157°. In 5 feet. 1931–1944 (90 mm e)
Silver Lake Buoy 1	Black; can (M). White reflector.	In 9 feet.
Point of Shoal Buoy 11	Black; 3d-cl. can (s)	Ocracoke Lighthouse, 900 yards, 81°. In 12 feet.
Swash Channel Buoy 12	Red; 3d-cl. nun (s)	Ocracoke Lighthouse, 0.5 mile, 133°. In 12 feet.
Point of Shoal Buoy 13	Black; 3d-cl. can (s)	Marks junction of 2 channels at end of Cockle Shoal. Ocracoke Lighthouse, 1,350 yards, 119½°. In 12 feet.
Swash Channel Buoy 15	Black; 3d-cl. can (s)	Swash Channel Light, 900 yards, 311½°. In 7 feet.
Swash Channel Buoy 16	Red; 3d-cl. nun (s)	Swash Channel Light, 750 yards, 306½°. In 7 feet.
Swash Channel Buoy 18	Red; 3d-cl. nun (s)	Swash Channel Light, 600 yards, 326°. In 7 feet.
SWASH CHANNEL LIGHTED BUOY 20. Fl. W., 5 sec.	Red	Flash 0.5 sec. 50 cp. 6 feet high. In 6 feet. (200 mm e)
SWASH CHANNEL LIGHT. Fl. R., 4 sec. U.	Red slatted pile structure	Flash 0.4 sec. 20 cp. 16 feet high. On northwest side of channel. In 10 feet. 1905–1944 (200 mm e)
Swash Channel Buoy 22	Red; 3d-cl. nun (s)	Swash Channel Light 1,200 yards, 130°. In 8 feet.
Nine Foot Shoal Buoy 24	Red; 3d-cl. nun (s)	In 7 feet.
NINE-FOOT SHOAL LIGHT. Fl. W., 5 sec. U.	Black pile with cagework at top.	Flash 0.5 sec. 50 cp. 14 feet high. North entrance to Swash Channel. In 9 feet. 1911–1937 (200 mm e)
Big Foot Slough Buoy 1	Black; 3d-cl. can (s)	West of Howard Reef. In 12 feet.
Big Foot Slough Buoy 2	Red; 3d-cl. nun (s)	In 18 feet.
BIG FOOT SLOUGH LIGHT 4. Fl. R., 4 sec. U.	Red pile with daymark	Flash 0.4 sec. 10 cp. 16 feet high. West of Howard Reef. In 10 feet. 1942–1945 (90 mm e)
BIG FOOT SLOUGH LIGHT 3. Fl. W., 4 sec. U.	Black square daymark on pile.	Flash 0.4 sec. 50 cp. 16 feet high. In 10 feet. 5.460 yards 335° from Ocracoke Lighthouse. (200 mm e) 1945
BIG FOOT SLOUGH LIGHT 5. Fl. W., 4 sec. U.	Black square daymark on pile.	Flash 0.4 sec. 50 cp. 16 feet high. Northwest of Howard Reef. In 10 feet. 1942–1945 (200 mm e)
Wallace Channel Buoy 2	Red; 1st-cl nun (s) Yellow reflector.	In 6 feet.
WALLACE CHANNEL LIGHT 3. U. Fl. W., 4 sec.	Black slatted pile structure	Flash 0.4 sec. 50 cp. 16 feet high. On west side of entrance to channel. In 9 feet. 1939–1946 (200 mm e)
Wallace Channel Daybeacon 4	Red triangular daymark on slatted pile structure.	Ocracoke Lighthouse 825 yards 66°. In 7 feet.
WALLACE CHANNEL LIGHT 5. U. Fl. W., 4 sec.	Black square daymark on pile.	Flash 0.4 sec. 30 cp. 14 feet high. In 11 feet. 1943–1944 (90 mm e)
Wallace Channel Buoy 6	Red; 2d-cl nun (s) Yellow reflector.	In 16 feet.
WALLACE CHANNEL LIGHT 7. U. Fl. G., 4 sec.	Black square daymark on pile.	Flash 0.4 sec. 10 cp. 14 feet high. In 6 feet. 1944 (200 mm e)
Wallace Channel Daybeacon 8	Red triangular daymark on pile. Red reflector.	12 feet high. In 7 feet.
WALLACE CHANNEL LIGHT 10. U. Fl. R., 2.5 sec.	Red triangular daymark on pile.	Flash 0.5 sec. 10 cp. 14 feet high. In 12 feet. 1943 (90 mm e)
WALLACE CHANNEL LIGHT 12. U. Fl. R., 4 sec.	Red triangular daymark on pile.	Flash 0.4 sec. 10 cp. 14 feet high. In 10 feet. 1943 (90 mm e)
Wallace Channel Buoy 14	Red; 2d-cl nun (s)	In 8 feet.

Name; mark on aid Character of light	Description	Remarks
OCRACOKE INLET		
WALLACE CHANNEL LIGHT 16. U. Fl. R., 4 sec.	Red triangular daymark on pile.	Flash 0.4 sec. 15 cp. 14 feet high. In 10 feet. 1944 (200 mm e)
Wallace Channel Buoy 18	Red; 2d-cl nun (s) Yellow reflector.	In 9 feet.
Wallace Channel Buoy 20	Red; 2d-cl nun (s) Yellow reflector.	In 11 feet.
WALLACE CHANNEL LIGHT 21. U. Fl. W., 4 sec.	Black square daymark on pile.	Flash 0.4 sec. 30 cp. 14 feet high. In 12 feet. 1943–1946 (90 mm e)
SHEEP ISLAND SLUE LIGHT 1. U. Fl. W., 5 sec.	Black slatted pile structure.	Flash 0.5 sec. 45 cp. 19 feet high. Spire, Portsmouth, 1,300 yards, 198°. In 4 feet. 1935 (150 mm a)
SHEEP ISLAND SLUE LIGHT 3. U. Fl. W., 5 sec.	Black box on pile.	Flash 0.5 sec. 30 cp. 16 feet high. Spire, Portsmouth, 0.6 miles, 165°. In 6 feet. 1935 (90 mm e)
SHEEP ISLAND SLUE LIGHT 4. U. Fl. R., 5 sec.	Red box on pile.	Flash 0.5 sec. 10 cp. 16 feet high. Spire, Portsmouth, 1,500 yards, 127½°. In 7 feet. 1935 (90 mm e)
SHEEP ISLAND SLUE LIGHT 5. U. Fl. W., 5 sec.	Black box on pile.	Flash 0.5 sec. 30 cp. 16 feet high. Spire, Portsmouth, 2,500 yards, 109°. In 6 feet. 1935 (90 mm e)
Sheep Island Slue Daybeacon 7	Black slatted daymark on pile.	On south side of slue. In 3 feet.
SHEEP ISLAND SLUE LIGHT 9. U. Fl. W., 5 sec.	Black slatted pile structure.	Flash 0.5 sec. 30 cp. 16 feet high. Spire, Portsmouth, 1.6 miles, 104°. In 6 feet. 1935 (90 mm e)
SHEEP ISLAND SLUE LIGHT 10. U. Fl. W., 4 sec.	Red pile with cagework at top.	Flash 0.4 sec. 50 cp. 14 feet high West entrance to slue. In 17 feet. 1911–1945 (200 mm e
CEDAR ISLAND BAY		
CEDAR ISLAND BAY LIGHT 1. U. Fl, W., 4 sec.	Black slatted pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. On end of shoal. In 7 feet. 1910–1945 (90 mm e)
Cedar Island Bay Buoy 2	Red; 3d-cl. nun (s)	Cedar Island Bay Light 1, 1,000 yards, 115°. In 13 feet.
Cedar Island Bay Buoy 4	Red; 3d-cl. spar	Cedar Island Bay Light 1, 1.7 miles, 24°. In 12 feet.
CEDAR ISLAND BAY LIGHT 5. U. Fl. W., 4 sec.	Black slatted pile structure.	Flash 0.4 sec. 50 cp. 16 feet high. In 8 feet. 1926–1945 (200 mm e)
Cedar Island Bay Buoy 6	Red; 3d-cl. spar	On edge of shoal. west side of channel to Thorofare. Cedar Island Bay light 5, 1.9 miles, 357°. In 10 feet.
THOROFARE		
Thorofare West Daybeacon	Black slatted daymark on pile.	At west entrance to dredged channel. In 6 feet.
THOROFARE WEST LIGHT. Fl. W., 5 sec. U.	Black box on pile.	Flash 0.5 sec. 30 cp. 16 feet high. West entrance. In 6 feet. 1922 (90 mm e)
Thorofare Daybeacon 2	Red daymark and pointer on pile.	Marks rocks on south side of channel In 4 feet.
Thorofare Daybeacon 1	Black daymark and pointer on pile.	Marks rocks on north side of cut. In 4 feet.
THOROFARE EAST LIGHT. Fl. W., 5 sec. U.	Black box on pile.	Flash 0.5 sec. 30 cp. 16 feet high. East entrance. In 6 feet. 1922 (90 mm e)
Thorofare East Daybeacon	Red triangular daymark on pile.	At east entrance to dredged channel. In 5 feet.
BLUFF POINT SHOAL LIGHT. U. Fl. W., 3 sec.	Black slatted pile structure.	Flash 0.3 sec. 45 cp. 19 feet high. On east end of shoal. In 6 feet. 1927 (200 mm a)
Bluff Point Lump Buoy 2	Red; 2d-cl. nun	Bluff Point, 2.1 miles, 334°. In 12 feet.
Cunning Shoal Buoy 2	Red; 3d-cl. nun (s)	Off west end of shoal, off West Bluff Bay. In 8 feet.
Juniper Bay Shoal Buoy 1	Black; 3d-cl. can (s)	Great Island Light, 5,300 yards, 221½°. In 10 feet.
Juniper Bay Buoy 1	Black; 3d-cl. can (s)	At entrance to Juniper Bay and Swan Quarter Narrows. In 10 feet.

Name; mark on aid Character of light	Description	Remarks
PAMLICO RIVER APPROACH		
BRANT ISLAND SHOAL LIGHT. U. Fl. W., 4 sec.	White skeleton tower on brown piles.	Flash 0.4 sec. 110 cp. 40 feet high. On east end of shoal. In 7 feet. 1831–1930 (200 mm e)
Lower Middle Ground Buoy	Red and black horizontal bands; 2d-cl. nun.	On southeast edge of shoal. Great Island Light, 4 miles, 353°. In 12 feet.
GREAT ISLAND LIGHT. Fl. W., 4 sec. U.	Red slatted pile structure	Flash 0.4 sec. 50 cp. 16 feet high. On end of shoal southeast of island. In 4 feet. 1913–1918 (200 mm e)
INNER MIDDLE GROUND LIGHT. U. Fl. W., 4 sec.	Red slatted pile structure	Flash 0.4 sec. 50 cp. 15 feet high. On southwest end of shoal. Brant Island Shoal Light, 6 miles 950 yards, 179°. In 4 feet. 1914–1934 (200 mm e)
BRANT ISLAND SLUE LIGHT. U. Fl. W., 4 sec	Black slatted pile structure	Flash 0.4 sec. 50 cp. 16 feet high. On south side of Brant Island Shoal. In 6 feet. 1906–1934 (200 mm e)
Upper Middle Ground Buoy 2	Red; 2d-cl. nun	In 13 feet.
SWAN QUARTER NARROWS LIGHT U. Fl. W., 3 sec.	Red slatted pile structure	Flash 0.3 sec. 45 cp. 19 feet high. West end of narrows. In 6 feet. 1927 (150 mm a)
Swan Quarter Island Shoal Buoy	Black and white vertical stripes; 2d-cl. nun.	In 12 feet.
SWAN QUARTER RANGE FRONT LIGHT. U. Fl. W., 5 sec.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. On west side of channel. In 7 feet. 1915–1919 (90 mm e)
SWAN QUARTER RANGE REAR LIGHT. U. Fl. W., 5 sec.	Red slatted pile structure	Flash 0.5 sec. 30 cp. 20 feet high. 1,800 yards, 336°, from front light. In 7 feet. 1903–1906 90 mm e)
Judith Marsh Shoal Buoy 3	Black; 4th-cl. spar	In 8 feet.
SWAN QUARTER CANAL LIGHT. U. Fl. W., 5 sec.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. On north side of eastern entrance to canal. In 4 feet. 1913 (90 mm e)
SWAN QUARTER BAY LIGHT. U. Fl. R., 5 sec.	Red slatted pile structure	Flash 0.5 sec. 10 cp. 16 feet high. At entrance to canal. In 6 feet. 1919 (90 mm e)
JUDITH NARROWS LIGHT Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. Pamlico Point Light, 3.1 miles, 252½°. In 6 feet. 1936 (90 mm e)
PAMLICO RIVER		
JUDITH ISLAND LIGHT. Fl. R., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 20 cp. 16 feet high. On south side of entrance to Rose Bay In 7 feet. 1912–1919 (200 mm e)
UPPER ISLAND POINT LIGHT. U. Fl. W., 5 sec.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. On south point of shoal. In 7 feet. 1912–1919 (90 mm e)
JUDITH MARSH LIGHT. Fl. R., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 11 cp. 16 feet high. West end of cut. In 6 feet. 1912 (90 mm e)
Marsh Point Shoal Buoy 1	Black; 3d-cl. spar	In 15 feet.
Swan Point Shoal Buoy 2	Red; 4th-cl. spar	In 8 feet.
Long Point Shoal Buoy 3	Black; 4th-cl. spar	In 7 feet.
PAMLICO POINT LIGHT. Fl. W., 10 sec. U.	White skeleton tower on brown piles.	Flash 1 sec. 300 cp. 40 feet high. On east point of shoal. In 10 feet. 1891–1940 (200 mm e)
Pamlico Point Bell Buoy 1	Black	Pamlico Point Light, 300 yards, 222° In 12 feet.
ABEL BAY LIGHT. Fl. W., 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 30 cp. 19 feet high. East side of Pungo River, at entrance to Bay. In 6 feet. 1915–1929 (150 mm a)
Indian Island Shoal East End Buoy.	Red and black horizontal bands; 3d-cl. spar.	Marks east point of shoal. Goose Creek Light 1, 1.9 miles, 132°. In 12 feet.
Indian Island Shoal Buoy 3	Black; 2d-cl. spar	Marks north edge of Shoal. In 18 feet.
INDIAN ISLAND SLUE LIGHT. U. Fl. W., 3 sec.	Red slatted pile structure	Flash 0.3 sec. 45 cp. 19 feet high. On west side of north end of slue channel across shoal. In 4 feet. 1906–1933 (150 mm e)

Name; mark on aid Character of light	Description	Remarks
PAMLICO RIVER		
Channel Buoy 1	Black; 4th-cl. spar	At north entrance to dredged channel. Indian Island Slue Light, 250 yards, 252°. In 7 feet.
Cousin Point Buoy 1	Black; 4th-cl. spar	Cousin Point, 600 yards, 312°. In 8 feet.
North Creek Buoy 2	Red; 4th-cl. spar	Cousin Point, 460 yards, 296°. In 7 feet.
North Creek Buoy 4	Red; 4th-cl. spar	Cousin Point, 0.6 mile, 236½°. In 7 feet
SOUTH CREEK		
Indian Island Buoy 2	Red; 3d-cl. spar	Indian Island, east end, 700 yards, 337°. In 12 feet.
Channel Buoy 4	Red; 4th-cl. spar	At south end of dredged channel. In 12 feet.
Opposite Hickory Point Buoy 1	Black; 3d-cl. spar	At north end of shoal. Indian Island Slue Light, 800 yards. 29°. In 12 feet.
Schooner Creek Buoy 3	Black; 4th-cl. spar	On north point of shoal, between Schooner and Long Creeks. Indian Island Slue Light, 2.5 miles 77°. In 7 feet.
South Creek Buoy 6	Red; 4th-cl. spar	In 9 feet.
Marsh Point Buoy 8	Red; 4th-cl. spar	On point of shoal, at angle of dredged channel. In 9 feet.
South Creek Buoy 10	Red; 4th-cl. spar	In 9 feet.
South Creek Buoy 12	Red; 4th-cl. spar	In 9 feet.
South Creek Buoy 14	Red; 4th-cl. spar	In 9 feet.
South Creek Buoy 5	Black; 4th-cl. spar	In 9 feet.
South Creek Buoy 16	Red; 4th-cl. spar	In 9 feet.
South Creek Buoy 18	Red; 4th-cl. spar	In 9 feet.
South Creek Buoy 7	Black; 4th-cl. spar	In 7 feet.
BOND CREEK		
Fork Point Buoy 2	Red; 4th-cl. spar	At end of shoal off point. In Bond Creek, Indian Island Slue Light, 2,350 yards, 41½°. In 9 feet.
Muddy Creek Buoy 3	Black; 4th-cl. spar	In Bond Creek, on edge of shoal at mouth of Muddy Creek. Muddy Creek Point, 140 yards, 90°. In 9 feet.
PAMLICO RIVER		
RUMLEY MARSH LIGHT. Fl. W., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 50 cp. 19 feet high. On point of shoal. In 9 feet. 1901–1936 (200 mm e)
DURHAM CREEK LIGHT. Fl. W., 5 sec. U.	Red box on pile	Flash 0.5 sec. 30 cp. 14 feet high. At entrance to creek. In 7 feet 1926–1942 (90 mm e)
BATH CREEK LIGHT. Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 50 cp. 19 feet high. On edge of shoal. In 6 feet. 1915–1919 (200 mm e)
Core Point Shoal Buoy 5	Black; 2d-cl. can (s) White reflector.	Opposite Bath Creek. In 15 feet.
MAULS POINT LIGHT. Fl. W., 5 sec. U.	Black pile with cage work at top.	Flash 0.5 sec. 50 cp. 14 feet high. On shoal off point. In 7 feet. 1901–1939 (200 mm e)
Channel Buoy 6	Red; 2d-cl. nun (s)	Mauls Point Light, 1,670 yards, 108°. In 12 feet.
MIDDLE GROUND LIGHT. Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 50 cp. 20 feet high. On south side of shoal north of Blount Bay. In 9 feet. 1931–1942 (200 mm e)
Lump Buoy 8	Red; 3d-cl. nun (s)	Marks 6½-foot spot. Hills Creek Light, 1,740 yards, 310°. In 12 feet.
HILLS CREEK LIGHT. Fl. R., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 15 cp. 16 feet high. At southeast entrance to channel. In 10 feet. 1913–1919 (200 mm e)
FORK POINT LIGHT. Fl. R., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 15 cp. 16 feet high. In angle of channel. In 9 feet. 1901–1942 (200 mm e)
McWILLIAMS POINT SHOAL LIGHT. U. Fl. R., 5 sec.	Red slatted pile structure	Flash 0.5 sec. 15 cp. 16 feet high. On east side of channel. In 10 feet. 1892–1936 (200 mm e)
RODMAN POINT SHOAL LIGHT. U. Fl. W., 5 sec.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. On west side of channel. In 6 feet. 1894–1919 (90 mm e)

Name; mark on aid Character of light	Description	Remarks
PAMLICO RIVER		
Fertilizer Works Channel Buoy 10	Red; 3d-cl. spar	On south side of Fertilizer Works Channel at junction with main channel. In 9 feet.
WINDMILL POINT SHOAL LIGHT. U. Fl. W., 5 sec.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. In 6 feet. 1894–1929 (90 mm e)
Tar River Daybeacon 2 Tar River Daybeacon 3 Tar River Daybeacon 4 Tar River Daybeacon 6 Tar River Daybeacon 7 Tar River Daybeacon 8 Tar River Daybeacon 9 Tar River Daybeacon 10 Tar River Daybeacon 11 Tar River Daybeacon 12 Tar River Daybeacon 13 Tar River Daybeacon 14 Tar River Daybeacon 16 Tar River Daybeacon 18 Tar River Daybeacon 19 Tar River Daybeacon 20 Tar River Daybeacon 22 Tar River Daybeacon 24 Tar River Daybeacon 25 Tar River Daybeacon 27 Tar River Daybeacon 28 Tar River Daybeacon 30 Tar River Daybeacon 32	Even numbered daybeacons are a red triangular daymark on pile. Odd numbered daybeacons are a black square daymark on pile. White reflectors.	In 3 to 6 feet. Mark turning points in channel.
JONES BAY		
Entrance Buoy 2	Red; 3d-cl. nun	On southeast edge of shoal off The Old Sow Island. Bay Point Light, 2.6 miles, 252°. In 14 feet
Middle Buoy 4	Red; 3d-cl. nun (s)	On west point of shoal off The Old Sow Island. Bay Point Light, 2,300 yards, 191°. In 15 feet.
Inner Buoy 1	Black; 3d-cl. can (s)	On northeast end of shoal, west side of bay. In 12 feet.
BAY RIVER		
Bay River Buoy 1	Black; 2d-cl. can (s); yellow triangle. White reflector.	On north edge of shoal. Bay Point Light, 2,800 yards, 67°. In 13 feet.
BAY RIVER LIGHT 3 Fl. W., 5 sec. U.	Black daymark with yellow triangle on white pile, cage work at top.	Flash 0.5 sec. 50 cp. 14 feet high. At bend in river. In 7 feet. 1916–1940 (200 mm e)
Bay River Buoy 4	Red; 3d-cl. nun	On south end of shoal. Bay River Light 5, 2.2 miles, 265°. In 10 feet.
BAY RIVER LIGHT 5 Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 45 cp. 15 feet high. Off point. In 6 feet. 1916 (150 mm a)
Bay River Buoy 6	Red; 3d-cl. nun (s)	In 11 feet. Marks end of shoal.
Bay River Buoy 8	Red; 3d-cl. nun (s)	In 10 feet.
Bay River Buoy 9	Black; 3d-cl. can (s)	In 8 feet.
Bay River Buoy 10	Red: 3d-cl. nun (s)	In 8 feet.
Bay River Buoy 11	Black; 3d-cl. can (s)	In 9 feet.
Bay River Daybeacon 12 Bay River Daybeacon 14	Red triangular daymark on a black pile.	12 feet high. In 9 feet.
Bay River Daybeacon 15	Black square daymark on a black pile.	12 feet high. In 6½ feet.
Bay River Daybeacon 16 Bay River Daybeacon 18	Red triangular daymark on a black pile.	12 feet high. In 8 feet.
TURNAGAIN BAY		
Turnagain Bay Daybeacon 1	Black square daymark on pile.	Hog Point, tangent, 3,000 yards, 157°. In 8 feet.
Turnagain Bay Daybeacon 2	Red triangular daymark on pile.	Hog Point, tangent, 2,500 yards, 153°. In 8 feet.
Turnagain Bay Daybeacon 4	Red triangular daymark on pile.	Turnagain Bay Beacon 2; 2,400 yards, 328°. In 8 feet.
SOUTH RIVER		
Entrance Buoy 1	Black; 3d-cl. spar	South River Light, 1,100 yards, 152°. In 15 feet.
SOUTH RIVER LIGHT Fl. W., 3 sec. U.	Red slatted pile structure	Flash 0.3 sec. 45 cp. 19 feet high. On point of shoal. In 4 feet. 1906–1934 (150 mm a)
Inner Buoy 3	Black; 4th-cl. spar	On edge of shoal. South River Light, 550 yards, 338°. In 8 feet.

Name; mark on aid Character of light	Description	Remarks
NEUSE RIVER		
GARBACON SHOAL LIGHTED BELL BUOY 5. Fl. W., 4 sec.	Black with yellow square	Flash 0.4 sec. 70 cp. 11 feet high. Off north end of shoal, southeast of Oriental. In 20 feet. (200 mm e)
Smith Creek Buoy 1	Black, 3d-cl. can (s)	Chadwicks Point Shoal Light, 810 yards, 307°. In 10 feet.
Smith Creek Buoy 3	Black; 4th-cl. spar	On east end of shoal. Chadwicks Point Shoal Light, 320 yards, 317½°. In 8 feet.
Smith Creek Buoy 5	Black; 4th-cl. spar	Off edge of shoal, at turn in channel. Chadwicks Point Shoal Light, 190 yards 44°. In 8 feet.
CHADWICKS POINT SHOAL LIGHT. U. Fl. W., 3 sec.	Red slatted pile structure	Flash 0.3 sec. 45 cp. 19 feet high. East side entrance to Smith Creek. In 7 feet. 1913–1934 (150 mm a)
ORIENTAL LIGHT Fl. R., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 10 cp. 12 feet high. At entrance to channel leading to Oriental. In 6 feet. 1931 (90 mm e)
ADAMS CREEK LIGHTED BELL BUOY 1. Fl. G., 4 sec.	Black with yellow squares	Flash 0.4 sec. 30 cp. 11 feet high. Off entrance to Adams Creek. In 16 feet. (200 mm e)
Intracoastal Waterway, see p. 15. *Great Island Shoal Buoy 1*	Black; 3d-cl. spar	On northwest edge of shoal, entrance to Clubfoot Creek. Great Island, west end, tangent, 650 yards, 143°. In 15 feet.
CLUBFOOT CREEK LIGHT. Fl. W., 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 45 cp. 19 feet high. On east side of entrance to creek. In 6 feet. 1910–1934 (150 mm a)
WILKINSON POINT SHOAL LIGHT. U. Fl. W., 3 sec.	Red slatted pile structure	Flash 0.3 sec. 70 cp. 19 feet high. On south end of shoal. In 10 feet. 1896–1902 (200 mm a)
Cherry Point Buoy 3	Black; 3d-cl. spar	Cherry Point, 1,200 yards, 201°. In 15 feet.
HANCOCK CREEK LIGHT. 1. U. Fl. G., 2.5 sec.	Black square daymark on pile.	Flash 0.5 sec. 10 cp. 14 feet high. At entrance to creek. In 9 feet. 1945 (90 mm e)
HANCOCK CREEK RANGE FRONT LIGHT. U. Qk. Fl. W.	White slatted daymark on pile dolphin.	75 flashes per minute. 350 cp. 14 feet high. At entrance to creek. In 8 feet. 1943 (Rg e)
HANCOCK CREEK RANGE REAR LIGHT. U. Occ. W., 2 sec.	White battery house on piles.	Light 1 sec., eclipse 1 sec. 350 cp. 23 feet high. 100 yards 261° from front light. 1943 (Rg e)
Hancock Creek Buoy 3	Black; 3d-cl. can (s)	In 8 feet.
Hancock Creek Daybeacon 5	Black square daymark on pile. White reflector.	12 feet high. In 7 feet.
BEARD CREEK LIGHT Fl. W., 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 70 cp. 19 feet high. On west side of entrance to creek. In 6 feet. 1924 (200 mm a)
SLOCUM CREEK LIGHT 2. Qk. Fl. W. U.	Red triangular daymark on pile.	75 flashes per minute. 50 cp. 14 feet high. At entrance to creek. In 7 feet. 1945–1946 (200 mm e)
Slocum Creek Buoy 1	Black; 3d-cl can (s)	In 5 feet.
Slocum Creek Buoy 4	Red; 3d-cl nun (s)	In 5 feet.
Slocum Creek Daybeacon 6	Red, conical-shaped daymark on pile. Red reflector.	12 feet high. In 6 feet.
Slocum Creek Daybeacon 5	Black square daymark on pile. Green reflectors.	12 feet high. In 5 feet.
Slocum Creek Buoy 7	Black; 3d-cl can (s) White reflector.	In 5 feet.
SLOCUM CREEK LIGHT 8. Qk. Fl. R. U.	Red triangular daymark on pile.	75 flashes per minute. 10 cp. 14 feet high. In 5 feet. 1945 (90 mm e)
SLOCUM CREEK LIGHT 10. Fl. R., 2.5 sec. U.	Red triangular daymark on pile.	Flash 0.5 sec. 10 cp. 14 feet high. In 6 feet. 1945 (90 mm e)
OTTER CREEK LIGHT Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 50 cp. 16 feet high. At lower end of channel. In 10 feet. 1896–1933 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
NEUSE RIVER		
Hampton Shoal Channel Buoy 5	Black; 4th-cl. spar	Otter Creek Light, 1,450 yards, 137°. In 7 feet.
Hampton Shoal Channel Buoy 5A	Black; 4th-cl. spar	Otter Creek Light, 2,500 yards, 139°. In 7 feet.
HAMPTON SHOAL LIGHT. Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 50 cp. 16 feet high. West side of upper end of channel. In 10 feet. 1916–1939 (200 mm e)
Hampton Shoal Buoy 8	Red; 3d-cl. spar	Johnson Point Light, 2,450 yards, 318°. In 11 feet.
Upper Broad Creek Daybeacon	Black daymark on pile. White reflector.	Johnson Point Light 3,650 yards, 244°. 12 feet high. In 6 feet.
JOHNSON POINT LIGHT. Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 50 cp. 16 feet high. On point of shoal. In 9 feet. 1897–1919 (200 mm e)
FORT POINT CHANNEL LIGHT. U. Fl. R., 5 sec.	Red slatted pile structure	Flash 0.5 sec. 15 cp. 16 feet high. On east side of channel through shoal. In 10 feet. 1907–1919 (200 mm e)
Fort Point Channel Buoy 10	Red; 3d-cl. spar	Marks east entrance to channel off point. Fort Point Channel Light, 290 yards, 94°. In 10 feet.
Fort Point Channel Buoy 12	Red; 2d-cl. nun	West entrance to dredged channel. In 12 feet.
LOWER GREEN SPRING LIGHT. U. Fl. W., 5 sec.	Black slatted pile structure	Flash 0.5 sec. 50 cp. 16 feet high. On point of shoal. In 10 feet. 1897–1901 (200 mm e)
UPPER GREEN SPRING LIGHT. U. Fl. R., 5 sec.	Red slatted pile structure	Flash 0.5 sec. 15 cp. 16 feet high. On northeast side of channel. In 10 feet. 1897–1901 (200 mm e)
Upper Green Spring Buoy 14	Red; 4th-cl. spar	Upper Green Spring Light, 260 yards, 155°. In 9 feet.
Spit Buoy 7	Black; 3d-cl. can (s)	New Bern, church spire, 850 yards, 324°. In 10 feet.
Ransom Channel Entrance Buoy 2.	Red; 4th-cl. spar	Marks entrance to dredged channel. New Bern church spire, 800 yards, 312°. In 8 feet.
NEW BERN LIGHT. F. G. U.	White pile structure	270 cp., 12 feet high. Church spire, New Bern 630 yards 319°. 1937 (200 mm e)
Ransom Channel Buoy 4	Red; 4th-cl. spar	New Bern, church spire, 650 yards, 279°. In 8 feet.
Ransom Channel Buoy 6	Red; 4th-cl. spar	New Bern, church spire, 700 yards, 259°. In 8 feet.
Ransom Channel Buoy 8	Black; 4th-cl. spar	New Bern, church spire, 600 yards. 247°. In 9 feet.
Mud Flat Buoy 2	Red; 4th-cl. spar	Marks edge of flat. Wagon Bridge draw, 200 yards, 170°. In 9 feet.
Western Channel Lower Daybeacon.	Red triangular daymark on pile.	16 feet high. On east side of south entrance to channel. In 7 feet.
Western Channel Middle Daybeacon.	Black square daymark on pile.	16 feet high. West side, in angle of channel. In 6 feet.
Western Channel Upper Daybeacon.	Black square daymark on pile.	16 feet high. West side, in angle of channel. In 9 feet.
Marsh Point Buoy 6	Red; 4th-cl. spar	At angle of dredged channel. In 7 feet.
Western Channel Buoy 8	Red; 4th-cl. spar	Marks angle in dredged channel. Western Channel Upper Daybeacon, 550 yards, 124°. In 12 feet.
Bachelor Creek Buoy 5	Black; 4th-cl. spar	Off entrance to creek. In 7 feet.
Bachelor Creek Daybeacon	Black square daymark on pile.	16 feet high. At angle of channel. In 4 feet.
Western Channel Daybeacon	Black square daymark on pile.	15 feet high. At angle of channel. In 6 feet.
Flowery Gap Daybeacon	Red triangular daymark on pile.	15 feet high. At upper angle of channel. In 6 feet.
TRENT RIVER		
Trent River Buoy 1	Black; 4th-cl. spar	In 13 feet.
TRENT RIVER LIGHT 2. F. R. U.	Red slatted daymark on pile	15 cp. 2,556 yards 214° from center span of New Bern-James City Highway Bridge. In 4 feet. 1913–1947 (Pl o)
Trent River Buoy 4	Red; 4th-cl. spar	In 10 feet.
TRENT RIVER LIGHT 5. F. W. U.	Black slatted daymark on pile	50 cp. 15 feet high. In 10 feet. (Pl o) 1913–1947

Name; mark on aid Character of light	Description	Remarks
TRENT RIVER		
Trent River Buoy 6	Red; 4th-cl. spar	At turn in channel. In 9 feet.
TRENT RIVER LIGHT 8 F. R. U.	Red slatted daymark on pile	15 cp. 15 feet high. In 9 feet. (Pl o) 1919–1947
Trent River Daybeacon 9	Black slatted daymark on pile	In 10 feet.
TRENT RIVER LIGHT 10 F. R. U.	Red slatted daymark on pile	15 cp. 15 feet high. In 9 feet. (Pl o) 1913–1947
Trent River Buoy 12	Red; 4th-cl. spar	In 12 feet.
TRENT RIVER LIGHT 13 F. W. U.	Black slatted daymark on pile	50 cp. 15 feet high. In 6 feet. (Pl o) 1913–1947
Trent River Daybeacon 14	Red slatted daymark on pile	In 10 feet.
Trent River Daybeacon 16	Red slatted daymark on pile	In 10 feet.
Trent River Daybeacon 18	Red slatted daymark on pile	In 9 feet.
Trent River Buoy 20	Red; 4th-cl. spar	At end of dredged channel. In 10 feet.
CORE SOUND		
Harbor Island Bar Daybeacon	Brown piles	In 6 feet.
CORE SOUND LIGHT 2 Fl. R., 4 sec. U.	Red pile with cagework at top	Flash 0.4 sec. 15 cp. 14 feet high. Harbor Island Bar Daybeacon, 1,840 yards, 279½°. In 6 feet. 1936–1945 (200 mm e)
CORE SOUND LIGHT 3 Fl. W., 5 sec. U	Black slatted pile structure	Flash 0.5 sec. 30 cp. At north end dredged channel. In 6 feet. 1936 (200 mm e)
CORE SOUND LIGHT 5 Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 30 cp. Harbor Island Bar Daybeacon, 2,660 yards, 326°. In 6 feet. 1936 (200 mm e)
Core Sound Daybeacon 5A	Black square daymark on black pile.	12 feet high. In 7 feet.
CORE SOUND LIGHT 7 Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 14 feet high. On east side of channel, 2 miles south of Harbor Island Bar Daybeacon. In 6 feet. 1936–1939 (200 mm e)
CORE SOUND LIGHT 9 Fl. W., 5 sec. U.	Black square daymark on pile structure.	Flash 0.5 sec. 30 cp. 14 feet high. Chimney, Harbor Island, 1,060 yards 342°. In 8 feet 1936–1939 (200 mm e)
Goulds Lump Daybeacon	Black slatted pile structure	In 6 feet.
CORE SOUND LIGHT 11 Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 14 feet high. Chimney on Harbor Island, 1,540 yards, 355½°. In 6 feet. 1936 (200 mm e)
CORE SOUND LIGHT 13 Fl. W., 5 sec. U.	Black square daymark on pile	Flash 0.5 sec. 30 cp. 14 feet high. In 6 feet. 1936–1941 (200 mm e)
CORE SOUND LIGHT 15 Fl. W., 5 sec. U.	Black square daymark on pile	Flash 0.5 sec. 30 cp. 14 feet high. In 8 feet. 1912–1939 (90 mm e)
CORE SOUND LIGHT 16 Fl. R., 5 sec. U.	Red triangular daymark on a red pile.	Flash 0.5 sec. 15 cp. 14 feet high. 3 miles 250 yards 204° from Chimney, Harbor Island. In 7 feet. 1941 (200 mm e)
CORE SOUND LIGHT 18 Fl. R., 5 sec. U.	Red triangular daymark on red pile.	Flash 0.5 sec. 10 cp. 14 feet high. In 7 feet. 1912–1941 (90 mm e)
HOG ISLAND BAY LIGHT 2 Fl. R., 5 sec. U.	Red triangular daymark on pile.	Flash 0.5 sec. 10 cp. 12 feet high Off Hog Island Point. In 4 feet. 1944 (90 mm e)
HOG ISLAND BAY LIGHT 4 Fl. R., 5 sec. U.	Red triangular daymark on pile.	Flash 0.5 sec. 10 cp. 12 feet high. In 3 feet. 1944 (90 mm e)
CORE SOUND LIGHT 19 Fl. W., 5 sec. U.	Black square daymark on pile	Flash 0.5 sec. 30 cp. 14 feet high. In 7 feet. 1912–1941 (90 mm e)
DRUM INLET LIGHT 1 Fl. W., 5 sec. U.	Black triangular daymark on pile.	Flash 0.5 sec. 50 cp. 14 feet high. 4,490 yards 189½° from Core Sound Light 19. 1940–1945 (200 mm e)
Drum Inlet Channel Buoy A	Black and white vertical stripes; can (M). White reflector.	Buoys are shifted as channel changes. Use only with local knowledge.
Drum Inlet Channel Buoy B	Black and white vertical stripes; nun (M). Red reflector.	

Name; mark on aid Character of light	Description	Remarks
CORE SOUND		
DRUM INLET LIGHTED BUOY 2. Fl. R., 4 sec.	Red	Flash 0.4 sec. 10 cp. 5 feet high. Shifted as channel changes. Use only with local knowledge. (200 mm e)
Drum Inlet Buoy 3	Black; can (M)	Shifted as channel changes. Use only with local knowledge.
CORE SOUND LIGHT 20 Fl. R., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 10 cp. 15 feet high. On end of shoal, south of Halls Point. In 7 feet. 1915-1939 (90 mm e)
CORE SOUND LIGHT 22 Fl. R., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 10 cp. 14 feet high. Off White Point Shoal. In 7 feet. 1912-1934 (90 mm e)
ATLANTIC LIFEBOAT STATION LIGHT. U. Fl. W., 5 sec.	Pile	Flash 0.5 sec. 30 cp. 14 feet high. Near pierhead, 285 yards 315° from mast at Core Bank Coast Guard Station. In 6 feet. 1944 (90 mm e)
CORE SOUND LIGHT 23 Fl. W., 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 45 cp. 15 feet high. On edge of shoal, southeast side of channel. In 6 feet. 1912-1934 (150 mm a)
ATLANTIC BASIN LIGHT. Fl. W., 3 sec. U.	White square daymark with black round center on white pile.	Flash 0.5 sec. 160 cp. 12 feet high. 1937 (Rf e)
CORE SOUND LIGHT 24 Fl. R., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 15 cp. 14 feet high. On Steep Point Shoal. In 7 feet. 1912-1941 (200 mm e)
CORE SOUND LIGHT 26 Fl. R., 5 sec. U.	Red triangular daymark on red pile.	Flash 0.5 sec. 15 cp. 14 feet high. 3,320 yards 202½° from Spire, Atlantic. In 7 feet. 1941 (200 mm e)
CORE SOUND LIGHT 27 Fl. W., 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 45 cp. 15 feet high. Off Mill Point Shoal. In 7 feet. 1912-1934 (150 mm a)
CORE SOUND LIGHT 28 Fl. R., 5 sec. U.	Red triangular daymark on red pile.	Flash 0.5 sec. 15 cp. 14 feet high. Opposite Nelson Bay. In 10 feet. 1912-1941 (200 mm e)
CORE SOUND LIGHT 29 Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 50 cp. 14 feet high. Off Piney Point Shoal. In 7 feet. 1912-1941 (200 mm e)
CORE SOUND LIGHT 31 Fl. W., 5 sec. U.	Black square daymark on pile.	Flash 0.5 sec. 30 cp. 14 feet high. In 6 feet. 1912-1939 (200 mm e)
CORE SOUND LIGHT 33 Fl. W., 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 45 cp. 15 feet high. Off Kings Point Shoal. In 7 feet. 1912-1931 (150 mm a)
CORE SOUND LIGHT 34 Fl. R., 5 sec. U.	Red triangular daymark on pile.	Flash 0.5 sec. 10 cp. 14 feet high. In 7 feet. 1912-1941 (200 mm e)
CORE SOUND LIGHT 35 Fl. W., 5 sec. U.	Black square daymark on pile.	Flash 0.5 sec. 30 cp. 14 feet high. In 7 feet. 1912-1941 (200 mm e)
CORE SOUND LIGHT 36 Fl. R., 5 sec. U.	Red triangular daymark on red pile.	Flash 0.5 sec. 15 cp. 14 feet high. In 7 feet. 1912-1941 (200 mm e)
CORE SOUND LIGHT 37 Fl. W., 5 sec. U.	Black square daymark on pile.	Flash 0.5 sec. 30 cp. 14 feet high. In 8 feet. 1912-1946 (200 mm e)
CORE SOUND LIGHT 39 Fl. W., 5 sec. U.	Black square daymark on a black pile.	Flash 0.5 sec. 50 cp. In 8 feet. 2,850 yards 107½° from westerly church spire, Marshallberg. 14 feet high. 1941 (200 mm e)
CORE SOUND LIGHT 41 Fl. W., 5 sec. U.	Black square daymark on black pile.	Flash 0.5 sec. 50 cp. 14 feet high. At Straits Entrance. In 7 feet. 1912-1941 (200 mm e)
Core Sound Daybeacon 42	Red triangular daymark on a red pile.	In 8 feet. 12 feet high.
CORE SOUND LIGHT 42 A. Fl. R., 5 sec. U.	Red triangular daymark on red pile.	Flash 0.5 sec. 15 cp. 14 feet high. Off Marshallberg. In 6 feet. 1912-1941 (200 mm e)
CORE SOUND LIGHT 44 Fl. R., 5 sec. U.	Red triangular daymark on red pile.	Flash 0.5 sec. 15 cp. 14 feet high. Off Harkers Island Shoal. In 5 feet. 1912-1941 (200 mm e)
CORE SOUND LIGHT 46 Fl. R., 5 sec. U.	Red slatted pile structure	Flash 0.5 sec. 15 cp. 15 feet high. Off Crab Point. In 9 feet. 1912-1931 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
CORE SOUND		
CORE SOUND LIGHT 47 Fl. W. 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 45 cp. 15 feet high. Off entrance to Westmouth Bay. In 7 feet. 1912–1921 (150 mm a)
CORE SOUND LIGHT 48 Fl. W., 3 sec. U.	Red slatted pile structure	Flash 0.3 sec. 45 cp. 15 feet high. Off entrance to North River. In 4 feet. 1912–1920 (150 mm a)
CORE SOUND LIGHT 49 Fl. G., 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 10 cp. 16 feet high. Core Sound Light 50, 1,200 yards 223°. In 4 feet. 1936 (150 mm a)
CORE SOUND LIGHT 50 Fl. R., 3 sec. U.	Red slatted pile structure	Flash 0.3 sec. 15 cp. 15 feet high. Off Shepherd Shoal. In 6 feet. 1912–1934 (150 mm a)
CORE SOUND LIGHT 52 Fl. R., 3 sec. U.	Red slatted pile structure	Flash 0.3 sec. 15 cp. 15 feet high. On Middle Marshes Shoal. In 6 feet. 1912–1934 (150 mm a)
CORE SOUND LIGHT 54 Fl. R., 3 sec. U.	Red slatted pile structure	Flash 0.3 sec. 15 cp. 15 feet high. On east side of east entrance to channel. In 6 feet. 1916–1926 (150 mm a)
Taylors Creek Daybeacon 1	Black daymark on pile	At angle of channel. In 6 feet.
Taylors Creek Daybeacon 2	Red daymark on pile	At angle of channel. In 6 feet.
TAYLORS CREEK WEST LIGHT. U. Fl. W., 5 sec.	Red triangular daymark on red pile.	Flash 0.5 sec. 30 cp. 15 feet high. Marks west entrance to channel. In 3 feet. 1929–1941 (90 mm e)
NORTH RIVER		
BULKHEAD LIGHT Fl. W., 5 sec. U.	Black slatted pile structure	Flash 0.5 sec. 30 cp. 16 feet high. On *bulkhead west side of channel, North River. In 3 feet. 1919 (90 mm e)
LOOKOUT BIGHT TO BACK SOUND		
LOOKOUT BIGHT WRECK LIGHT U. Fl. R., 5 sec.	Red triangular daymark on red pile.	Flash 0.5 sec. 15 cp. 14 feet high. North of Wreck Point. In 6 feet. 1939–1945 (200 mm e)
LOOKOUT BIGHT LIGHT 2. U. Fl. W., 4 sec.	Red triangular daymark on pile structure.	Flash 0.4 sec. 30 cp. 14 feet high. In 6 feet. 1945 (200 mm e)
Lookout Bight Channel Buoy 3	Black; can (M) White reflector.	In 6 feet.
Lookout Bight Channel Buoy 5	Black; can (M)	In 8 feet.
LOOKOUT BIGHT CHANNEL LIGHT 6 U. Fl. R., 4 sec.	Red triangular daymark on red pile.	Flash 0.4 sec. 15 cp. 14 feet high. In 4 feet. 1939–1945 (200 mm e)
Lookout Bight Channel Daybeacon 8.	Red triangular daymark on pile.	In 4 feet.
LOOKOUT BIGHT CHANNEL LIGHT 11. U. Fl. W., 4 sec.	Black square daymark on pile	Flash 0.4 sec. 50 cp. 14 feet high. In 5 feet. 1939 (200 mm e)
Lookout Bight Channel Daybeacon 12.	Red triangular daymark on pile.	In 4 feet.
LOOKOUT BIGHT CHANNEL LIGHT 14. U. Qk. Fl. W.	Red slatted pile structure	60 flashes per minute. 50 cp. 16 feet high. At turn in channel. In 5 feet. 1939 (200 mme)
Lookout Bight Channel Daybeacon 16.	Red triangular daymark on pile.	In 4 feet.
LOOKOUT BIGHT CHANNEL LIGHT 18. U. Fl. R., 4 sec.	Red triangular daymark on red pile.	Flash 0.4 sec. 15 cp. 14 feet high. Off Whitburst Island. In 4 feet. 1939 (200 mm e)
Lookout Bight Channel Daybeacon 20.	Red triangular daymark on pile.	In 4 feet.
LOOKOUT BIGHT CHANNEL LIGHT 22. U. Fl. R., 4 sec.	Red triangular daymark on red pile.	Flash 0.4 sec. 15 cp. 14 feet high. East of Morgans Island. In 3 feet. 1939 (200 mm e)
Lookout Bight Channel Daybeacon 24.	Red triangular daymark on pile.	In 5 feet.
LOOKOUT BIGHT CHANNEL LIGHT 26. U. Fl. R., 4 sec.	Red triangular daymark on red pile.	Flash 0.4 sec. 15 cp. 14 feet high. In 3 feet. 1939 (200 mm e)
Lookout Bight Channel Daybeacon 28.	Red triangular daymark on pile.	In 4 feet.
LOOKOUT BIGHT CHANNEL LIGHT 29. U. Fl. W., 4 sec.	Black square daymark on black pile.	Flash 0.4 sec. 50 cp. 14 feet high. At north end of cut. In 9 feet. 1939 (200 mm e)
Shell Point Daybeacon	Red slatted pile structure	On south side of channel. In 6 feet.

Name, mark on aid Character of light	Description	Remarks
LOOKOUT BIGHT TO BACK SOUND		
THE LUMPS LIGHT Fl. W., 3 sec. U.	Black slatted pile structure	Flash 0.3 sec. 45 cp. 16 feet high. On north side of channel. In 3 feet. 1923–1931 (150 mm a)
BACK SOUND CHANNEL LIGHT. U. Fl. W., 5 sec.	Red box and daymark on pile.	Flash 0.5 sec. 50 cp. 14 feet high. At angle in channel. In 6 feet. 1927–1943 (200 mm e)
BACK SOUND LIGHT Fl. W., 3 sec. U.	Red slatted pile structure	Flash 0.3 sec. 45 cp. 15 feet high. Off west side of shoal. In 7 feet. 1927 (150 mm a)
(Intracoastal Waterway, continued from p. 20)		
NEW RIVER TO CAPE FEAR RIVER		
CHADWICK BAY LIGHT 2. Qk. Fl. R. U.	Red triangular daymark with yellow border on piles.	60 flashes per minute. 20 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Chadwick Bay Daybeacon 4 Chadwick Bay Daybeacon 6	Red triangular daymark with yellow border on pile. Red reflector.	16 feet high. In 3 feet.
CHADWICK BAY LIGHT 9. Fl. W., 4 sec. U.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 50 cp. 16 feet high. In 6 feet. 1942 (200 mm e)
Chadwick Bay Daybeacon 10 Chadwick Bay Daybeacon 12 Chadwick Bay Daybeacon 14	Red triangular daymark with yellow border on pile. Red reflector.	16 feet high. In 3 feet.
ALLIGATOR BAY LIGHT 15. Qk. Fl. W. U.	Black square daymark with yellow border on pile.	60 flashes per minute. 50 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Alligator Bay Daybeacon 17 Alligator Bay Daybeacon 19	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet.
ALLIGATOR BAY LIGHT 23. Fl. W., 4 sec. U.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 50 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Alligator Bay Daybeacon 25	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet.
STUMP SOUND LIGHT 27. Fl. W., 4 sec. U.	Black square daymark with yellow border on pile.	Flash 0.4 sec. 50 cp. 18 feet high. In 3 feet 1932 (200 mm e)
Stump Sound Daybeacon 29 Stump Sound Daybeacon 31 Stump Sound Daybeacon 33 Stump Sound Daybeacon 35 Stump Sound Daybeacon 37	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet.
STUMP SOUND LIGHT 39. Fl W., 4 sec. U.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 50 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Stump Sound Daybeacon 41 Stump Sound Daybeacon 43 Stump Sound Daybeacon 45 Stump Sound Daybeacon 47	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet.
STUMP SOUND LIGHT 49. Qk. Fl. W. U.	Black square daymark with yellow border on pile.	60 flashes per minute. 50 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Stump Sound Daybeacon 51 Stump Sound Daybeacon 53 Stump Sound Daybeacon 57 Stump Sound Daybeacon 59	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet.
STUMP SOUND LIGHT 61. Fl. W., 4 sec. U.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 50 cp. 18 feet high. In 3 feet. 1932–1943 (200 mm e)
Stump Sound Daybeacon 65 Stump Sound Daybeacon 69	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet.
STUMP SOUND LIGHT 71. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1941 (200 mm e)
Topsail Sound Daybeacon 72 Topsail Sound Daybeacon 76 Topsail Sound Daybeacon 78 Topsail Sound Daybeacon 80 Topsail Sound Daybeacon 82	Red triangular daymark with yellow border on pile. Red reflector.	12 to 16 feet high. In 3 to 4 feet.

Name; mark on aid Character of light	Description	Remarks
NEW RIVER TO CAPE FEAR RIVER		
TOPSAIL SOUND LIGHT 83. Fl. W., 4 sec. U.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1932–1943. (200 mm e)
Topsail Sound Daybeacon 84	Red triangular daymark with yellow border on pile. Red reflector.	16 feet high. In 3 feet.
Topsail Sound Daybeacon 86		
Topsail Sound Daybeacon 90	Red triangular daymark with yellow border on pile. Red reflector.	16 feet high. In 3 feet.
Topsail Sound Daybeacon 92		
Topsail Sound Daybeacon 94		
TOPSAIL SOUND LIGHT 93. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In 2 feet. 1941 (200 mm e)
TOPSAIL SOUND LIGHT 96. Fl. R., 4 sec U.	Red triangular daymark with yellow border on piles.	Flash 0.4 sec. 15 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
TOPSAIL SOUND LIGHT 98. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on piles.	Flash 0.4 sec. 15 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
LONG POINT LIGHT 100. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on piles.	Flash 0.4 sec. 15 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Long Point Daybeacon 102	Red triangular daymark with yellow border on piles. Red reflector.	12 feet high. In 4 feet.
LONG POINT LIGHT 103. Fl. W., 4 sec. U.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Long Point Daybeacon 105	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet.
RICH INLET		
Rich Inlet Bar Buoy 2	Red; 4th-cl. cone	Channel subject to change and buoys will be moved as channel changes.
Rich Inlet Bar Buoy 3	Black; 4th-cl. cone	
Rich Inlet Bar Buoy 4	Red; 4th-cl. cone	
Rich Inlet Bar Buoy 6	Red; 4th-cl. cone	
NEW RIVER TO CAPE FEAR RIVER		
MIDDLE SOUND LIGHT 107 Fl. W., 4 sec. U.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1932–1946 (200 mm e)
Middle Sound Daybeacon 108	Red triangular daymark with yellow border on pile. Red reflector.	16 feet high. In 3 feet.
Middle Sound Daybeacon 110		
Middle Sound Daybeacon 112		
Middle Sound Daybeacon 114		
MIDDLE SOUND LIGHT 118 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on piles.	Flash 0.4 sec. 15 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Middle Sound Daybeacon 120	Red triangular daymark with yellow border on pile. Red reflector.	16 feet high. In 3 feet.
MIDDLE SOUND LIGHT 121. Fl. W., 4 sec. U.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
MIDDLE SOUND LIGHT 122. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on piles.	Flash 0.4 sec. 15 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Middle Sound Daybeacon 124	Red triangular daymark with yellow border on pile. Red reflector.	16 feet high. In 3 feet.
WRIGHTSVILLE LIGHT 125. Fl. W., 4 sec. U.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1932 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
MASONBORO INLET TO WRIGHTSVILLE		
Masonboro Inlet Bar Buoy 6	Red; 4th-cl. nun	In 10 feet
Wrightsville Channel Daybeacon 7. Wrightsville Channel Daybeacon 9. Wrightsville Channel Daybeacon 11. Wrightsville Channel Daybeacon 13. Wrightsville Channel Daybeacon 15. Wrightsville Channel Daybeacon 17. Wrightsville Channel Daybeacon 18. Wrightsville Channel Daybeacon 20. Wrightsville Channel Daybeacon 21. Wrightsville Channel Daybeacon 22. Wrightsville Channel Daybeacon 23. Wrightsville Channel Daybeacon 25. Wrightsville Channel Daybeacon 26. Wrightsville Channel Daybeacon 27. Wrightsville Channel Daybeacon 28. Wrightsville Channel Daybeacon 29. Harbor Island Daybeacon 1 Harbor Island Daybeacon 3	Even numbered daybeacons are white triangular daymarks and red reflectors on pile. Odd numbered daybeacons are white square daymarks with green reflectors on pile.	12 feet high. In 4 feet.
NEW RIVER TO CAPE FEAR RIVER		
WRIGHTSVILLE LIGHT 127. U. Fl. G., 4 sec.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 10 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
MASONBORO SOUND LIGHT 128. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on piles.	Flash 0.4 sec. 15 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
MASONBORO SOUND LIGHT 130. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on piles.	Flash 0.4 sec. 15 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Masonboro Sound Daybeacon 132. Masonboro Sound Daybeacon 134. Masonboro Sound Daybeacon 136.	Red triangular daymark with yellow border on pile. Red reflector.	16 feet high. In 3 feet.
MASONBORO SOUND LIGHT 137. U. Fl. W., 4 sec.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Masonboro Sound Daybeacon 138. Masonboro Sound Daybeacon 139. Masonboro Sound Daybeacon 140. Masonboro Sound Daybeacon 141. Masonboro Sound Daybeacon 143.	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	16 feet high. In 3 to 4 feet.
MYRTLE SOUND LIGHT 145. U. Fl. W., 4 sec.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Myrtle Sound Daybeacon 146 Myrtle Sound Daybeacon 148 Myrtle Sound Daybeacon 149 Myrtle Sound Daybeacon 150 Myrtle Sound Daybeacon 151 Myrtle Sound Daybeacon 152	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	16 feet high. In 3 feet.

Name; mark on aid Character of light	Description	Remarks
NEW RIVER TO CAPE FEAR RIVER		
MYRTLE SOUND LIGHT 153. U. Fl. W., 4 sec.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1932 (200 mm e)
Myrtle Sound Daybeacon 154 Myrtle Sound Daybeacon 155 Myrtle Sound Daybeacon 156 Myrtle Sound Daybeacon 157 Myrtle Sound Daybeacon 159	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	12 to 16 feet high. In 3 to 4 feet.
MYRTLE SOUND LIGHT 161. U. Fl. W., 4 sec.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 30 cp. 18 feet high. At east end of canal. In 3 feet. 1932-1941 (200 mm e)
Canal Entrance Daybeacon 163	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet.
CANAL ENTRANCE RANGE FRONT LIGHT 164. U. Fl. R., 1 sec.	Red diamond daymark with yellow border on white dolphin.	Flash 0.3 sec. 15 cp. 16 feet high. In Cape Fear River. In 3 feet. 1932-1943 (200 mm e)
CANAL ENTRANCE RANGE REAR LIGHT 164. Occ. R., 6 sec. U.	Red circular daymark with yellow border on skeleton tower.	Light 3 sec., eclipse 3 sec. 100 cp. 37 feet high. 200 yards, 245°, from front light. In 6 feet. 1932 (300 mm a)
Intracoastal Waterway Daybeacon 165. Turning Daybeacon 167	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet.
WILMINGTON SHORT CUT		
Wilmington Short Cut Daybeacon 2. Wilmington Short Cut Daybeacon 1. Wilmington Short Cut Daybeacon 4. Wilmington Short Cut Daybeacon 3. Wilmington Short Cut Daybeacon 6. Wilmington Short Cut Daybeacon 5. Wilmington Short Cut Daybeacon 7. Wilmington Short Cut Daybeacon 8. Wilmington Short Cut Daybeacon 10.	Even numbered daybeacons are white triangular daymarks on red pile; odd numbered daybeacons are white square daymarks on black pile.	12 to 14 feet high. In 4 to 6 feet.
INTRACOASTAL WATERWAY RANGE FRONT LIGHT 168. U. F. R.	Red square house, red diamond center with yellow border on piles.	1,100 cp. 16 feet high. In Cape Fear River. In 6 feet. 1932 (Rf e)
INTRACOASTAL WATERWAY RANGE REAR LIGHT 168. U. F. R.	Red circular daymark with yellow border on pile.	1,100 cp. 30 feet high. 700 yards, 26°, from front light. In 4 feet. 1932 (Rf e)
Intracoastal Waterway Daybeacon 170. Intracoastal Waterway Daybeacon 172. Intracoastal Waterway Daybeacon 174. Intracoastal Waterway Daybeacon 176.	Red triangular daymark with yellow border on pile. Red reflector.	16 feet high. In 3 to 6 feet.
CAPE FEAR RIVER		
JUNCTION LIGHT 177. Fl. W., 4 sec. U.	Black square daymark with a yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. (200 mm e) 1935-1942
UPPER MIDNIGHT CHANNEL RANGE FRONT LIGHT. U. Fl. W., 1 sec.	White slatted daymark, black round center, on white skeleton structure.	Flash 0.3 sec. 1,200 cp. 17 feet high. East side of channel. In 4 feet. 1912 (Rg a)
UPPER MIDNIGHT CHANNEL RANGE REAR LIGHT. U. Occ. W., 6 sec.	White slatted daymark, black round center, on white skeleton structure. On Snow Marsh Channel Range Rear Light structure.	Light 3 sec., eclipse 3 sec., 1,200 cp. 37 feet high. 2,300 yards, 179°, 29° from front light. 1890-1912 (Rg a)

Name; mark on aid Character of light	Description	Remarks
CAPE FEAR RIVER		
Midnight Channel Upper Buoy 29.	Black; yellow triangle; 2d-cl. can.	In 13 feet.
MIDNIGHT CHANNEL LIGHT 27. U. Fl. G., 4 sec.	Black slatted daymark with yellow triangle, on skeleton structure on piles.	Flash 0.4 sec. 40 cp. 17 feet high. In 16 feet. 1933-1946 (300 mm a)
Upper Midnight Channel Range Daybeacon.	White square daymark with black round center.	15 feet high. In 15 feet.
LOWER MIDNIGHT CHANNEL RANGE FRONT LIGHT. U. Fl. R., 1 sec.	White slatted daymark, black diamond center, on white skeleton structure.	Flash 0.3 sec. 70 cp. 17 feet high. East side of channel. In 2 feet. 1912 (300 mm a)
LOWER MIDNIGHT CHANNEL RANGE REAR LIGHT. U. Occ. R., 6 sec.	White slatted daymark, black diamond center, on white skeleton structure.	Light 3 sec., eclipse 3 sec. 70 cp. 37 feet high. 3,000 yards, 14°31′ from front light. In 10 feet. 1901-1912 (300 mm a)
Midnight Channel Lower Buoy 25.	Black, yellow triangle; 2d-cl. can.	In 15 feet.
Reaves Point Channel Buoy 24	Red, yellow square: 1st-cl. nun.	In 21 feet.
REAVES POINT CHANNEL RANGE FRONT LIGHT. U. Fl. W., 1 sec.	Same as Snow Marsh Channel Range Front Light.	Flash 0.3 sec. 230 cp. 17 feet high. In 8 feet. 1890-1918 (300 mm a)
REAVES POINT CHANNEL RANGE REAR LIGHT. U. Occ. W., R. sector, 6 sec.	Same as Lower Swash Channel Range Rear Light.	Light 3 sec., eclipse 3 sec. W. 230 cp. R. 60 cp. from 123° to 153° covers turn. 1,400 yards, 185°25′ from front light. In 4 feet. 1912 (300 mm a)
Reaves Point Channel Entrance Buoy 23.	Black; yellow triangle, 2d-cl. can.	Near intersection of Horseshoe Shoal and Reaves Point Channels. Snow Marsh Channel Range Rear Light, 1,100 yards, 98°. In 28 feet.
HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT. U. Fl. W., 1 sec.	White slatted daymark, on skeleton structure. Same as Lower Swash Channel Range Front Light.	Flash 0.3 sec. 230 cp. 17 feet high. On east side of channel. In 6 feet. 1908-1918 (300 mm a)
HORSESHOE SHOAL CHANNEL RANGE REAR LIGHT. U. Occ. W., 6 sec.	White slatted daymark on skeleton tower.	Light 3 sec., eclipse 3 sec. 230 cp. 42 feet high. 1,370 yards, 203°45′ from front light. 1928 (300 mm a)
Raleigh Wreck Buoy 22	Red; yellow square; 1st-cl. nun (s).	In 30 feet.
SNOW MARSH CHANNEL UPPER LIGHT 21. U. Fl. G., 4 sec.	Black square daymark with yellow triangle on white pile dolphin.	Flash 0.4 sec. 20 cp. 16 feet high East of Horseshoe Shoal. In 20 feet. 1942 (200 mm e)
Snow Marsh Channel Buoy 19	Black; yellow triangle, 1st-cl. can.	In 24 feet.
SNOW MARSH CHANNEL RANGE FRONT LIGHT. Fl. W., 1 sec. U.	White slatted daymark, black round center, on white skeleton structure. Same as Reaves Point Channel Range Front Light.	Flash 0.3 sec. 230 cp. 17 feet high. On east side of channel. In 8 feet. 1890-1918 (300 mm a)
SNOW MARSH CHANNEL RANGE REAR LIGHT. Occ. W., R. sector, 6 sec. U.	White slatted daymark, black round center, on white skeleton structure. On Upper Midnight Channel Range Rear Light structure.	Light 3 sec., eclipse 3 sec. W. 230 cp. R. 60 cp. 37 feet high. Red from 79° to 109°, covers turn. 1,480 yards, 45°58′ from front light. 1890-1912 (300 mm a)
Snow Marsh Channel Buoy 18	Red; yellow square; 1st-cl. nun (s).	East side of channel. In 25 feet.
Snow Marsh Channel Lower Buoy 16.	Red, yellow square; 2d-cl. nun.	Near intersection of Lower Swash and Snow Marsh Channel Range axes. In 28 feet.
LOWER SWASH CHANNEL RANGE FRONT LIGHT. U. Fl. W., 1 sec.	White slatted daymark, black diamond center, on white skeleton structure. Same as Horseshoe Shoal Channel Range Front Light.	Flash 0.3 sec. 230 cp. 17 feet high. On east side of channel. In 6 feet. 1908-1918 (300 mm a)
LOWER SWASH CHANNEL RANGE REAR LIGHT. U. Occ. W., R. sector, 6 sec.	White slatted daymark, black diamond center on white skeleton structure. Same as Reaves Point Channel Range Rear Light.	Light 3 sec., eclipse 3 sec. W. 230 cp. R. 60 cp. 37 feet high. Red from 123° to 153°, covers turn. 1,600 yards 55°45′ from front light. In 6 feet. 1912-1932. (300 mm a)
Obstruction Buoy 15	Black, yellow triangle; 1st-cl. can (s).	Marks pile of stone ballast on west side of channel. In 28 feet.
SOUTHPORT LIGHT 1 Fl. G., 4 sec. U.	Black square daymark with yellow border, on skeleton tower on piles.	Flash 0.4 sec. 20 cp. 20 feet high. At entrance to Intracoastal Waterway. In 6 feet. 1931-1943 (200 n m e)

Name; mark on aid Character of light	Description	Remarks
CAPE FEAR RIVER-LITTLE RIVER		
Cape Fear-Little River Daybeacon 3.	Black square daymark with yellow border, on pile. Green reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 5.		
Cape Fear-Little River Daybeacon 7.		
Cape Fear-Little River Daybeacon 9.		
CAPE FEAR-LITTLE RIVER LIGHT 11. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile structure.	Flash 0.4 sec. 30 cp. South side of cut. 18 feet high. In 3 feet. 1932-1940 (200 mm e)
Cape Fear-Little River Daybeacon 13.	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 15.		
CAPE FEAR-LITTLE RIVER LIGHT 17. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile structure.	Flash 0.4 sec. 30 cp. South side of channel. 18 feet high. In 3 feet. 1933-1940 (200 mm e)
Cape Fear-Little River Daybeacon 19.	Black square daymark with yellow border on pile. Green reflector.	16 feet high. In 3 feet
Cape Fear-Little River Daybeacon 21.		
CAPE FEAR-LITTLE RIVER LIGHT 22. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile structure.	Flash 0.4 sec. 15 cp. 18 feet high. North side of channel. In 3 feet. 1933-1940 (200 mm e)
CAPE FEAR-LITTLE RIVER LIGHT 24. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile structure.	Flash 0.4 sec. 15 cp. 18 feet high. North side of channel. In 3 feet. 1933-1940 (200 mm e)
Cape Fear-Little River Daybeacon 26.	Red triangular daymark with yellow border, on piles. Red reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 28.		
CAPE FEAR-LITTLE RIVER LIGHT 29. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. South side of channel at turn. In 3 feet. 1933-1940 (200 mm e)
Cape Fear-Little River Daybeacon 32.	Red triangular daymark with yellow border, on piles. Red reflector.	16 feet high. In 3 feet.
CAPE FEAR-LITTLE RIVER LIGHT 34. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 14 cp. 18 feet high. North side of channel at Howell Point. In 3 feet. 1933-1940 (200 mm e)
Cape Fear-Little River Daybeacon 36.	Red triangular daymark with yellow border, on piles. Red reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 38.		
Cape Fear-Little River Daybeacon 39.	Black square daymark with yellow border, on piles. Green reflector.	16 feet high. In 2 feet.
CAPE FEAR-LITTLE RIVER LIGHT 40. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 16 cp. 16 feet high. North side of channel. In 2 feet. 1933-1940 (200 mm e)
Cape Fear-Little River Daybeacon 41.	Black square daymark with yellow border, on piles. Green reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 42.	Red triangular daymark with yellow border, on piles. Red reflector.	16 feet high. In 3 feet.
CAPE FEAR-LITTLE RIVER LIGHT 44. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 15 cp. 18 feet high. North side of channel. In 3 feet. 1933-1940 (200 mm e)
Cape Fear-Little River Daybeacon 46.	Red triangular daymark with yellow border. on pile. Red reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Buoy 46A.	Red; 3d-cl. nun(s). Red reflector.	In 14 feet.
CAPE FEAR-LITTLE RIVER LIGHT 45. U. Qk. Fl. G.	On cabin of sunken barge.	75 flashes per minute. 15 cp. 14 feet high. On south side of channel. 1947 (200 mm e)
Cape Fear-Little River Buoy 46B.	Red; 2d-cl. nun(s). Red reflector.	In 12 feet.
Cape Fear-Little River Daybeacon 48.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 3 feet.
CAPE FEAR-LITTLE RIVER LIGHT 50. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 15 cp. 18 feet high. North side of channel. In 1 foot. 1933-1940 (200 mm e)
CAPE FEAR-LITTLE RIVER LIGHT 51. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. South side of channel. In 2 feet. 1933-1940 (200 mm e)
CAPE FEAR-LITTLE RIVER LIGHT 52. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 15 cp. 18 feet high. North side of channel. In 3 feet. 1933-1940 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
CAPE FEAR RIVER-LITTLE RIVER		
Cape Fear-Little River Daybeacon 53.	Black square daymark with yellow border, on piles. Green reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 55.		
Cape Fear-Little River Daybeacon 57.		
CAPE FEAR-LITTLE RIVER LIGHT 59. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. South side of channel. In 3 feet. 1933 (200 mm e)
Cape Fear-Little River Daybeacon 61.	Black square daymark with yellow border on piles. Green reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 63.		
Cape Fear-Little River Daybeacon 65.		
CAPE FEAR-LITTLE RIVER LIGHT 67. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. South side of channel. In 3 feet. 1933 (200 mm e)
Cape Fear-Little River Daybeacon 69.	Black square daymark with yellow border on piles. Green reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 71.		
CAPE FEAR-LITTLE RIVER LIGHT 71A. U. Fl. W., 4 sec.	Black square daymark with yellow border on white piles.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1942 (200 mm e)
Cape Fear-Little River Daybeacon 73.	Black square daymark with yellow border on piles. Green reflector.	16 feet high. In 1 and 3 feet.
Cape Fear-Little River Daybeacon 75.		
CAPE FEAR-LITTLE RIVER LIGHT 76. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white piles.	Flash 0.4 sec. 15 cp. 18 feet high. In 3 feet. 1942—1943 (200 mm e)
CAPE FEAR-LITTLE RIVER LIGHT 78. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white piles.	Flash 0.4 sec. 15 cp. 18 feet high. In 3 feet. 1942 (200 mm e)
Cape Fear-Little River Daybeacon 80.	Red triangular daymark with yellow border on white pile. Red reflector.	15 feet high. In 3 feet.
CAPE FEAR-LITTLE RIVER LIGHT 82. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile structure.	Flash 0.4 sec. 15 cp. 18 feet high. North side of channel. In 3 feet. 1933-1939 (200 mm e)
CAPE FEAR-LITTLE RIVER LIGHT 84. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile structure.	Flash 0.4 sec. 15 cp. 18 feet high. North side of channel. In 3 feet. 1933-1939 (200 mm e)
CAPE FEAR-LITTLE RIVER LIGHT 85. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. South side of channel. In 3 feet. 1933-1939 (200 mm e)
Cape Fear-Little River Daybeacon 87.	Black square daymark with yellow border on piles. Green reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 89.		
CAPE FEAR-LITTLE RIVER LIGHT 90. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile structure.	Flash 0.4 sec. 15 cp. 16 feet high. North side of channel. In 3 feet. 1933-1947 (200 mm e)
Cape Fear-Little River Daybeacon 91.	Black square daymark with yellow border on piles. Green reflector.	16 feet high. In 3 feet.
CAPE FEAR-LITTLE RIVER LIGHT 93. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. South side of channel opposite Gause Landing. In 3 feet. 1933 (200 mm e)
Cape Fear-Little River Daybeacon 95.	Black square daymark with yellow border, on piles. Green reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 97.		
CAPE FEAR-LITTLE RIVER LIGHT 98. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 15 cp. 18 feet high. North side of channel. At low water mark. 1933-1939 (200 mm e)
Cape Fear-Little River Daybeacon 99.	Black square daymark with yellow border, on piles. Green reflector.	16 feet high. In 3 feet.
CAPE FEAR-LITTLE RIVER LIGHT 101. U. Fl. W. 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. South side of channel opposite Seaside. In 3 feet. 1933 (200 mm e)
Cape Fear-Little River Daybeacon 103.	Black square daymark with yellow border, on piles. Green reflector.	16 feet high. In 3 feet.
Cape Fear-Little River Daybeacon 105.		
Cape Fear-Little River Daybeacon 107.		

Name; mark on aid Character of light	Description	Remarks
CAPE FEAR RIVER-LITTLE RIVER		
CAPE FEAR-LITTLE RIVER LIGHT 108. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 15 cp. 18 feet high. North side of channel. In 3 feet. 1933 (200 mm e)
Cape Fear-Little River Daybeacon 109.	Black square daymark with yellow border, on piles. Green reflector	16 feet high. In 3 feet
CAPE FEAR-LITTLE RIVER LIGHT 111. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. South side of river. In 3 feet. 1933 (200 mm e)
Cape Fear-Little River Daybeacon 113.	Black square daymark with yellow border, on piles.	16 feet high. In 3 feet.
Cape Fear-Little River Day beacon 115.	Green reflector.	
CAPE FEAR-LITTLE RIVER LIGHT 116. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 15 cp. 18 feet high. North side of channel. In 3 feet. 1933–1939 (200 mm e)
CAPE FEAR-LITTLE RIVER LIGHT 117. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. South side of channel. In 3 feet 1933 (200 mm e)
CAPE FEAR-LITTLE RIVER LIGHT 119. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 19 feet high. In 3 feet. 1933–1939 (200 mm e)
LITTLE RIVER-WINYAH BAY		SEVENTH DIST.
Little River-Winyah Bay Daybeacon 2.	Red triangular daymark with yellow border, on piles.	16 feet high. In 3 feet.
Little River-Winyah Bay Daybeacon 4.	Red reflector.	
LITTLE RIVER-WINYAH BAY LIGHT 6. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. In 6 feet. 1936–1939 (200 mm e)
Little River-Winyah Bay Daybeacon 8.	Red triangular daymark yellow border, on pile.	12 feet high. In 1 to 3 feet.
Little River-Winyah Bay Daybeacon 10.	Red reflector.	
LITTLE RIVER-WINYAH BAY LIGHT 11. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 6 feet. 1943 (200 mm e)
Little River-Winyah Bay Daybeacon 14.		
Little River-Winyah Bay Daybeacon 16.	Red triangular daymark with yellow border, on pile.	16 feet high. In 3 feet.
Little River-Winyah Bay Daybeacon 18.	Red reflector.	
Little River-Winyah Bay Daybeacon 20.		
Little River-Winyah Bay Daybeacon 22.		
LITTLE RIVER-WINYAH BAY LIGHT 23. U. Fl. W. 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. In 6 feet. 1936–1938 (200 mm e)
Little River-Winyah Bay Daybeacon 25.		
Little River-Winyah Bay Daybeacon 27.	Black square daymark with yellow border, on pile.	16 feet high. In 3 feet.
Little River-Winyah Bay Daybeacon 29.	Green reflector.	
Little River-Winyah Bay Day beacon 31.		
LITTLE RIVER-WINYAH BAY LIGHT 33. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 50 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 35.		
Little River-Winyah Bay Daybeacon 37.	Black square daymark with yellow border, on pile.	16 feet high. In 3 feet.
Little River-Winyah Bay Daybeacon 39.	Green reflector.	
Little River-Winyah Bay Daybeacon 41.		
LITTLE RIVER-WINYAH BAY LIGHT 43. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 50 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 45.	Black square daymark with yellow border, on pile.	16 feet high. In 4 feet.
Little River-Winyah Bay Daybeacon 47.	Green reflector.	
Little River-Winyah Bay Daybeacon 48.	Red triangular daymark with yellow border, on pile.	16 feet high. In 1 foot.
Little River-Winyah Bay Daybeacon 50.	Red reflector.	
LITTLE RIVER-WINYAH BAY LIGHT 52. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. In 10 feet. 1936 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
LITTLE RIVER-WINYAH BAY		
Little River-Winyah Bay Daybeacon 53. Little River-Winyah Bay Daybeacon 55. Little River-Winyah Bay Daybeacon 57.	Black square daymark with yellow border, on pile. Green reflector.	16 feet high. In 1 foot.
LITTLE RIVER-WINYAH BAY LIGHT 59. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. In 10 feet. 1936-1941 (200 mm e)
Little River-Winyah Bay Daybeacon 60. Little River-Winyah Bay Daybeacon 62.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 1 foot.
LITTLE RIVER-WINYAH BAY LIGHT 63. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. In 10 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 64. Little River-Winyah Bay Daybeacon 66. Little River-Winyah Bay Daybeacon 67.	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	16 feet high. In 4 to 10 feet.
LITTLE RIVER-WINYAH BAY LIGHT 68. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 10 feet. 1936 (200 mm e)
LITTLE RIVER-WINYAH BAY LIGHT 69. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. 1936—1946 (200 mm e)
Little River-Winyah Bay Daybeacon 71.	Black square daymark with yellow border, on pile. Green reflector.	16 feet high. In 4 feet.
LITTLE RIVER-WINYAH BAY LIGHT 72. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. In 3 feet. 1936-1943 (200 mm e)
LITTLE RIVER-WINYAH BAY LIGHT 74. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 5ec. 11 cp. 16 feet high. In 10 feet. 1936 (200 mm e)
LITTLE RIVER-WINYAH BAY LIGHT 75. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In 10 feet. 1936 (200 mm e)
LITTLE RIVER-WINYAH BAY LIGHT 76. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 10 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 77. Little River-Winyah Bay Daybeacon 79.	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 1 feet.
LITTLE RIVER-WINYAH BAY LIGHT 81. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In 10 feet. 1936-1945 (200 mm e)
Little River-Winyah Bay Daybeacon 82. Little River-Winyah Bay Daybeacon 84. Little River-Winyah Bay Daybeacon 85.	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on while pile.	12 feet high. In 6 feet.
LITTLE RIVER-WINYAH BAY LIGHT 87. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. In 10 feet. 1936 (200 mm e)
LITTLE RIVER-WINYAH BAY LIGHT 88. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 10 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 90.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 6 feet.
LITTLE RIVER-WINYAH BAY LIGHT 91. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In 5 feet. 1936 (200 mm e)
LITTLE RIVER-WINYAH BAY LIGHT 92. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high In 4 feet. 1936 (200 mm)
Little River-Winyah Bay Daybeacon 94. Little River-Winyah Bay Daybeacon 95. Little River-Winyah Bay Daybeacon 96. Little River-Winyah Bay Daybeacon 97.	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile: odd numbered daybeacons are black square daymarks with yellow border and green reflector on while pile.	16 feet high. In 6 to 10 feet.

Name; mark on aid Character of light	Description	Remarks
LITTLE RIVER-WINYAH BAY		
LITTLE RIVER - WINYAH BAY LIGHT 99. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In 10 feet. 1936–1941 (200 mm e)
LITTLE RIVER - WINYAH BAY LIGHT 100. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 12 feet. 1936–1941 (200 mm e)
Little River-Winyah Bay Daybeacon 101.	Black square daymark with yellow border, on pile. Green reflector.	16 feet high. In 6 feet.
Little River-Winyah Bay Daybeacon 102.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 6 feet.
LITTLE RIVER - WINYAH BAY LIGHT 103. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 104.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 6 feet.
LITTLE RIVER - WINYAH BAY LIGHT 106. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 12 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 107.	Black square daymark with yellow border, on pile. Green reflector.	16 feet high. In 6 feet.
Little River-Winyah Bay Daybeacon 108.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 6 feet.
LITTLE RIVER - WINYAH BAY LIGHT 109. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In 10 feet. 1936–1939 (200 mm e)
Little River-Winyah Bay Daybeacon 110.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 6 feet.
LITTLE RIVER - WINYAH BAY LIGHT 111. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. In 10 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 112.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 6 feet.
LITTLE RIVER - WINYAH BAY LIGHT 114. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. In 10 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 116.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 6 feet.
LITTLE RIVER - WINYAH BAY LIGHT 117. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. In 14 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 119.	Black square daymark with yellow border, on pile. Green reflector.	16 feet high. In 6 feet.
Little River-Winyah Bay Daybeacon 120.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 6 feet.
LITTLE RIVER - WINYAH BAY LIGHT 121. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. In 15 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeaon 122.	Red triangular daymark with yellow border, on pile structure. Red reflector.	16 feet high. In 10 feet.
LITTLE RIVER - WINYAH BAY LIGHT 123. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. In 16 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 124.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 6 feet.
Little River-Winyah Bay Daybeacon 125.	Black square daymark with yellow border, on pile. Green reflector.	16 feet high. In 6 feet.
Little River-Winyah Bay Daybeacon 126.	Red triangular daymark with yellow border, on pile structure. Red reflector.	16 feet high. In 10 feet.
LITTLE RIVER-WINYAH BAY LIGHT 127. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. In 10 feet. 1936 (200 mm e)
Little River-Winyah Bay Day beacon 129.	Black square daymark with yellow border, on pile. Green reflector.	16 feet high. In 6 feet.

Name; mark on aid Character of light	Description	Remarks
LITTLE RIVER-WINYAH BAY		
LITTLE RIVER-WINYAH BAY LIGHT 130. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. In 10 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 132.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 6 feet.
LITTLE RIVER-WINYAH BAY LIGHT 133. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 134.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 6 feet.
Little River-Winyah Bay Daybeacon 135.	Black square daymark with yellow border, on pile. Green reflector.	16 feet high. In 6 feet.
LITTLE RIVER-WINYAH BAY LIGHT 137. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. In 10 feet. 1936 (200 mm e)
LITTLE RIVER-WINYAH BAY LIGHT 138. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. Easterly end of Butler Island. In 14 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 140.	Red triangular daymark with yellow border, on pile. Red reflector.	16 feet high. In 6 feet.
LITTLE RIVER-WINYAH BAY LIGHT 141. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 18 feet high. In 12 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 142. Little River-Winyah Bay Daybeacon 144. Little River-Winyah Bay Daybeacon 145.	Even numbered day beacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	16 feet high. In 6 to 10 feet.
LITTLE RIVER-WINYAH BAY LIGHT 146. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. In 16 feet. 1936 (200 mm e)
Little River-Winyah Bay Daybeacon 147.	Black square daymark with yellow border, on pile. Green reflector.	16 feet high. In 6 feet.
LITTLE RIVER-WINYAH BAY LIGHT 148. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. In 6 feet. 1936 (200 mm e)
LITTLE RIVER-WINYAH BAY LIGHT 150. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. In 12 feet. 1936–1947 (200 mm e)
GEORGETOWN HARBOR		
SAMPIT RIVER LIGHT 29. Fl. G., 4 sec. U.	Black square daymark with yellow triangle on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. South entrance to channel. In 10 feet. 1936 (200 mm e)
SAMPIT RIVER JETTY LIGHT 30. U. Fl. R., 4 sec.	Red square daymark on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. North entrance to channel. In 8 feet. 1929–1941 (200 mm e)
SAMPIT RIVER JETTY TURN LIGHT 32. U. Fl. R., 4 sec.	Red triangular daymark on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 8 feet. 1936 (200 mm e)
WINYAH BAY		
RABBIT ISLAND LIGHT 28. U. Fl. R., 4 sec.	Red square daymark with yellow square on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high East side of channel. In 14 feet. 1896–1945 (200 mm e)
WESTERN CHANNEL LIGHT 27. U. Fl. W., 4 sec.	Black square daymark with yellow triangle on dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. West side of channel. In 16 feet. 1912–1934 (200 mm e)
Eastern Channel Buoy 26	Red; 2d-cl. nun	In 15 feet.
LITTLE RIVER-WINYAH BAY LIGHT 152. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. North end of channel. In 14 feet. 1939 (200 mm e)
LITTLE RIVER-WINYAH BAY LIGHT 154. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 14 feet. 1934 (200 mm e)
LITTLE RIVER-WINYAH BAY LIGHT 156. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 13 feet. 1934 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
WINYAH BAY-CHARLESTON HARBOR		
WINYAH BAY-CHARLESTON HARBOR LIGHT 2. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1936–1940 (200 mm e)
WINYAH BAY-CHARLESTON HARBOR LIGHT 4. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 2 feet. 1936–1947 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 1.	Black band and pointer with yellow top on white pile. Green reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 3.	Black square daymark with yellow border on white pile. Green reflector.	16 feet high. In 6 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 5. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1942–1943 (200 mm e)
Winyah Bay-Charleston Harbor Range Front Daybeacon 7.	Black diamond daymark with yellow border on white pile. Green reflector.	10 feet high.
Winyah Bay-Charleston Harbor Range Rear Daybeacon 7.	Black circular daymark with yellow border on white pile. Green reflector.	18 feet high. 350 yards 211° from front daybeacon.
Winyah Bay-Charleston Harbor Daybeacon 9.	Black square daymark with yellow border on white pile. Green reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 4A.	Red band and pointer with yellow top on white pile. Red reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Range Front Daybeacon 11.	Black diamond daymark with yellow border on white pile. Green reflector.	10 feet high.
Winyah Bay-Charleston Harbor Range Rear Daybeacon 11.	Black circular daymark with yellow border on white pile triped. Green reflector.	18 feet high. 300 yards, 233° from front daybeacon.
WINYAH BAY-CHARLESTON HARBOR LIGHT 13. Fl. W., 4 sec. U.	Black square daymark with yellow border on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 15.	Black square daymark with yellow border on white pile dolphin. Green reflector.	16 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 17. Fl. W., 4 sec. U.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In 2 feet. 1936–1940 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 19. Winyah Bay-Charleston Harbor Daybeacon 6. Winyah Bay-Charleston Harbor Daybeacon 21. Winyah Bay-Charleston Harbor Daybeacon 8.	Even numbered daybeacons are red band and pointer with yellow top and red reflector on white pile; odd numbered daybeacons are black band and pointer with yellow top and green reflector on white pile.	16 feet high. In 1 to 2 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 10. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1936–1947 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 12. Winyah Bay-Charleston Harbor Daybeacon 14.	Red triangular daymark with yellow border, on white pile. Red reflector.	10 to 16 feet high. In 1 to 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 16.	Red band and pointer with yellow top on white pile. Red reflector.	16 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 23. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 2 feet. 1936–1940 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 18.	Red triangular daymark with yellow border on white pile. Red reflector.	10 feet high. In 1 foot.
Winyah Bay-Charleston Harbor Daybeacon 25.	Black square daymark with yellow border on white pile. Green reflector.	10 feet high. In 1 foot.
Winyah Bay-Charleston Harbor Daybeacon 20.	Red band and pointer with yellow top on white pile. Red reflector.	10 feet high. In 2 feet.
Winyah Bay-Charleston Harbor Daybeacon 27. Winyah Bay-Charleston Harbor Daybeacon 22. Winyah Bay-Charleston Harbor Daybeacon 24.	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	10 to 16 feet high. In 1 to 6 feet.

Name; mark on aid Character of light	Description	Remarks
WINYAH BAY-CHARLESTON HARBOR		
WINYAH BAY - CHARLESTON HARBOR LIGHT 29. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 31.	Black band and pointer with yellow top, on white pile. Green reflector.	10 feet high. In 3 feet.
WINYAH BAY - CHARLESTON HARBOR LIGHT 33. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1936–1941 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 35.	Black square daymark with yellow border, on white pile dolphin. Green reflector.	10 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 26. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high In 6 feet. (200 mm e) 1936–1941
Winyah Bay-Charleston Harbor Daybeacon 28.	Red triangular daymark with yellow border, on white pile. Red reflector	12 to 16 feet high. In 2 to 4 feet.
Winyah Bay-Charleston Harbor Daybeacon 30.		
WINYAH BAY-CHARLESTON HARBOR LIGHT 32. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. (200 mm e) 1936–1940
Winyah Bay-Charleston Harbor Daybeacon 34.	Red triangular daymark with yellow border, on white pile. Red reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 36.		
WINYAH BAY-CHARLESTON HARBOR LIGHT 37. Fl. W. 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 2 feet. 1936–1939 (200 mm e)
Town Creek Daybeacon 1	White square daymark on pile.	10 to 15 feet high. In 1 to 3 feet.
Town Creek Daybeacon 3		
Town Creek Daybeacon 5		
Town Creek Daybeacon 7		
Winyah Bay-Charleston Harbor Daybeacon 39.	Black square daymark with yellow border, on white pile. Green reflector.	10 to 15 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 41.		
WINYAH BAY-CHARLESTON HARBOR LIGHT 38. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. (200 mm e) 1936–1940
Winyah Bay-Charleston Harbor Daybeacon 43.	Black square daymark with yellow border, on white pile. Green reflector.	10 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 40. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. (200 mm e) 1936
Winyah Bay-Charleston Harbor Daybeacon 42.	Red triangular daymark with yellow border on white pile. Red reflector.	12 to 16 feet high. In 1 to 2 feet.
Winyah Bay-Charleston Harbor Daybeacon 44.		
WINYAH BAY-CHARLESTON HARBOR LIGHT 45. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 46.	Red triangular daymark with yellow border on white pile. Red reflector.	10 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 47. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1942 (200 mm e)
WINYAH BAY-CHARLESTON HARBOR LIGHT 48. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. (200 mm e) 1942
Winyah Bay-Charleston Harbor Daybeacon 49.	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 50. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. (200 mm e) 1947
Winyah Bay-Charleston Harbor Daybeacon 51.	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high.
WINYAH BAY-CHARLESTON HARBOR LIGHT 52. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. (200 mm e) 1936
Winyah Bay-Charleston Harbor Daybeacon 53.	Black band and pointer with yellow top on white pile. Green reflector.	10 feet high. In 2 feet.
Winyah Bay-Charleston Harbor Daybeacon 55.	Black square daymark with yellow border, on white dolphin. Green reflector.	10 feet high. In 2 feet.

Name; mark on aid Character of light	Description	Remarks
WINYAH BAY-CHARLESTON HARBOR		
Winyah Bay-Charleston Harbor Daybeacon 57.	Black band and pointer with yellow top on white pile. Green reflector.	16 feet high. In 6 feet.
Winyah Bay-Charleston Harbor Daybeacon 59.	Black band and pointer with yellow top on white pile. Green reflector.	16 feet high. In 6 feet.
Winyah Bay-Charleston Harbor Daybeacon 61.	Black square daymark with yellow border, on white dolphin. Green reflector.	16 feet high. In 6 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 63. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 54. Winyah Bay-Charleston Harbor Daybeacon 56. Winyah Bay-Charleston Harbor Daybeacon 58. Winyah Bay-Charleston Harbor Daybeacon 60. Winyah Bay-Charleston Harbor Daybeacon 62. Winyah Bay-Charleston Harbor Daybeacon 64.	Red triangular daymark with yellow border, on white pile with yellow top. Red reflector.	10 to 16 feet high. In 3 to 6 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 65. Fl. W. 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 67. Winyah Bay-Charleston Harbor Daybeacon 69. Winyah Bay-Charleston Harbor Daybeacon 71. Winyah Bay-Charleston Harbor Daybeacon 73.	Black square daymark with yellow border, on white pile with yellow top. Green reflector.	10 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 75. Fl. W., 4 sec. U.	Black square daymark with yellow border on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In Sewee Bay. 1935–1943 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 77.	Black square daymark with yellow border, on white pile. Green reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 79.	Black square daymark with yellow border, on white pile. Green reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 81.	Black band and pointer with yellow top on white pile. Green reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 83. Winyah Bay-Charleston Harbor Daybeacon 85. Winyah Bay-Charleston Harbor Daybeacon 87. Winyah Bay-Charleston Harbor Daybeacon 89. Winyah Bay-Charleston Harbor Daybeacon 91.	Black square daymark with yellow border, on white pile. Green reflector.	10 to 16 feet high. In 3 to 4 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 93. Fl. W., 4 sec. U.	Black square daymark with yellow border on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In Sewee Bay. In 5 feet. 1936–1940 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 95.	Black square daymark with yellow border, on white pile. Green reflector.	16 feet high. In 4 feet.
Winyah Bay-Charleston Harbor Daybeacon 66. Winyah Bay-Charleston Harbor Daybeacon 68. Winyah Bay-Charleston Harbor Daybeacon 70. Winyah Bay-Charleston Harbor Daybeacon 72.	Red triangular daymark with yellow border, on white pile dolphin. Red reflector.	12 to 18 feet high. In 3 to 6 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 74. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In Sewee Bay. 1935 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 76.	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 78.	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 3 feet.

Name; mark on aid Character of light	Description	Remarks
WINYAH BAY-CHARLESTON HARBOR		
Winyah Bay-Charleston Harbor Daybeacon 80.	Red triangular daymark with yellow border, on white pile. Red reflector.	16 feet high. In 4 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 82. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. At angle in cut south end of Sewee Bay. In 6 feet. 1935 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 84.	Red triangular daymark with yellow border, on white pile. Red reflector.	10 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 86. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 88.	Red triangular daymark with yellow border, on white pile. Red reflector.	10 feet high.
WINYAH BAY-CHARLESTON HARBOR LIGHT 90. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. (200 mm e) 1936-1941
Winyah Bay-Charleston Harbor Daybeacon 92.	Red band and pointer with yellow top on white pile. Red reflector.	10 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 97. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 2 feet. 1936-1940 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 94.	Red triangular daymark with yellow border, on white pile with yellow top. Red reflector.	10 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 96. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. (200 mm e) 1936
Winyah Bay-Charleston Harbor Daybeacon 98.	Red band and pointer with yellow top on white pile. Red reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 98. Winyah Bay-Charleston Harbor Daybeacon 100.	Red triangular daymark with yellow border, on white pile. Red reflector.	10 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 102. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. (200 mm e) 1936
Winyah Bay-Charleston Harbor Daybeacon 99. Winyah Bay-Charleston Harbor Daybeacon 101. Winyah Bay-Charleston Harbor Daybeacon 103. Winyah Bay-Charleston Harbor Daybeacon 105.	Black square daymark with yellow border, on white pile. Green reflector.	10 to 12 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 107. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In Bullyard Sound. In 6 feet. 1935 (200 mm e)
Winyah Bay Charleston Harbor Daybeacon 109. Winyah Bay-Charleston Harbor Daybeacon 111. Winyah Bay-Charleston Harbor Daybeacon 113. WinyahBay-Charleston Harbor Daybeacon 115. Winyah Bay-Charleston Harbor Daybeacon 117. Winyah Bay-Charleston Harbor Daybeacon 119.	Black square daymark with yellow border, on white pile. Green reflector.	10 to 16 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 121. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. In Bullyard Sound. In 6 feet. 1935-1947 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 104. Winyah Bay-Charleston Harbor Daybeacon 106. WinyahBay-Charleston Harbor Daybeacon 108. Winyah Bay-Charleston Harbor Daybeacon 110. Winyah Bay-Charleston Harbor Daybeacon 112.	Red triangular daymark with yellow border, on white pile. Red reflector.	12 to 16 feet high. In 3 feet.

Name; mark on aid Character of light	Description	Remarks
WINYAH BAY-CHARLESTON HARBOR		
Winyah Bay-Charleston Harbor Daybeacon 114.	Red band and pointer with yellow top on white pile. Red reflector.	16 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 116.	Red triangular daymark with yellow border, on white pile. Red reflector.	16 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 118. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. At south end of Bullyard Sound. In 6 feet. (200 mm e) 1935
Winyah Bay-Charleston Harbor Daybeacon 120.	Red band and pointer with yellow top on white pile. Red reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 122. Winyah Bay-Charleston Harbor Daybeacon 124.	Red triangular daymark with yellow border, on white pile. Red reflector.	10 to 16 feet high. In 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 123. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile.	Flash 0.4 sec. 30 cp. 16 feet high. In 4 feet. 1936-1940 (200 mm e)
Winyah Bay-Charleston Harbor Daybeacon 125. Winyah Bay-Charleston Harbor Daybeacon 127.	Black square daymark with yellow border, on white pile. Green reflector.	10 to 12 feet high. In 1 to 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 126. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. In 2 feet. (200 mm e) 1936-1945
Winyah Bay-Charleston Harbor Daybeacon 129. Winyah Bay-Charleston Harbor Daybeacon 131. Winyah Bay-Charleston Harbor Daybeacon 133.	Black square daymark with yellow border, on white pile. Green reflector.	12 to 15 feet high. In 1 to 3 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 128. Fl. R., 4 sec. U.	Red triangular daymark with yellow border. on white pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. (200 mm e) 1936
Winyah Bay-Charleston Harbor Daybeacon 135.	Black square daymark with yellow border on white pile. Green reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 132.	Red triangular daymark with yellow border on white pile. Red reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 137.	Black band and pointer with yellow top on white pile. Green reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 139.	Black band and pointer with yellow top on white pile. Green reflector.	10 feet high. In 3 feet.
Winyah Bay-Charleston Harbor Daybeacon 138. Winyah Bay-Charleston Harbor Daybeacon 140. Winyah Bay-Charleston Harbor Daybeacon 142.	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on while pile.	10 to 16 feet high; In 3 to 6 feet
Winyah Bay-Charleston Harbor Daybeacon 141.	Black square daymark with yellow border on white dolphin. Green reflector.	16 feet high. In 5 feet.
Winyah Bay-Charleston Harbor Daybeacon 143.	Black square daymark with yellow border on white dolphin.	16 feet high. In 5 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 145. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white dolphin.	Flash 0.4 sec. 30 cp. 30 feet high. In 5 feet. 1943 (200 mm e)
Winyah Bay-Charleston Harbor Buoy 146.	Red with yellow top; 2d-cl. nun(s).	In 10 feet.
WINYAH BAY-CHARLESTON HARBOR LIGHT 147. Fl. W., 4 sec. U.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 30 cp. 16 feet high. At north end of breakwater. In 6 feet. 1894-1935 (200 mm e)
Winyah Bay-Charleston Harbor Buoy 150.	Red, yellow top; 3d-cl. nun.	Entrance to cut. In 6 feet.
THE COVE RANGE FRONT LIGHT 152. U. Fl. R., 1 sec.	Red diamond daymark with yellow border on pile	Flash 0.3 sec. 11 cp. 12 feet high. In 5 feet. 1940 (200 mm e)
THE COVE RANGE REAR LIGHT 152. U. Occ. R., 6 sec.	Red circular daymark with yellow border on tripod.	Light 3 sec., eclipse 3 sec. 11 cp. 24 feet high. 275 yards, 74°, from front light. 1940-1943 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
WINYAH BAY-CHARLESTON HARBOR		
SOUTH CHANNEL RANGE FRONT LIGHT. U. Fl. G., 1 sec.	Black slatted daymark on skeleton tower on piles.	Flash 0.3 sec. 1,200 cp. 23 feet high. South side of entrance to Ashley River. In 12 feet. 1848-1910 (Rf e)
SOUTH CHANNEL RANGE REAR LIGHT. U. Occ. G., 6 sec.	White slatted daymark with black, vertical stripe, on black skeleton tower on piles.	Light 3 sec., eclipse 3 sec., 1,200 cp. 1,274 yards, 270° from front light. 1888-1910 (Rf e)
LOWER MIDDLE GROUND LIGHTED BELL BUOY. I. Qk. Fl. R.	Red and black horizontal bands, yellow triangle.	Flashes interrupted by eclipse. 31 cp. Northwesterly of Sumter Range Rear Light. In 24 feet. (200 mm e)
Charleston Channel Buoy 27	Black, yellow square; 1st-cl. can.	Fort Sumter Range Rear Light, 1,100 yards, 117°. In 30 feet.
Charleston Channel Buoy 28	Red, yellow triangle; 2d-cl. nun.	North side of South Channel. In 24 feet.
CHARLESTON CHANNEL LIGHTED BELL BUOY 30. Fl. R., 4 sec.	Red, yellow triangle	Flash 0.4 sec. 32 cp. 12 feet high South Channel Range Front Light, 1,800 yards 264°. In 36 feet. (200 mm a)
BATTERY POINT LIGHTED BUOY. I. Qk Fl. W.	Red and black horizontal bands, yellow triangle.	Flashes interrupted by eclipse. 130 cp. 12 feet. high. On southeast end of point In 18 feet. (200 mm a)
JAMES ISLAND FLATS LIGHT. U. Fl. G., 4 sec	On same structure as South Channel Range Front Light.	Flash 0.4 sec. 18 cp. Visible west of 0° and 180°. 20 feet high. 1910 (150 mm e)
Ashley River Buoy 2	Red, yellow triangle; 2d-cl. nun.	South Channel Range Rear Light, 1,200 yards, 201°. In 24 feet.
Ashley River Buoy 3	Black, yellow square; 2d-cl. can.	Southwest side Ashley River. In 18 feet.
Ashley River Buoy 4	Red; 2d.-cl. nun	East side of channel off Yacht Basin. In 26 feet.
CHARLESTON-SAVANNAH RIVER		
ASHLEY RIVER APPROACH RANGE FRONT LIGHT. U. Fl. W., 1 sec.	White square daymark with black vertical stripe and yellow square on pile dolphin.	Flash 0.3 sec. 50 cp. 20 feet high. Off entrance to Wappoo Creek. In 16 feet. 1940-1947 (200 mm e)
ASHLEY RIVER APPROACH RANGE REAR LIGHT. U. F. G.	White rectangular daymark with black vertical stripe on white skeleton structure.	850 cp. 45 feet high. 625 yards 297° from front light. 1940 (Rg e)
Wappoo Cut Buoy 1	Black, yellow top; 2d-cl. can(s).	In 20 feet.
Wappoo Cut Buoy 2	Red, yellow top, 2d-cl. nun (s).	In 7 feet.
Wappoo Cut Daybeacon 3	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 1 foot.
Wappoo Cut Daybeacon 4	Red triangular daymark with yellow border on white pile. Red reflector.	16 feet high. In 6 feet.
Wappoo Cut Daybeacon 6 Wappoo Cut Daybeacon 8	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 1 foot.
Wappoo Cut Daybeacon 9	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 1 foot.
Wappoo Cut Daybeacon 10	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 1 foot.
ELLIOTT CUT LIGHT 11. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. In 1 foot, 20 feet high. South side of entrance to cut. 1907-1926 (200 mm e)
Stono River Daybeacon 13	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
Stono River Daybeacon 14	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 4 feet.
STONO RIVER LIGHT 15. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 2,300 yards 275° from Elliott Cut Light 11. 20 feet high. In 1 foot. 1941 (200 mm e)
Stono River Daybeacon 16A	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 1 foot.

Name; mark on aid Character of light	Description	Remarks
CHARLESTON-SAVANNAH RIVER		
STONO RIVER LOWER RANGE FRONT LIGHT 16. U. F. R.	Red diamond daymark with yellow border on white pile structure. Same structure as Stono River Upper Range Front Light 22.	15 cp. 10 feet high. In 6 feet. 1943 (120 mm e)
STONO RIVER LOWER RANGE REAR LIGHT 16. U. F. R.	Red circular daymark with yellow border on white pile structure.	15 cp. 24 feet high. 150 yards, 297° from front light. In 2 feet. 1943. (120 mm e)
STONO RIVER LIGHT 17 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 11 feet. 1941 (200 mm e)
STONO RIVER LIGHT 19 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 11 feet. 1942 (200 mm e)
STONO RIVER LIGHT 21 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. 1,320 yards 247° from east stack, Melvin. In 8 feet. 1941 (200 mm e)
STONO RIVER UPPER RANGE FRONT LIGHT 22. U. F. R.	Red diamond daymark with yellow border on white pile structure. Same structure as Stono River Lower Range Front Light 16.	15 cp. 10 feet high. In 6 feet. 1943 (120 mm e)
STONO RIVER UPPER RANGE REAR LIGHT 22 U. F. R.	Red circular daymark with yellow border on white pile structure.	15 cp. 24 feet high. 150 yards, 58° from front light. In 2 feet. 1943 (120 mm e)
Stono River Daybeacon 23	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 8 feet.
STONO RIVER LIGHT 25 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec 30 cp. 16 feet high. 2,725 yards 244½° from east stack, Melvin. In 4 feet. 1941 (200 mm e)
STONO RIVER RANGE FRONT LIGHT 26. U. Fl. R. 1 sec.	Red diamond daymark with yellow border on white pile dolphin.	Flash 0.3 sec 11 cp. 10 feet high. In 10 feet. 1943 (200 mm e)
STONO RIVER RANGE REAR LIGHT 26. U. F. R.	Red circular daymark with yellow border on white pile structure.	15 cp. 24 feet high. 140 yards, 101° from front light. In 2 feet. 1943 (120 mm e)
Stono River Daybeacon 28	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 6 feet.
STONO RIVER LIGHT 30 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1942 (200 mm e)
STONO RIVER LIGHT 31 Fl. W., 4 sec. U.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 7 feet. 1943 (200 mm e)
STONO RIVER RANGE FRONT LIGHT 34. Fl. R., 4 sec. U.	Red diamond daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 10 feet high. In 4 feet. 1941 (200 mm e)
Stono River Range Rear Daybeacon 34.	Red circular daymark with yellow border on white tripod. Red reflector.	18 feet high. 240 yards 314½° from front light.
Stono River Daybeacon 36	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 2 feet.
Stono River Daybeacon 37	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 4 feet.
Stono River Daybeacon 38	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 2 feet.
STONO RIVER LIGHT 39 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1941 (200 mm e)
Stono River Daybeacon 41 Stono River Daybeacon 43 Stono River Daybeacon 45 Stono River Daybeacon 47	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 1 to 4 feet.
Stono River Daybeacon 48	Red triangular daymark wit yellow border on white pile. Red reflector.	12 feet high. In 1 foot.
Stono River Daybeacon 49	Black square daymark with yellow border on white pile structure. Green reflector.	12 feet high. In 4 feet.

Name; mark on aid Character of light	Description	Remarks
CHARLESTON-SAVANNAH RIVER		
Stono River Daybeacon 50	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 1 foot.
Stono River Daybeacon 51	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 1 foot.
Stono River Daybeacon 52	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
STONO RIVER LIGHT 53 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. 1941 (200 mm e)
Stono River Daybeacon 54	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 1 foot.
STONO RIVER LIGHT 55 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. 1941 (200 mm e)
Stono River Daybeacon 57 Stono River Daybeacon 57A Stono River Daybeacon 57B Stono River Daybeacon 59	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 4 feet.
Stono River Daybeacon 60	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
Stono River Daybeacon 61	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.
STONO RIVER LIGHT 63 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. 1941 (200 mm e)
Stono River Daybeacon 64 Stono River Daybeacon 66 Stono River Daybeacon 68	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
WADMALAW RIVER LIGHT 69. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. 1941 (200 mm e)
Wadmalaw River Daybeacon 71 Wadmalaw River Daybeacon 73 Wadmalaw River Daybeacon 75	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.
WADMALAW RIVER LIGHT 77. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. 1,420 yards 292° from church, New Cut Landing. In 4 feet. 1941 (200 mm e)
WADMALAW RIVER LIGHT 80. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 10 feet. 1941 (200 mm e)
Wadmalaw River Daybeacon 81	Black square daymark with yellow border on white dolphin. Green reflection.	12 feet high. In 10 feet.
Wadmalaw River Daybeacon 83	Black square daymark with yellow border on white dolphin. Green reflector.	12 feet high. In 6 feet.
WADMALAW RIVER LIGHT 85. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. 2,350 yards 57° from tank, Yonges Island. In 8 feet. 1941 (200 mm e)
Wadmalaw River Range Front Daybeacon 86.	Red diamond daymark with yellow border on white pile dolphin. Red reflector.	12 feet high. In 6 feet.
Wadmalaw River Range Rear Daybeacon 86.	Red circular daymark with yellow border on white pile structure. Red reflector.	18 feet high. 360 yards, 48° from front daybeacon. In 3 feet.
Wadmalaw River Daybeacon 87	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 8 feet.
WADMALAW RIVER LIGHT 88. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 6 feet high. In 11 feet. 1943 (200 mm e)
WADMALAW RIVER LIGHT 89. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 4 feet. 1941 (200 mm e)
WADMALAW RIVER LIGHT 90. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1941 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
CHARLESTON-SAVANNAH RIVER		
Wadmalaw River Daybeacon 91	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.
WADMALAW RIVER LIGHT 93. U. Fl. W., 4 sec,	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. 1941–1943 (200 mm e)
Wadmalaw River Daybeacon 94	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 5 feet.
WADMALAW RIVER LIGHT 96. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1941 (200 mm e)
Wadmalaw River Daybeacon 97	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
Wadmalaw River Daybeacon 98	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
WADMALAW RIVER LIGHT 99. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. 800 yards 180° from windmill, Martins Point. In 4 feet. 1941 (200 mm e)
Wadmalaw River Daybeacon 101.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.
WADMALAW RIVER LIGHT 103. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. 1,825 yards 196° from windmill, Martins Point. In 4 feet. 1941 (200 mm e)
Wadmalaw River Daybeacon 105.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 5 feet
WADMALAW RIVER LIGHT 106. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec.11 cp. 16 feet high. 2 miles 775 yards 192½° from Steamboat Creek Light 2. 1941 (200 mm e)
Toogoodoo Creek Daybeacon	Red and black square daymark on white pile. Green reflector.	12 feet high. At entrance to Toogoodoo Creek. In 4 feet.
Wadmalaw River Daybeacon 108.	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	16 feet high. In 5 feet.
WHITE POINT LIGHT 110. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 20 feet high. At junction of Dawho and North Edisto Rivers. In 6 feet. 1925 (200 mm e)
Dawho River Daybeacon 111	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. On southeast side of channel.
Dawho River Daybeacon 112	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	12 feet high. On north side of channel. In 4 feet.
Dawho River Daybeacon 113	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
DAWHO RIVER LIGHT 115. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. On south side of channel. In 4 feet. 1931 (200 mm e)
Dawho River Daybeacon 116 Dawho River Daybeacon 118	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
DAWHO RIVER LIGHT 119. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. On south side of channel. In 8 feet. 1931 (200 mm e)
Dawho River Daybeacon 120	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
DAWHO RIVER LIGHT 121. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. On south side of channel. In 8 feet. 1941 (200 mm e)
Dawho River Daybeacon 123	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 4 feet.
DAWHO RIVER LIGHT 125. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 5 feet. 1941 (200 mm e)
Dawho River Daybeacon 126 Dawho River Daybeacon 128	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.

Name; mark on aid Character of light	Description	Remarks
CHARLESTON-SAVANNAH RIVER		
DAWHO RIVER LIGHT 130. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 4 feet. 1941 (200 mm e)
North Creek Entrance Daybeacon 132.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
North Creek Daybeacon 133	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.
NORTH CREEK LIGHT 135. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin	Flash 0.4 sec. 30 cp. 18 feet high. 1941 (200 mm e)
North Creek Daybeacon 136	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
NORTH CREEK LIGHT 137. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. 1941 (200 mm e)
North Creek Daybeacon 138	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
North Creek Daybeacon 139	Black square daymark with yellow border on white pile. Green reflector.	12 feet high
Watts Cut Daybeacon 141		
WATTS CUT LIGHT 143. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 20 feet high. In 3 feet. 1941 (200 mm e)
Watts Cut Daybeacon 145	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 0 to 8 feet
South Edisto River Daybeacon 147.		
South Edisto River Daybeacon 149.		
SOUTH EDISTO RIVER RANGE FRONT LIGHT 150. Fl. R., 1 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.3 sec. 11 cp. 10 feet high. At bend in river. In 8 feet. 1941-1942 (200 mm e)
SOUTH EDISTO RIVER RANGE REAR LIGHT 150. Occ. R., 6 sec. U.	Red circular daymark with yellow border on white pile tripod.	Light 3 sec., eclipse 3 sec. 11 cp. 24 feet high. 275 yards 208° from front light. 1942 (200 mm e)
SOUTH EDISTO RIVER LIGHT 151. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1942 (200 mm e)
South Edisto River Daybeacon 152.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
South Edisto River Range Front Daybeacon 153.	Black diamond daymark with yellow border on white pile structure. Green reflector.	10 feet high.
South Edisto River Range Rear Daybeacon 153.	Black circular daymark with yellow border on white tripod. Green reflector.	18 feet high. 150 yards, 175° from front daybeacon.
South Edisto River Daybeacon 154.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
South Edisto River Buoy	Red and black horizontal bands; 3d-cl. can.	In 8 feet.
SOUTH EDISTO RIVER RANGE FRONT LIGHT 156. Fl. R., 1 sec. U.	Red diamond daymark with yellow border on white pile dolphin.	Flash 0.3 sec. 11 cp. 10 feet high. At bend in river. In 8 feet. 1942 (200 mm e)
SOUTH EDISTO RIVER RANGE REAR LIGHT 156. Occ. R., 6 sec. U.	Red circular daymark with yellow border on white pile tripod.	Light 3 sec., eclipse 3 sec. 11 cp. 24 feet high. 225 yards 246° from front light. 1942 (200 mm e)
South Edisto River Daybeacon 157.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 10 feet.
South Edisto River Daybeacon 159.	Black square daymark with yellow border on white pile dolphine. Green reflector.	16 feet high. In 9 feet.
South Edisto River Daybeacon 160.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
South Edisto River Daybeacon 161.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.

Name; mark on aid Character of light	Description	Remarks
CHARLESTON-SAVANNAH RIVER		
Crossover Daybeacon A2	Red triangular daymark with yellow border and red reflector on white pile.	12 feet high. In 3 feet.
FENWICK ISLAND CUT LIGHT 162. U. Fl. R., 4 sec.	Red triangular daymark with yellow borders, on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. On west side of cut. In 4 feet. 1917-1939 (200 mm e)
ASHEPOO-COOSAW CUT-OFF LIGHT 164. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 2 feet. (200 mm e) 1941
ASHEPOO-COOSAW CUT-OFF LIGHT 165. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1943 (200 mm e)
ASHEPOO-COOSAW CUT-OFF LIGHT 167. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Ashepoo-Coosaw Cut-Off Daybeacon 169.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 6 feet.
Ashepoo-Coosaw Cut-Off Daybeacon 170. Ashepoo-Coosaw Cut-Off Daybeacon 172.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 4 to 6 feet.
ASHEPOO-COOSAW CUT-OFF LIGHT 173. U. Fl. W., 4 sec.	Black square daymark with yellow border on a white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 4 feet. 1941 (200 mm e)
Ashepoo-Coosaw Cut-Off Daybeacon 174. Ashepoo-Coosaw Cut-Off Daybeacon 176.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
Ashepoo-Coosaw Cut-Off Range Front Daybeacon 177.	Black diamond daymark with yellow border on white pile. Green reflector.	10 feet high. In 3 feet.
Ashepoo-Coosaw Cut-Off Range Rear Daybeacon 177.	Black circular daymark with yellow border on white tripod. Green reflector.	18 feet high. 150 yards 130° from front beacon.
ASHEPOO-COOSAW CUT-OFF LIGHT 177A. U. Fl. W., 4 sec.	Black square daymark with yellow border on a white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 4 feet. 1941 (200 mm e)
Ashepoo-Coosaw Cut-Off Daybeacon 179. Ashepoo-Coosaw Cut-Off Daybeacon 181.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
Ashepoo-Coosaw Cut-Off Daybeacon 182.	Red triangular daymark with yellow border on a white pile. Red reflector.	12 feet high. In 3 feet.
ASHEPOO-COOSAW CUT-OFF LIGHT 184. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 5 feet. 1936-1942 (200 mm e)
COOSAW RIVER LIGHTED BUOY 186. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 11 cp. Marks shoal extending out between Combahee and Coosaw Rivers. In 13 feet. (200 mm e)
HARBOR RIVER		
(Alternate Route)		
Inner Buoy 2	Red; 3d-cl. nun	In 16 feet.
Outer Buoy 1	Black; 3d-cl. can	In 20 feet.
COMBAHEE BANK LIGHT. Fl. W., 4 sec. U.	White square daymark on pile dolphin.	Flash 0.4 sec. 50 cp. 20 feet high. Near southeast end of bank. In 13 feet. 1926-1941 (200 mm e)
Pelican Bank Daybeacon A1 Pelican Bank Daybeacon A2 Egg Bank Passage Daybeacon A4 Egg Bank Passage Daybeacon A5 Egg Bank Passage Daybeacon A7 Egg Bank Passage Daybeacon A9 Egg Bank Passage Daybeacon A11 Harbor River Daybeacon A13 Harbor River Daybeacon A14 Story River Daybeacon A16 Station Creek Daybeacon A18 Station Creek Daybeacon A19	Even numbered daybeacons are red triangular daymarks with yellow border red reflectors on white pile; odd numbered daybeacons are black square daymarks with yellow border green reflectors on white pile.	12 feet high. In 3 to 6 feet.
CHARLESTON-SAVANNAH RIVER		
COOSAW RIVER LIGHT 187. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 4 feet. 1941-1943 (200 mm e)
Bull Spit Daybeacon	Red and black square daymark on black pile.	12 feet high. In 5 feet.

Name; mark on aid Character of light	Description	Remarks
CHARLESTON-SAVANNAH RIVER		
COOSAW RIVER LIGHT 189. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 11 feet. 1941-1947 (200 mm e)
Sams Point Daybeacon	Red and black square daymark on pile structure.	12 feet high. Marks entrance to Lucy Point Creek. In 4 feet.
Coosaw River Daybeacon 190	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 9 feet.
COOSAW RIVER LIGHT 191. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 11 feet. 1941-1943 (200 mm e)
Coosaw River Buoy 192	Red, 2d-cl. (s) nun buoy, yellow top.	In 9 feet.
COOSAW RIVER LIGHT 194. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 11 feet. 1941 (200 mm e)
Coosaw River Buoy 195	Black, yellow top, 2d-cl. can (s).	In 9 feet.
Coosaw River Daybeacon 196	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 8 feet.
COOSAW RIVER LIGHT 198. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 10 feet. 1941 (200 mm e)
Coosaw River Buoy 199	Black, yellow 2d-cl. can (s)	In 7 feet.
COOSAW RIVER LIGHT 200 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 9 feet. 1941 (200 mm e)
Coosaw River Buoy 201	Black, yellow top, 2d-cl. can (s).	In 10 feet.
COOSAW RIVER LIGHT 203. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 10 feet. 1943-1946 (200 mm e)
Coosaw River Daybeacon 204 Coosaw River Daybeacon 206	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 8 feet.
BRICKYARD CREEK RANGE FRONT LIGHT 202. U. Fl. R., 1 sec.	Red diamond daymark with yellow border on white pile dolphin.	Flash 0.3 sec. 11 cp. 12 feet high. In 4 feet. 1941 (200 mm e)
BRICKYARD CREEK RANGE REAR LIGHT 202. F. R. U.	Red circular daymark with yellow border on white pile dolphin.	850 cp. 34 feet high. 300 yards 267½° from front light. 1941 (Rg e)
Brickyard Creek Daybeacon 207 Brickyard Creek Daybeacon 209	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
BRICKYARD CREEK LIGHT 210. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1941 (200 mm e)
Brickyard Creek Daybeacon 211	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.
Brickyard Creek Daybeacon 212	Red triangular daymark with yellow border.	12 feet high.
BRICKYARD CREEK LIGHT 214. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 8 feet. 1941 (200 mm e)
Brickyard Creek Daybeacon 216	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
Brickyard Creek Daybeacon 217	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.
Brickyard Creek Daybeacon 218	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
Brickyard Creek Daybeacon 219	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.
BRICKYARD CREEK LIGHT 220. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 11 feet. 1941 (200 mm e)
Brickyard Creek Daybeacon 221	Black square daymark with yellow border on white pile. Green reflector.	In 3 feet.
BRICKYARD CREEK LIGHT 221A. U. Fl. W., 4 sec	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 4 feet. 1943 (200 mm e)
Brickyard Creek Daybeacon 222	Red triangular daymark with yellow daymark on white pile dolphin. Red reflector.	In 5 feet.

Name; mark on aid Character of light	Description	Remarks
CHARLESTON-SAVANNAH RIVER		
BRICKYARD CREEK LIGHT 224. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 11 feet. 1941 (200 mm e)
Beaufort River Daybeacon 226	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
BEAUFORT RIVER LIGHT 228. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 12 feet. 1941 (200 mm e)
Beaufort River Daybeacon 229	Black square daymark with yellow border on white pile. Green reflector.	In 3 feet.
BEAUFORT RIVER LIGHT 231. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 4 feet. 1941 (200 mm e)
Beaufort River Daybeacon 232	Red triangular daymark with yellow border on white pile. Red reflector.	In 3 feet.
Beaufort River Daybeacon 233	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 2 feet.
Beaufort River Daybeacon 234	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
BEAUFORT RIVER LIGHT 235. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 4 feet. 1941 (200 mm e)
Beaufort River Daybeacon 237	Black square daymark with yellow border on white pile. Green reflector	12 feet high. In 3 feet
Whitehall Point Daybeacon 1	Black pointer on pile. Green reflector.	1,150 yards 219° from Beaufort River Light 235. In 6 feet.
Whitehall Point Daybeacon 3	Black pointer on pile. Green reflector.	In 6 feet.
BEAUFORT RIVER		
Beaufort River Daybeacon 30	Red square daymark with yellow square on pile. Red reflector.	16 feet high. In 6 feet.
BEAUFORT RIVER LIGHT 29. U. Fl. W., 4 sec.	Black square daymark with yellow triangle on pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 12 feet. 1939 (200 mm e)
BEAUFORT RIVER LIGHT 28. U. Fl. R., 4 sec.	Red square daymark with yellow square on pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 12 feet. 1939 (200 mm e)
BEAUFORT RIVER LIGHT 27. U. Fl. W., 4 sec.	Black square daymark with yellow triangle on piles.	Flash 0.4 sec. 30 cp. 18 feet high. In 6 feet. 1939–1946 (200 mm e)
Spit Buoy 25	Black, yellow triangle; 2d-cl. can.	On point of spit below Old Fort. In 14 feet.
BEAUFORT RIVER LIGHT 24. U. Fl. R., 4 sec.	Red square daymark with yellow square on pile.	Flash 0.4 sec. 11 cp. 18 feet high. In 3 feet. 1939 (200 mm e)
Battery Creek Daybeacon U.	Red square daymark with black square.	16 feet high. On end of shoal between creek and Beaufort River. In 3 feet.
Port Battery Creek Buoy 21	Black, yellow triangle; 2d-cl. can.	Battery Creek Daybeacon, 600 yards 342°. In 17 feet.
BEAUFORT RIVER LIGHT 22. U. Fl R., 4 sec.	Red square daymark with yellow square on pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 6 feet. 1939 (200 mm e)
BEAUFORT RIVER LIGHT 20. U. Fl. R., 4 sec.	Red square daymark with yellow square on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 12 feet. 1939 (200 mm e)
Upper Middle Ground Buoy 19	Black, yellow triangle; 2d-cl. can.	In 18 feet.
Fort Fremont Buoy 18	Red, yellow square; 2d-cl. nun.	In 18 feet.
BEAUFORT RIVER LIGHT 17. U. Fl. W., 4 sec.	Black square daymark with yellow triangle on pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. West side of channel off Fort Fremont. In 15feet. 1940 (200 mm e)
Fort Fremont Daybeacon 16	Red daymark with yellow square.	21 feet high. In 8 feet.
Fort Fremont Buoy 14	Red, yellow square; 2d-cl. nun.	Beaufort River Light 11, 2,250 yards 202½°. In 18 feet.
BEAUFORT RIVER LIGHT 13. U. Fl. W., 4 sec.	Black square daymark with yellow triangle on pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. West side of channel. In 16 feet. 1940–1945 (200 mm e)
Lands End Buoy 12	Red, yellow square; 2d-cl. nun.	Beaufort River Light 11, 1,150 yards 213°. In 18 feet.

Name; mark on aid Character of light	Description	Remarks
BEAUFORT RIVER		
BEAUFORT RIVER LIGHT 11. U. Fl. W., 4 sec.	Black square daymark with yellow triangle on pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. West side of channel. In 13 feet. 1940–1947 (200 mm e)
Station Creek Shoal Buoy 10	Red, 2d-cl. nun, yellow square.	Beaufort River Light 11, 1,300 yards 327°. In 24 feet.
PARRIS ISLAND SPIT LIGHTED GONG BUOY. Fl. R., 4 sec.	Red and black horizontal bands, yellow triangle.	Flash 0.4 sec. 11 cp. At junction of Port Royal Sound and Beaufort River. In 18 feet. (200 mm e)
Port Royal Sound Buoy	Black and white vertical stripes. 2d-cl. can.	Beaufort River Light 11, 1.5 miles 70½°. In 40 feet.
Daw Island South Spit Bell Buoy 2.	Red, yellow top	Skull Creek Light, 1.5 miles 270°. In 18 feet
CHARLESTON-SAVANNAH RIVER		
PORT ROYAL SOUND LIGHT 1. U Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. On west end of shoal. In 12 feet. 1939–1944 (200 mm e)
SKULL CREEK ENTRANCE LIGHT 3. U. Fl. W., 4 sec.	Black square daymark with yellow border. on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. At entrance to creek. In 3 feet. 1943 (200 mm e)
Skull Creek Daybeacon 4	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	16 feet high. West side of entrance to creek. In 8 feet.
Skull Creek Daybeacon 5	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. Northwesterly of Bobb Island. In 3 feet.
SKULL CREEK LIGHT 6. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. On edge of marsh. In 1 foot. 1939–1944 (200 mm e)
Skull Creek Daybeacon 7	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. On east side of creek. In 3 feet.
SKULL CREEK LIGHT 8. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. On west side of channel at turn. In 3 feet. 1939 (200 mm e)
Skull Creek Daybeacon 9	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. On south side of shoal. In 1 foot.
Skull Creek Daybeacon 10	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. At turn in channel. In 3 feet.
SKULL CREEK LIGHT 11. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. On east side of channel at turn. In 3 feet 1939 (200 mm e)
Skull Creek Daybeacon 13	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. On east side of channel. In 3 feet.
Skull Creek Daybeacon 14	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. On edge of marsh.
SKULL CREEK LIGHT 15. Fl. W., 4 sec. U.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 30 cp. 18 feet high. On east side of channel. In 6 feet. 1916–1933 (200 mm e)
Skull Creek Daybeacon 16	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. On west side of creek. In 3 feet.
Skull Creek Daybeacon 17	Black square daymark with yellow border on white pile. Green reflector	12 feet high. On east side of creek. In 3 feet.
SKULL CREEK LIGHT 19. Fl. W., 4 sec U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. North of Seabrook Landing. In 6 feet 1939—1940 (200 mm e)
Skull Creek Daybeacon 20	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high Opposite Seabrook Landing. In 3 feet.
SKULL CREEK LIGHT 22. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. Off Hog Island. In 4 feet. 1939 (200 mm e)
Jenkins Island Flat Daybeacon 23.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. Off west side of island. In 2 feet.
Jenkins Island Flat Range Front Daybeacon 26.	Red diamond daymark with yellow border on white pile. Red reflector.	10 feet high. Off Bull Point. In 3 feet.
Jenkins Island Flat Range Rear Daybeacon 26.	Red circular daymark with yellow border, on pile. Red reflector.	16 feet high. 100 yards 355½° from front daybeacon In 3 feet.

Name; mark on aid Character of light	Description	Remarks
CHARLESTON-SAVANNAH RIVER		
JENKINS ISLAND FLAT LIGHT 24. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. On spit south of Bull Point. In 4 feet. 1939 (200 mm e)
BUCKINGHAM LANDING LIGHT U. Fl. G., 4 sec.	Black square daymark on piles.	Flash 0.4 sec. 10 cp. 18 feet high. South side of entrance to channel. In 4 feet. 1939 (200 mm e)
Jenkins Island Flat Daybeacon 27.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. West of Ferry Point. In 2 feet.
JARVIS CREEK LIGHT Fl. G., 4 sec. U.	Black square daymark on piles.	Flash 0.4 sec. 10 cp. 18 feet high. North side of entrance to creek. In 4 feet. 1939 (200 mm e)
Calibogue Sound Daybeacon 28	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. On west side of channel. In 3 feet.
SPANISH WELLS LIGHT 29 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. North of Spanish Wells. In 4 feet. 1931–1939 (200 mm e)
BUCK ISLAND LIGHT 31 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. Off north end of island. In 4 feet. 1939 (200 mm e)
HAIG POINT LIGHTED GONG BUOY 32. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 11 cp. 10 feet high. Off shoal north of Haig Point. In 18 feet. (200 mm a)
COOPER RIVER LIGHT 34 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. South side of entrance to Bull Creek. In 3 feet. 1939 (200 mm e)
COOPER RIVER LIGHT 35 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. On east side of channel. In 6 feet. 1937 (200 mm e)
Cooper River Daybeacon 36	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. On west side of channel. In 1 foot
RAMSHORN CREEK LIGHT 37. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. At north entrance to creek. In 3 feet. 1936–1943 (200 mm e)
RAMSHORN CREEK LIGHT 39. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. At south entrance to creek. 1937–1939 (200 mm e)
NEW RIVER LIGHT 40 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 12 feet high. Opposite Daufuskie Landing. In 3 feet. 1943 (200 mm e)
New River Daybeacon 41	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. On east side of channel. In 3 feet.
WALLS CUT LIGHT 42 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. At east end of cut. 1937–1943 (200 mm e)
Walls Cut Daybeacon 43	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. At west end of cut
WALLS CUT LIGHT 44 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 12 feet high. In 3 feet. 1943 (200 mm e)
Walls Cut Daybeacon 44A	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. North side of Wright River.
FIELDS CUT LIGHT 45 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. At north entrance to cut. In 11 feet. 1937 (200 mm e)
Fields Cut Daybeacon 46	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. On west side of channel.
FIELDS CUT LIGHT 48 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At south entrance to cut. In 7 feet. 1939–1943 (200 mm e)
SAVANNAH RIVER		
PUMPKIN SHOAL LIGHTED BUOY 35. Fl. G., 4 sec.	Black	Flash 0.4 sec. 13 cp. 10 feet high At bend in channel. 21 feet. (200 mm a)
LOWER FLATS RANGE FRONT LIGHT 34. U. Fl. R., 1 sec.	Slatted daymark, north half red, south half white, on square skeleton, on piles.	Flash 0.3 sec. 20 cp. 21 feet high. Off southwest shore of west end of Jones Island In 6 feet. 1905–1936 (200 mm e)
LOWER FLATS RANGE REAR LIGHT U. Occ. R., 6 sec.	Slatted daymark, north half red, south half white, on triangular skeleton.	Light 3 sec. eclipse 3 sec. 540 cp. 40 feet high. On west part of Jones Island, 300 yards, 100° from front light. 1905 (Rf e)

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER		
ELBA ISLAND CUT-OFF LIGHT 2. U. Gp. Fl. W., 4 sec. 2 flashes.	Red triangular daymark with yellow border on white pile dolphin.	30 cp. 16 feet high. At eastern entrance to new cut-off between Savannah River and Wilmington River. In 3 feet. 1943 (200 mm e)
ELBA ISLAND CUT-OFF LIGHT 4. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1943 (200 mm e)
Elba Island Cut-Off Buoy 6	Red with yellow top; 3d-cl. nun (s).	In 6 feet.
ELBA ISLAND CUT-OFF LIGHT 8. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1943 (200 mm e)
Elba Island Cut-Off Daybeacon 10.	Red triangular daymark with yellow border on white pile structure.	12 feet high. In 3 eet.
Elba Island Cut-Off Daybeacon 12.	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 3 feet.
Elba Island Cut-Off Daybeacon 14.	Red triangular daymark with yellow border on white pile structure.	12 feet high. In 3 feet.
ELBA ISLAND CUT-OFF LIGHT 15. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. At western entrance to new cut-off between Wilmington River and Savannah River. In 3 feet. 1943 (200 mm e)
ALTERNATE ROUTE		
ELBA ISLAND LIGHT 37. Fl. G., 4 sec. U.	Black square daymark, yellow square; on unpainted pile dolphin.	Flash 0.4 sec. 28 cp. 18 feet high. On outer end of wharf on north side of east end of island. 1905–1928 (200 mm e)
ELBA ISLAND UPPER LIGHT 39. U. Fl. G., 4 sec.	Black square daymark, yellow square; on unpainted pile dolphin.	Flash 0.4 sec. 18 cp. 20 feet high. Off north side of east end of island. In 8 feet. 1925–1947 (200 mm e)
UPPER FLATS RANGE FRONT LIGHT 41. U. Fl. W., 1 sec.	Slatted daymark, northeast half red, southwest half white, on square skeleton, on piles.	Flash 0.3 sec. 90 cp. 23 feet high. Off north shore of east part of Elba Island. In 6 feet. 1905–1924 (200 mm e)
UPPER FLATS RANGE REAR LIGHT. U. Occ. W., 6 sec.	Slatted daymark, northeast half red, southwest half white, on square skeleton, on piles.	Light 3 sec. Eclipse 3 sec. 1800 cp. 41 feet high. 645 yards, 162° 27′, from front light. In 4 feet. 1905–1924 (Rf e)
NORTH ELBA ISLAND TRAINING WALL LIGHT 42. U. Fl. R., 4 sec.	White pyramidal shaft	Flash 0.4 sec. 20 cp. 12 feet high. On upper end of training wall. 1924 (200 mm e)
BARNWELL PLACE (OGLETHORPE RANGE REAR LIGHT). U. Occ. R., 6 sec. Fl. R., 4 sec.	Brown slatted daymark on triangular pyramidal skeleton.	Light 3 sec., eclipse 3 sec. 540 cp. 33 feet high. Flash 0.4 sec. 20 cp. With Oglethorpe Range Front Light forms range for channel from Mackey Point to Fort Jackson. On shore, opposite upper end of Elba Island. 1884 (Rf e) (200 mm e)
NORTH BEND LIGHT 44. Fl. R., 4 sec. U.	Red square daymark, yellow triangle on pile structure.	Flash 0.4 sec. 20 cp. 16 feet high. North side of channel. In 15 feet. 1937 (200 mm e)
PROCTOR PLACE LIGHT 46. U. Fl. R., 4 sec.	Red square daymark, yellow triangle on pile structure.	Flash 0.4 sec. 20 cp. 14 feet high. At end of training wall. In 6 feet. 1895–1922 (200 mm e)
FORT JACKSON RANGE FRONT LIGHT. U. Fl. G., 1 sec.	White slatted daymark on triangular pyramidal skeleton.	Flash 0.3 sec. 540 cp. 30 feet high. Range guides past obstructions near northwest end of Elba Island. 1884 (Rf e)
FORT JACKSON RANGE REAR LIGHT. U. Occ. G., 6 sec.	White slatted daymark on triangular pyramidal skeleton.	Light 3 sec., eclipse 3 sec. 540 cp. 40 feet high. 225 yards, 210° from front light. 1884 (Rf e)
BARNWELL ISLAND FLATS LIGHTED BUOY 48. Fl. R., 5 sec.	Red, yellow triangle	Flash 0.5 sec. 17 cp. 10 feet high. In 17 feet. (200 mm a)
OGLETHORPE RANGE FRONT LIGHT. U. Fl. G., 1 sec.	White diamond daymark with black border, on unpainted pile structure.	Flash 0.4 sec. 18 cp. 16 feet high. With Barnwell Place Light forms range for channel from Mackey Point to Fort Jackson. Close to end of jetty off west point of Elba Island. 1.2 miles, 245° from Barnwell Place Light. In 16 feet. 1921–1933 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER TO ST. SIMON SOUND		
South Channel Buoy A 1	Black; 3d-cl. can	North side of entrance to channel off west end of Elba Island. In 12 feet.
South Channel Daybeacon A2	Red, triangular daymark with yellow border on pile. Red reflector.	South side of entrance to channel. In 6 feet. 12 feet high. In 4 feet.
South Channel Range Front Daybeacon A3.	Black diamond daymark with yellow border, on pile. Green reflector.	
South Channel Range Rear Daybeacon A3.	Black circular daymark with yellow border, on tripod. Green reflector.	18 feet high. 110 yards, 79° from front daybeacon. In 3 feet.
South Channel Buoy A4 / *South Channel Buoy A6*	Red, yellow top; 2d-cl. nun (s)	In 6 feet.
South Channel Range Front Daybeacon A7.	Black diamond daymark with yellow border, on white pile dolphin.	On St. Augustine Creek Range Front Daybeacon A13. 12 feet high. In 3 feet.
South Channel Range Rear Daybeacon A7.	Black circular daymark with yellow border on white pile. Green reflector.	18 feet high. 150 yards, 118° from front daybeacon. In 3 feet.
South Channel Buoy A8 / *South Channel Buoy A10*	Red, yellow top; 2d-cl. nun(s)	In 4 feet.
South Channel Range Front Daybeacon A11.	Black diamond daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
South Channel Range Rear Daybeacon A11.	Black circular daymark with yellow border, on tripod. Green reflector.	18 feet high. 175 yards, 321° from front daybeacon.
South Channel Buoy A12	Red, yellow top; 2d-cl. nun(s)	In 6 feet.
St. Augustine Creek Range Front Daybeacon A13.	Black diamond daymark with yellow border, on white pile dolphin.	On South Channel Range Front Daybeacon A7. 12 feet high. In 3 feet.
St. Augustine Creek Range Rear Daybeacon A13.	Black circular daymark with yellow border, on skeleton tower. Green reflector.	18 feet high. 100 yards, 12° from front daybeacon.
St. Augustine Creek Daybeacon A15.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
St. Augustine Creek Daybeacon A17.	Black square daymark with yellow border on white pile dolphin.	18 feet high. In 6 feet.
St. Augustine Creek Daybeacon A18.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
WILMINGTON RIVER LIGHT 19. U. Fl W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1943 (200 mm e)
Wilmington River Daybeacon 21.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
Wilmington River Range Front Daybeacon 23.	Black diamond daymark with yellow border, on pile. Green reflector.	10 feet high.
Wilmington River Range Rear Daybeacon 23.	Black circular daymark with yellow border, on tripod. Green reflector.	16 feet high. 200 yards 224° from front daybeacon.
Wilmington River Range Front Daybeacon 24.	Red diamond daymark with yellow border, on pile. Red reflector.	10 feet high. In 5 feet.
Wilmington River Range Rear Daybeacon 24.	Red circular daymark with yellow border, on tripod. Red reflector.	18 feet high. 100 yards 250° from front daybeacon.
WILMINGTON RIVER LIGHT 25. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high In 3 feet. 1943 (200 mm e)
Wilmington River Daybeacon 26. Wilmington River Daybeacon 27. Wilmington River Daybeacon 29.	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	12 feet high. In 1 to 4 feet
Wilmington River Daybeacon 30.	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 4 feet.
WILMINGTON RIVER LIGHT 31. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1943 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER TO ST. SIMON SOUND		
Wilmington River Daybeacon 32. Wilmington River Daybeacon 33. Wilmington River Daybeacon 34.	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	12 feet high. In 1 to 4 feet.
Wilmington River Daybeacon 36.	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 4 feet.
Thunderbolt Harbor Anchorage Buoy.	White; 3d-cl. nun	In 13 feet.
WILMINGTON RIVER LIGHT 37. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec 30 cp. 16 feet high. In 6 feet. 1937–1945 (200 mm e)
WILMINGTON RIVER LIGHT 37A. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1942 (200 mm e)
Wilmington River Daybeacon 38.	Red triangular daymark with yellow border, on white pile dolphin. Red reflector.	12 feet high. In 4 feet.
SKIDAWAY NARROWS LIGHT 40. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. On point of marsh 1397 (200 mm e)
Turners Creek Anchorage Buoy A. *Turners Creek Anchorage Buoy B.*	White; 3d-cl. can	In 21 feet. In 7 feet.
SKIDAWAY NARROWS LIGHT 42 U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1943 (200 mm e)
SKIDAWAY NARROWS LIGHT 43. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1937 (200 mm e)
Skidaway Narrows Daybeacon 44.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 1 foot.
Skidaway Narrows Daybeacon 46.	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 1 foot.
Skidaway Narrows Daybeacon 48. Skidaway Narrows Daybeacon 50. Skidaway Narrows Daybeacon 52.	Red triangular daymarks with yellow border and red reflector on white pile.	12 feet high. In 1 to 7 feet.
SKIDAWAY NARROWS LIGHT 53. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high In 3 feet. 1943 (200 mm e)
Skidaway Narrows Daybeacon 54.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
Skidaway Narrows Daybeacon 55.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.
SKIDAWAY NARROWS LIGHT 57. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1943 (200 mm e)
Skidaway Narrows Daybeacon 59. Skidaway Narrows Daybeacon 60. Skidaway Narrows Daybeacon 62. Skidaway Narrows Daybeacon 64. Skidaway Narrows Daybeacon 65. Skidaway Narrows Daybeacon 67. Skidaway Narrows Daybeacon 69.	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	12 feet high. In 1 to 7 feet.
SKIDAWAY NARROWS LIGHT 71. U. Fl W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1943 (200 mm e)
Skidaway Narrows Daybeacon 72.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
Skidaway Narrows Daybeacon 73.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 7 feet.

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER TO ST. SIMON SOUND		
SKIDAWAY NARROWS LIGHT 74. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high Southeastern end of Marsh Island. In 3 feet. 1937 (200 mm e)
BURNSIDE NARROWS LIGHT 75. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1943 (200 mm e)
Burnside Narrows Daybeacon 76.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 5 feet.
Burnside Narrows Daybeacon 77.	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 3 feet.
VERNON RIVER LIGHT 79. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. On east side of channel at entrance to Burnside River. In 3 feet. 1937 (200 mm e)
VERNON RIVER LIGHT 81. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Vernon River Buoy 82	Red, yellow top: 3d cl. nun (s)	In 10 feet.
Vernon River Daybeacon 84	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 10 feet.
VERNON RIVER LIGHT 85. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 8 feet. 1937-1946 (200 mm e)
Vernon River Daybeacon 86	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 1 foot.
Vernon River Daybeacon 88	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 4 feet.
RACCOON KEY LIGHT 89. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. North entrance to Hell Gate. In 3 feet. 1937-1947 (200 mm e)
HELL GATE LIGHT 91. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1943 (200 mm e)
Hell Gate Range Front Daybeacon 90.	Red diamond daymark with yellow border on pile structure. Red reflector.	10 feet high. In 3 feet.
Hell Gate Range Rear Daybeacon 90.	Red circular daymark with yellow border on white pile structure. Red reflector.	20 feet high. 600 yards 8° from front daybeacon.
HELL GATE SOUTH LIGHTED BUOY 91A. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 30 cp. 8 feet high. In 14 feet. (200 mm e)
Hell Gate Daybeacon 92	Red triangular daymark with yellow border on white pile structure. Red reflector.	12 feet high. In 5 feet.
MIDDLE MARSH LIGHT 93. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. At edge of marsh, in Ogeechee River. In 3 feet. 1937-1940 (200 mm e)
Middle Marsh Daybeacon 94	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. At edge of marsh, in Ogeechee River.
Ogeechee River Daybeacon 95	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 3 feet.
OGEECHEE RIVER LIGHT 96. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 6 feet. 1943 (200 mm e)
FLORIDA PASSAGE LIGHT 98. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. Off point, northern entrance to Florida Passage from Ogeechee River. In 6 feet. 1943 (200 mm e)
FLORIDA PASSAGE LIGHT 99. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 6 feet. 1943 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER TO ST. SIMON SOUND		
FLORIDA PASSAGE RANGE FRONT LIGHT 101. U. Fl. W., 4 sec.	Black diamond daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. 1937-39 (200 mm e)
Florida Passage Range Rear Daybeacon 101.	Black circular daymark with yellow border, on white tripod. Green reflector.	20 feet high. 800 yards, 186° from front light. In 1 foot.
Florida Passage Buoy 102	Red, 2d-cl. nun (s), yellow top	In 8 feet.
BEAR RIVER LIGHT 104 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At bend in river. In 3 feet. 1943 (200 mm e)
Bear River Daybeacon 103	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 4 feet.
BEAR RIVER LIGHT 104A Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 10 feet. 1943 (200 mm e)
BEAR RIVER RANGE FRONT LIGHT 104B. U. Fl. R., 4 sec.	Red diamond daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 10 feet high. In 3 feet. 1943 (200 mm e)
Bear River Range Rear Daybeacon 104B.	Red circular daymark with yellow border on white pile tripod. Red reflector.	20 feet high. 225 yards 200° from front light.
Bear River Daybeacon 104C	Red triangular daymark with yellow border on white pile structure. Red reflector.	12 feet high. In 10 feet.
BEAR RIVER RANGE FRONT LIGHT 105. U. Fl. W., 4 sec.	Black diamond daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 10 feet high. In 6 feet. 1943 (200 mm e)
Bear River Range Rear Daybeacon 105.	Black circular daymark with yellow border on white pile tripod. Green reflector.	20 feet high. 200 yards 98° from front light.
BEAR RIVER LIGHT 105A Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1943 (200 mm e)
BEAR RIVER LIGHT 106 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 10 feet. 1943 (200 mm e)
Bear River Daybeacon 107	Black band and pointer with yellow top on white pile. Green reflector.	12 feet high. In 8 feet.
BEAR RIVER LIGHT 108 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. At bend in river. In 6 feet. 1943 (200 mm e)
Bear River Daybeacon 109	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 6 feet.
BEAR RIVER LIGHT 110 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 8 feet. 1937 (200 mm e)
BEAR RIVER LIGHT 112 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 10 feet. 1943 (200 mm e)
ST. CATHERINE SOUND LIGHT 114. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 14 feet. 1937 (200 mm e)
Middle Ground Buoy	Red and black horizontal bands. 2d-cl. can.	Marks entrance to North Newport River. In 17 feet.
ST. CATHERINE SOUND LIGHT 114A. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 12 feet. 1943-1947 (200 mm e)
NORTH NEWPORT RIVER LIGHT 116. U Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 7 feet. 1937-1943 (200 mm e)
North Newport River Daybeacon 117.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
NORTH NEWPORT RIVER LIGHT 119. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 12 feet. 1937 (200 mm e)
North Newport River Daybeacon 121.	Black square daymark with yellow border, on piles. Green reflector.	12 feet high. On east side of channel opposite mouth of Timmons River. In 4 feet.
NORTH NEWPORT RIVER LIGHT 121A. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 4 feet. 1943 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER TO ST. SIMON SOUND		
North Newport River Daybeacon 122.	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 6 feet.
North Newport River Daybeacon 124.	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 6 feet.
JOHNSON CREEK LIGHT 125. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 6 feet. 1937-1940 (200 mm c)
Johnson Creek Daybeacon 126	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 3 feet.
Johnson Creek Daybeacon 127	Black square daymark with yellow border, on piles. Green reflector.	12 feet high. On east side of channel. In 6 feet.
Johnson Creek Daybeacon 128	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 2 feet
Johnson Creek Daybeacon 130	Red triangular daymark with yellow border, on piles. Red reflector.	12 feet high. On west side of channel. In 6 feet.
Johnson Creek Daybeacon 131	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. On east side of channel. Johnson Creek Daybeacon 126, 3,200 yards, 348°. In 2 feet.
JOHNSON CREEK LIGHT 132. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 5 feet. 1937 (200 mm e)
Johnson Creek Daybeacon 133	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. At south entrance to Johnson Creek. In 6 feet.
SOUTH NEWPORT RIVER LIGHT 135. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 8 feet. 1937 (200 mm e)
South Newport River Daybeacon 136.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 4 feet.
SAPELO SOUND LIGHT 138. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 12 feet. 1937 (200 mm e)
SAPELO SOUND LIGHT 140. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 12 feet. 1943 (200 mm e)
SAPELO SOUND LIGHT 142. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 14 feet. 1937-1943 (200 mm e)
Sapelo River Daybeacon 143	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 10 feet.
SAPELO RIVER LIGHT 145. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 14 feet. 1937 (200 mm e)
Sapelo River Daybeacon 147	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 6 feet.
SAPELO RIVER LIGHT 149. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. West of Dog Hammock. 16 feet high. In 12 feet. 1937 (200 mm e)
Sapelo River Daybeacon 150	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 6 feet.
FRONT RIVER LIGHT 151. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp 16 feet high. In 10 feet. 1937-1943 (200 mm e)
Front River Daybeacon 152	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 2 feet.
FRONT RIVER LIGHT 153. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. In 2 feet. 1943 (200 mm e)
Front River Daybeacon 154	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
Creighton Narrows Daybeacon 155.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high.
CREIGHTON NARROWS LIGHT 155A. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 4 feet. 1943 (200 mm e)
Creighton Narrows Daybeacon 156.	Red triangular daymark with yellow border on white pile. Green reflector.	12 feet high. In 1 foot.

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER TO ST. SIMON SOUND		
CREIGHTON NARROWS LIGHT 157. U Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Old Teakettle Creek Range Front Daybeacon 157A.	Black diamond daymark with yellow border on white pile. Green reflector.	10 feet high. In 7 feet.
Old Teakettle Creek Range Rear Daybeacon 157A.	Black circular daymark with yellow border on white pile. Green reflector.	20 feet high. 200 yards 138° from front daybeacon.
Old Teakettle Creek Daybeacon 158.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 7 feet.
OLD TEAKETTLE CREEK LIGHT 159. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Old Teakettle Creek Daybeacon 158A.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 10 feet.
Old Teakettle Creek Daybeacon 160.	Red triangular daymark with yellow border on white pile. Red reflector	12 feet high. In 3 feet.
Old Teakettle Creek Daybeacon 161.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 2 feet.
OLD TEAKETTLE CREEK LIGHT 162. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Old Teakettle Creek Daybeacon 164.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
Old Teakettle Creek Range 166 Front Daybeacon.	Red diamond daymark with yellow border, on post. Red reflector.	10 feet high. At edge of marsh.
Old Teakettle Creek Range 166 Rear Daybeacon.	Red circular daymark with yellow border, on tripod. Red reflector.	16 feet high. 150 yards, 164° from front daybeacon.
Old Teakettle Creek Daybeacon 167.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 5 feet.
Old Teakettle Creek Daybeacon 168.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 5 feet.
OLD TEAKETTLE CREEK LIGHT 169. U. Fl. W., 4 sec	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 10 feet. 1937 (200 mm e)
Old Teakettle Creek Daybeacon 171.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
Old Teakettle Creek Daybeacon 172.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 4 feet.
OLD TEAKETTLE CREEK LIGHT 173. U Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. On east side of channel. In 3 feet. 1937 (200 mm e)
NEW TEAKETTLE CREEK LIGHT 175. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 10 feet. 1943 (200 mm e)
DUPLIN RIVER LIGHT 1 Fl. W., 4 sec. U.	On pile dolphin	Flash 0.4 sec. 30 cp. 7 feet high. At entrance to river. Maintained by R. J. Reynolds. 1938 (200 mm e)
DOBOY SOUND LIGHTED BUOY 178. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 11 cp. 8 feet high. At junction of North River and Doboy Sound. In 14 feet. (200 mm e)
NORTH RIVER RANGE FRONT LIGHT 178A. U. Fl. R., 4 sec.	Red diamond daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 10 feet high. In 10 feet. 1943 (200 mm e)
North River Range Rear Daybeacon 178A.	Red circular daymark with yellow border on white tripod. Red reflector.	20 feet high. 150 yards 270° from front light.
DOBOY ISLAND LIGHT 180 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1937 (200 mm e)
Doboy Island Daybeacon 181	Black square daymark with yellow border on white pile. Green reflector.	16 feet high. In 4 feet.
DOBOY ISLAND LIGHT 182 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 10 feet. 1943 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER TO ST. SIMON SOUND		
Doboy Island Cut Range Front Daybeacon 181A.	Black diamond daymark with yellow border on white pile. Green reflector.	10 feet high. In 3 feet.
Doboy Island Cut Range Rear Daybeacon 181A.	Black circular daymark with yellow border on white tripod. Green reflector.	20 feet high. 250 yards 173° from front daybeacon.
ROCKDEDUNDY RIVER LIGHT 183. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 8 feet. 1937 (200 mm e)
Rockdedundy River Daybeacon 184.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 4 feet.
ROCKDEDUNDY RIVER LIGHT 185. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1943 (200 mm e)
Rockdedundy Range Front Daybeacon 186.	Red diamond daymark with yellow border, on white pile. Red reflector.	10 feet high. In 3 feet.
Rockdedundy Rang Rear Daybeacon 186.	Red circular daymark with yellow border, on white tripod. Red reflector.	18 feet high. 150 yards, 351° from front daybeacon.
Rockdedundy River Daybeacon 188.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 4 feet.
Little Mud River Range Front Daybeacon 189.	Black diamond daymark with yellow border on white pile. Green reflector.	10 feet high. On east side of river. In 1 foot.
Little Mud River Range Rear Daybeacon 189.	Black circular daymark with yellow border on white tripod. Green reflector.	18 feet high. 160 yards 35° from front daybeacon.
LITTLE MUD RIVER LIGHT 190. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. Opposite mouth of South River. In 6 feet. 1937 (200 mm e)
Little Mud River Daybeacon 192.	Red triangular daymark with yellow border on white pile. Red reflector.	In 12 feet. On edge of marsh.
Little Mud River Daybeacon 193.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 4 feet.
Little Mud River Daybeacon 195.	Black square daymark with yellow border on white pile dolphin. Green reflector.	16 feet high. In 4 feet.
LITTLE MUD RIVER RANGE FRONT LIGHT 196. U. Fl. R., 1 sec.	Red diamond daymark with yellow border on white dolphin.	Flash 0.3 sec. 11 cp. 12 feet high. South entrance to Little Mud River. In 3 feet. 1943 (200 mm e)
LITTLE MUD RIVER RANGE REAR LIGHT 196. U. F. R.	Red circular daymark with yellow border on white dolphin.	1,100 cp. 20 feet high. 410 yards, 302° from front light. In 2 feet. 1943 (Rf e)
Little Mud River Daybeacon 197.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 4 feet.
ALTAMAHA SOUND LIGHT 198. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 11 feet. 1937-1941 (200 mm e)
ALTAMAHA SOUND RANGE FRONT LIGHT 199. U. F. G.	Black diamond daymark with yellow border on white dolphin.	1,100 cp. 12 feet high. South shore of Wolf Island. In 6 feet. 1943 (Rf e)
ALTAMAHA SOUND RANGE REAR LIGHT 199. U. F. G.	Black circular daymark with yellow border on white pile tripod.	1,100 cp. 20 feet high. 400 yards, 78½° from front light. In 5 feet. 1943 (Rf e)
Altamaha Sound Daybeacon 200.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 9 feet.
ALTAMAHA SOUND LIGHT 202. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 11 feet. 1937 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER TO ST. SIMON SOUND		
ALTAMAHA SOUND RANGE FRONT LIGHT 203. U. Fl. G., 1 sec.	Black diamond daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 10 feet high. In marsh on north shore of Little St. Simon Island. In 6 feet. 1943 (200 mm e)
ALTAMAHA SOUND RANGE REAR LIGHT 203. U. F. G.	Black circular daymark with yellow border, on white pile tripod.	1,100 cp. 20 feet high. In marsh. 210 yards 249½° from front light. In 6 feet. 1943 (Rf e)
Altamaha Sound Daybeacon 204.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 5 to 9 feet.
Altamaha Sound Daybeacon 206.		
Altamaha Sound Daybeacon 208.		
Altamaha Sound Daybeacon 209.	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. On south side of channel. In 3 feet.
ALTAMAHA SOUND RANGE FRONT LIGHT 210. U. F. R.	Red diamond daymark with yellow border on white dolphin.	1,100 cp. 10 feet high. Off northeast point of Broughton Island. In 4 feet. 1943 (Rf e)
ALTAMAHA SOUND RANGE REAR LIGHT 210. U. F. R.	Red circular daymark with yellow border on white pile tripod.	1,100 cp. 20 feet high. 250 yards, 307° from front light. In 3 feet. In marsh. 1943 (Rf e)
Altamaha Sound Daybeacon 211.	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. On south side of channel. In 3 feet.
BUTTERMILK SOUND LIGHT 213. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 10 feet. 1937 (200 mm e)
Buttermilk Sound Daybeacon 214.	Red triangular daymark with yellow border on white pile structure. Red reflector.	12 feet high. In 6 feet.
BUTTERMILK SOUND LIGHT 216. U. Fl. R., 4 sec	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1943 (200 mm e)
Buttermilk Sound Range Front Daybeacon 218.	Red diamond daymark on white pile structure. Red reflector.	12 feet high. In 5 feet.
Buttermilk Sound Range Rear Daybeacon 218.	Red circular daymark with yellow border on white pile tripod. Red reflector.	18 feet high. 266 yards 31° from front daybeacon.
BUTTERMILK SOUND LIGHT 219. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 8 feet. 1937–42 (200 mm e)
Buttermilk Sound Range Front Daybeacon 220.	Red diamond daymark with yellow border, on white pile. Red reflector.	10 feet high. On marsh spit at southeast end of Broughton Island. In 3 feet.
Buttermilk Sound Range Rear Daybeacon 220.	Red circular daymark with yellow border, on white pile. Red reflector.	20 feet high. On edge of marsh. 200 yards 333½° from front daybeacon. In 3 feet.
Buttermilk Sound Daybeacon 220A.	Red triangular daymark with yellow border on white pile structure. Red reflector.	12 feet high. In 9 feet.
FREDERICA RIVER LIGHT 221. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. In 3 feet. 1943 (200 mm e)
FREDERICA RIVER CUT RANGE FRONT LIGHT 221A. U. Fl. W., 4 sec.	Black diamond daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 10 feet high. In 6 feet. 1943 (200 mm e)
Frederica River Cut Range Rear Daybeacon 221A.	Black circular daymark with yellow border on white pile. Green reflector.	20 feet high. 200 yards 129° from front light.
Frederica River Cut Range Front Daybeacon 221B.	Black diamond daymark with yellow border on white pile. Green reflector.	10 feet high. In 4 feet.
Frederica River Cut Range Rear Daybeacon 221B.	Black circular daymark with yellow border on white tripod. Green reflector.	20 feet high. 175 yards 341° from front daybeacon.
Frederica River Daybeacon 222.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 7 feet.
FREDERICA RIVER LIGHT 223. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1937 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER TO ST. SIMON SOUND		
FREDERICA CUT RANGE FRONT LIGHT 225. U. Fl. W., 4 sec.	Black diamond daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 10 feet high. On east side of channel at north entrance of Frederica River. In 3 feet. 1937 (200 mm e)
Frederica Cut Range Rear Daybeacon 225.	Black ciruclar daymark with yellow border, on white tripod. Green reflector.	20 feet high. In marsh. 290 yards 208° from front light. In 2 feet.
Frederica River Daybeacon 227	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 9 feet.
Frederica River Range Front Daybeacon 228.	Red diamond daymark with yellow border, on pile. Red reflector.	10 feet high. In 4 feet.
Frederica River Range Rear Daybeacon 228.	Red circular daymark with yellow border, on white tripod. Red reflector.	18 feet high. 165 yards 225° from front daybeacon. In 3 feet.
Mackay River Cut-Off Daybeacon 229.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 1 foot.
MACKAY RIVER CUT-OFF LIGHT 231. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin	Flash 0.4 sec. 30 cp. 12 feet high. In 4 feet. 1942 (200 mm e)
Mackay River Daybeacon 232	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 3 feet.
Mackay River Daybeacon 233	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
Mackay River Daybeacon 234	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 6 feet.
MACKAY RIVER RANGE FRONT LIGHT 234A. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 10 feet high. In 3 feet. 1943 (200 mm e)
Mackay River Range Rear Daybeacon 234A.	Red circular daymark with yellow border on white pile tripod. Red reflector.	18 feet high. 200 yards 293° from front light.
Mackay River Daybeacon 235	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 10 feet.
Mackay River Daybeacon 235A	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 10 feet.
Mackay River Daybeacon 236 Mackay River Daybeacon 236A	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 to 6 feet.
MACKAY RIVER LIGHT 237. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 30 cp. 10 feet high. In 8 feet. 1941–1943 (200 mm e)
Mackay River Daybeacon 238	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 6 feet.
MACKAY RIVER LIGHT 239. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 6 feet. 1943 (200 mm e)
MACKAY RIVER LIGHT 239A. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 6 feet. 1943 (200 mm e)
MACKAY RIVER RANGE FRONT LIGHT 240. U. Fl. R., 4 sec.	Red diamond daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 10 feet high. In 3 feet. 1943 (200 mm e)
Mackay River Range Rear Daybeacon 240.	Red circular daymark with yellow border on white tripod. Red reflector.	20 feet high. 300 yards 312° from front light.
FREDERICA RIVER LIGHT 242. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 6 feet. 1943–1946 (200 mm e)
Frederica River Daybeacon 244	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 4 feet.
Frederica River Range Front Daybeacon 246.	Red diamond daymark with yellow border on white pile. Red reflector.	10 feet high. In 9 feet.
Frederica River Range Rear Daybeacon 246.	Red circular daymark with yellow border on white pile. Red reflector.	20 feet high. 400 yards 0° from front daybeacon.

Name; mark on aid Character of light	Description	Remarks
SAVANNAH RIVER TO ST. SIMON SOUND		
FREDERICA RIVER APPROACH RANGE FRONT LIGHT 248. U. Fl. R., 4 sec.	Red diamond daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 10 feet high. In 8 feet. 1943 (200 mm e)
Frederica River Approach Range Rear Daybeacon 248.	Red circular daymark with yellow border on white pile. Red reflector.	20 feet high. 600 yards 339° from front light.
ST. SIMON SOUND LIGHT 249. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 11 feet. 1943 (200 mm e)
ALTERNATE ROUTE		
Back River Range Front Daybeacon 2.	Red diamond daymark with yellow border, on pile. Red reflector.	10 feet high. Gulf States Creosoting Co.'s Tank, 300 yards 198°. In 5 feet.
Back River Range Rear Daybeacon 2.	Red circular daymark with yellow border, on tripod. Red reflector.	18 feet high. 175 yards 309° from front daybeacon. In 2 feet.
Back River Range Front Daybeacon 3.	Black diamond daymark with yellow border, on pile. Green reflector.	10 feet high. Gulf States Creosoting Co.'s Tank, 1,675 yards 294°. In 5 feet.
Back River Range Rear Daybeacon 3.	Black circular daymark with yellow border, on tripod. Green reflector.	18 feet high. 150 yards 118° from front daybeacon. In 2 feet.
Back River Range Front Daybeacon 5.	Black diamond daymark with yellow border, on pile. Green reflector.	10 feet high. Gulf States Creosoting Co.'s Tank, 950 yards 275°. In 4 feet.
Back River Range Rear Daybeacon 5.	Black circular daymark with yellow border, on tripod. Green reflector.	18 feet high. 235 yards 323° from front daybeacon. In 3 feet.
Terry Creek Range Front Daybeacon 2.	Red diamond daymark on pile. Red reflector.	12 feet high. On north side of creek. In 3 feet.
Terry Creek Range Rear Daybeacon 2.	Red circular daymark on tripod. Red reflector.	18 feet high. 290 yards 245° from front daybeacon.
ST. SIMON SOUND TO FERNANDINA		
Plantation Creek Spit Buoy	Red and black horizontal bands. 2d-cl. nun.	Plantation Creek Range Front Light, 1,600 yards, 296°. In 19 feet.
JEKYLL ISLAND RANGE FRONT LIGHT. U. Fl. W., 1 sec.	White slatted daymark on skeleton structure on piles.	Flash 0.3 sec. 3,600 cp. 17 feet high. In 6 feet. 1902–1914 (Rf e)
JEKYLL ISLAND RANGE REAR LIGHT. U. Occ. W., 6 sec.	White slatted daymark on skeleton structure on piles.	Light 3 sec. eclipse 3 sec. 3,600 cp. 37 feet high. 1,300 yards 217° from front light. In 1 foot. 1902–1914 (Rf e)
ST. SIMON SOUND LIGHTED BUOY 20. Fl. R., 4 sec.	Red	Flash 0.4 sec. 17 cp. 10 feet high. In 20 feet. (200 mm a).
ST. SIMON SOUND LIGHTED BUOY 22. Fl. R., 4 sec.	Red	Flash 0.4 sec. 17 cp. 10 feet high. In 29 feet. (200 mm a)
JEKYLL CREEK JETTY LIGHT 2. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white piles.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1936–1943 (200 mm e)
JEKYLL CREEK JETTY RANGE FRONT LIGHT 4. Fl. R., 1 sec. U.	Red diamond daymark with yellow border on white pile dolphin.	Flash 0.3 sec. 11 cp. 11 feet high. In 1 foot. 1932–1941 (200 mm e)
JEKYLL CREEK JETTY RANGE REAR LIGHT 4. F R. U.	Red circular daymark with yellow border on white pile tripod.	60 cp. 20 feet high. 300 yards, 182° from front light. 1932–1941 (Rg e)
Jekyll Creek Jetty Daybeacon 6. Jekyll Creek Jetty Daybeacon 8. Jekyll Creek Daybeacon 10	Red triangular daymark with yellow border, on white pile. Red reflector.	10 feet high. In 2 feet.
Jekyll Creek Range Front Daybeacon 11.	Black diamond daymark with yellow border, on white pile. Green reflector.	11 feet high. About ½ mile from north end of Jekyll Creek. In 1 feet.
Jekyll Creek Range Rear Daybeacon 11.	Black circular daymark with yellow border, on white tripod. Green reflector.	18 feet high. 150 yards, 351° from front daybeacon.
Jekyll Creek Daybeacon 13	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. Marks mud flat east of channel. In 2 feet.
JEKYLL CREEK RANGE FRONT LIGHT 15. U. Fl. W., 4 sec.	Black diamond daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. Mark dredged cuts in north part of Jekyll Creek. In 2 feet. 1937–1941 (200 mm e)
Jekyll Creek Range Rear Daybeacon 15.	Black circular daymark with yellow border, on tripod. Green reflector.	18 feet high. 200 yards, 151° from front light.

Name: mark on aid Character of light	Description	Remarks
ST. SIMON SOUND TO FERNANDINA		
Jekyll Creek Daybeacon 16	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high.
Jekyll Creek Range Front Daybeacon 17.	Black diamond daymark with yellow border, on white pile. Green reflector.	10 feet high. In 1 foot.
Jekyll Creek Range Rear Daybeacon 17.	Black circular daymark with yellow border, on tripod. Green reflector.	18 feet high. 215 yards, 359° from front daybeacon.
JEKYLL CREEK LIGHT 19 Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 6 feet. 1936–1941 (200 mm e)
JEKYLL CREEK LIGHT 20. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 12 feet high. In 6 feet. 1942 (200 mm e)
Jekyll Creek Daybeacon 22	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	In 10 feet. 12 feet high.
JEKYLL CREEK LIGHT 23. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 4 feet. 1942 (200 mm e)
Jekyll Creek Daybeacon 24	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	12 feet high. In 6 feet
JEKYLL CREEK LIGHT 25. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec 30 cp. 12 feet high. In 6 feet. 1942 (200 mm e)
Jekyll Creek Daybeacon 27	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 6 feet.
JEKYLL CREEK LIGHT 29 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. West of Jekyll Point. In 9 feet. 1937 (200 mm e)
Little Satilla River Daybeacon A1A.	Black square daymark with yellow border on white pile. Green reflector.	18 feet high. On south side of river. In 3 feet.
UMBRELLA CUT LIGHT A1. U. Fl., W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. At north end of alternate route around St. Andrew Sound. In 4 feet. 1939–1940 (200 mm e)
Umbrella Cut Daybeacon A2 Umbrella Creek Daybeacon A4	Red triangular daymark with yellow border, on white pile. Red reflector.	In 3 feet. 12 feet high
Umbrella Creek Daybeacon A5	Black square daymark with yellow border, on white pile. Green reflector.	In 3 feet. 12 feet high.
Umbrella Creek Range Front Daybeacon A7.	Black diamond daymark with yellow border, on white pile. Green reflector.	10 feet high. In 3 feet.
Umbrella Creek Range Rear Daybeacon A7.	Black circular daymark with yellow border, on white tripod. Green reflector.	18 feet high. 400 yards 148° from front daybeacon.
Dover Cut Daybeacon A8 Dover Cut Daybeacon A10 Dover Creek Daybeacon A11 Satilla River Cut Daybeacon A12 Satilla River Cut Daybeacon A13 Satilla River Daybeacon A14 Todd Creek Cut Daybeacon A15 Todd Creek Cut Daybeacon A16 Todd Creek Cut Daybeacon A18 Todd Creek Cut Daybeacon A19 Floyd Creek Daybeacon A21 Floyd Creek Daybeacon A22	Even numbered daybeacons have red triangular daymarks with yellow border and red reflectors on white pile. Odd numbered daybeacons have black square daymarks with yellow border and green reflectors on white pile.	12 feet high. In 1 to 3 feet.
ST. ANDREW SOUND LIGHT 30. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 61 feet. 1945 (200 mm e)
St. Andrew Sound Daybeacon	White diagonal slatted daymark on white skeleton tower.	40 feet high. On east end of Horseshoe Shoal. In 10 feet.
HORSESHOE SHOAL LIGHTED BUOY 32. Fl. R., 4 sec.	Red with yellow triangle	Flash 0.4 sec. 17 cp. In 16 feet. (200 mm a)
Cumberland River Daybeacon 34.	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	12 feet high. In 8 feet.

Name; mark on aid Character of light	Description	Remarks
ST. SIMON SOUND TO FERNANDINA		
CUMBERLAND RIVER LIGHT 35. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 10 feet. 1937 (200 mm e)
CUMBERLAND RIVER RANGE FRONT LIGHT 41. U. Fl. W., 4 sec.	Black diamond daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. In 3 feet. 1937 (200 mm e)
Cumberland River Range Rear Daybeacon 41.	Black circular daymark with yellow border on pipe structure.	20 feet high. In 4 feet. 475 yards 217° from front light.
Cumberland River Daybeacon 36.	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	12 feet high. In 8 feet
Cumberland River Daybeacon 37.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 6 feet.
CUMBERLAND RIVER LIGHT 39. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. Off Terrapin Point. In 10 feet. 1937 (200 mm e)
Cumberland River Daybeacon 40.	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	12 feet high. In 5 feet.
CUMBERLAND RIVER LIGHT 43. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. Opposite Shellbine Creek. In 10 feet. 1937 (200 mm e)
Cumberland River Daybeacon 45.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 4 feet.
CUMBERLAND RIVER LIGHT 45A. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 6 feet. 1942 (200 mm e)
CUMBERLAND RIVER LIGHT 46. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1943 (200 mm e)
Cumberland River Daybeacon 47.	Black square daymark with yellow border on white pile. Green reflector.	16 feet high. In 5 feet.
Cumberland River Daybeacon 49.	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. On east side of channel. In 3 feet.
CUMBERLAND RIVER LIGHT 50. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 12 feet. 1942 (200 mm e)
Cumberland River Daybeaeon 51.	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. On east side of channel. In 4 feet.
CUMBERLAND RIVER LIGHT 51A. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 4 feet. 1942 (200 mm e)
Cumberland River Daybeacon 52.	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 6 feet.
Cumberland River Daybeacon 53.	Black square daymark with yellow border on white pile. Green reflector.	In 2 feet.
Cumberland River Daybeacon 54.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 6 feet.
CUMBERLAND RIVER LIGHT 55. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. On east side of channel. In 3 feet. 1942 (200 mm e)
CUMBERLAND DIVIDING LIGHT 58. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. Southeast of mouth of Delaroche Creek. In 8 feet. 1943 (200 mm e)
Cumberland River Daybeacon 57.	Black square daymark with yellow border, on white pile dolphin. Green reflector.	12 feet high. On east side of channel. In 10 feet.
CUMBERLAND RIVER LIGHT 59. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. On east side of channel. In 5 feet. 1942-1945 (200 mm e)
CUMBERLAND RIVER RANGE FRONT LIGHT 61. U. Fl. W., 4 sec.	Black diamond daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. On east side of channel. In 3 feet. 1937-1942 (200 mm e)
Cumberland River Range Rear Daybeacon 61.	Black circular daymark with yellow border on white pile. Green reflector.	24 feet high. 300 yards 24½° from front light.
Cumberland River Daybeacon 60.	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. On west side of channel. In 6 feet.

Name; mark on aid Character of light	Description	Remarks
ST. SIMON SOUND TO FERNANDINA		
Cumberland Dividing Daybeacon 62.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 5 feet.
DIVIDING RANGE FRONT LIGHT 63. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. In 2 feet. 1937 (200 mm e)
Dividing Range Rear Daybeacon 63.	Black circular daymark with yellow border, on white pile. Green reflector.	20 feet high. 390 yards 39° from front light.
Cumberland River Daybeacon 66.	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. On west side of channel In 6 feet.
CUMBERLAND DIVIDING LIGHT 65. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 7 feet. 1937–1942 (200 mm e)
CUMBERLAND SOUND RANGE FRONT LIGHT 68. U. F. R.	Red diamond daymark with yellow border on white pile dolphin.	1100 cp. 10 feet high. In 3 feet. 1942 (Rg e)
CUMBERLAND SOUND RANGE REAR LIGHT 68. F. R. U.	Red circular daymark with yellow border on white pile dolphin.	1100 cp. 24 feet high. 840 yards 355½° from front light. 1942 (Rg e)
CUMBERLAND SOUND LIGHT 69. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. At turn. In 12 feet. 1937–1942 (200 mm e)
Cumberland Sound Daybeacon 70.	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	12 feet high. In 6 feet.
Cumberland Sound Daybeacon 71.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. Off Stafford Island. In 6 feet.
Cumberland Sound Daybeacon 72.	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	12 feet high. West side of channel on edge of shoal. In 6 feet.
Cumberland Sound Buoy 73	Black with yellow top; 2d-cl. can(s).	In 8 feet.
Cumberland Sound Daybeacon 74.	Red triangular daymark with yellow border, on white 3-pile dolphin. Red reflector.	12 feet high. On west side of channel. In 8 feet.
CUMBERLAND SOUND LIGHT 75. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. On east side of channel on edge of marsh near north end of Drum Point Island. In 13 feet. 1937 (200 mm e)
CUMBERLAND SOUND LIGHT 77. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. On east side of channel west of Big Marsh Island. In 4 feet. 1942 (200 mm e)
CUMBERLAND SOUND LIGHT 79. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. At turn south of Big Marsh Island. In 10 feet. 1938–1944 (200 mm e)
ST. MARYS RIVER LIGHT 2. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 12 feet. 1913–1936 (200 mm e)
FERNANDINA TO ST. JOHNS RIVER		
Amelia River Buoy 2	Red with yellow top; 2d-cl. nun (s).	In 12 feet.
Amelia River Buoy 11	Black; 2d-cl. can	West of Fort Clinch. In 30 feet.
Amelia River Daybeacon 12	Red triangular daymark with yellow border, on pile dolphin. Red reflector.	12 feet high. In 4 feet.
AMELIA RIVER LIGHT 14. Fl. R., 4 sec. U.	Red triangular daymark with yellow triangle, on pile dolphin.	Flash 0.4 sec. 20 cp. 16 feet high. In 14 feet. 1936–1939 (200 mm e)
AMELIA RIVER LIGHT 15. Fl. W., 4 sec. U.	Black square daymark with yellow square, on white pile dolphin.	Flash 0.4 sec. 50 cp. 18 feet high. In 12 feet. 1936 (200 mm e)
AMELIA RIVER LIGHT 16. Fl. R., 4 sec. U.	Red triangular daymark with yellow triangle, on white pile dolphin.	Flash 0.4 sec. 20 cp. 14 feet high. In 12 feet. 1936 (200 mm e)
AMELIA RIVER LIGHTED BUOY 18. Fl. R., 4 sec.	Red with yellow triangle	Flash 0.4 sec. 17 cp. 11 feet high. In 12 feet. (200 mm a)
Amelia River Buoy 20	Red with yellow triangle; 2d-cl. nun.	In 21 feet.

Name; mark on aid Character of light	Description	Remarks
FERNANDINA TO ST. JOHNS RIVER		
Amelia River Buoy 22	Red with yellow triangle; 2d-cl. nun.	In 21 feet.
AMELIA RIVER LIGHT 1. Fl W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 8 feet. 1937–1944 (200 mm e)
AMELIA RIVER LIGHT 3. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1942 (200 mm e)
Amelia River Daybeacon 5	Black square daymark with yellow border on white pile dolphin.	18 feet high. In 12 feet.
KINGSLEY CREEK LIGHT 7. Fl. W., 4 sec. U.	Black square daymark with yellow border.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1942 (200 mm e)
Kingsley Creek Cut Daybeacon 9.	Black square daymark with yellow border on white pile structure. Green reflector.	In 1 foot.
Kingsley Creek Cut Daybeacon 11.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 1 foot.
Kingsley Creek Cut Daybeacon 13.		
KINGSLEY CREEK LIGHT 14. Fl. R., 4 sec. U.	Red triangualr daymark with yellow border on white dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1943 (200 mm e)
KINGSLEY CREEK CUT OFF RANGE FRONT LIGHT 15. F. G. U.	Black diamond daymark with yellow border on white dolphin.	1,100 cp. 10 feet high. In 1 foot. 1943 (Rf e)
KINGSLEY CREEK CUT OFF RANGE REAR LIGHT 15. F. G. U	Black circular daymark with yellow border on white dolphin.	1,100 cp. 34 feet high. 610 yards, 173° from front light. In 1 foot. 1943 (Rf e)
Kingsley Creek Cut Off Daybeacon 16.	Red triangular daymark with yellow border on white pile structure. Red reflector.	14 feet high. In 4 feet.
Kingsley Creek Cut Off Daybeacon 18.	Red triangular daymark with yellow border on white pile. Red reflector.	16 feet high. In 4 feet.
Kingsley Creek Cut Off Daybeacon 20.	Red triangular daymark with yellow border on white pile. Red reflector.	16 feet high. In 4 feet.
Kingsley Creek Cut Off Daybeacon 22.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 4 feet.
SOUTH AMELIA RIVER LIGHT 23. Fl. W., 4 sec. U.	Black square daymark with yellow border on pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1942–1943 (200 mm e)
South Amelia River Daybeacon 24.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 5 feet.
South Amelia River Daybeacon 25.	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 4 feet.
SOUTH AMELIA RIVER LIGHT 27. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1935–1943 (200 mm e)
SOUTH AMELIA RIVER LIGHT 28 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 4 feet. 1942–1943 (200 mm e)
South Amelia River Daybeacon 29.	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 5 feet.
SOUTH AMELIA RIVER LIGHT 31. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 12 feet. 1937 (200 mm e)
South Amelia River Daybeacon 32.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 5 feet.
South Amelia River Daybeacon 34.		
SOUTH AMELIA RIVER LIGHT 36. Fl., R. 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 6 feet. 1937 (200 mm e)
SOUTH AMELIA RIVER LIGHT 37. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 4 feet. 1942 (200 mm e)
South Amelia River Daybeacon 38.	Red triangular daymark with yellow border on white pile structure.	12 feet high. In 6 feet.
South Amelia River Daybeacon 40	Red triangular daymark with yellow border on white pile structure.	12 feet high In 8 feet.

Name; mark on aid Character of light	Description	Remarks
FERNANDINA TO ST. JOHNS RIVER		
SOUTH AMELIA RIVER LIGHT 41. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1942 (200 mm e)
South Amelia River Daybeacon 42.	Red triangular daymark with yellow border on white pile structure.	12 feet high. In 3 feet.
South Amelia River Range Front Daybeacon 44.	Red diamond daymark with yellow border on white pile structure. Red reflector.	10 feet high. In 8 feet.
South Amelia River Range Rear Daybeacon 44.	Red circular daymark with yellow border on white skeleton tripod. Red reflector.	18 feet high. 300 yards, 266° from front daybeacon.
SOUTH AMELIA RIVER LIGHT 45. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 30 cp., 18 feet high. In 15 feet. 1942–1943 (200 mm e)
SOUTH AMELIA RIVER LIGHT 46. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 6 feet. 1942–1946 (200 mm e)
South Amelia River Daybeacon 47.	Black square daymark with yellow border on white pile structure.	12 feet high. In 7 feet.
South Amelia River Daybeacon 48.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
SOUTH AMELIA RIVER LIGHT 49. U. Fl W., 4 sec.	Black square daymark with yellow border on white pile dolphin	Flash 0.4 sec 30 cp. 18 feet high. In 6 feet 1942 (200 mm e)
SOUTH AMELIA RIVER LIGHT 50. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. In 6 feet. 1942 (200 mm e)
South Amelia River Daybeacon 51	Black square daymark with yellow border on white pile dolphin. Green reflector.	12 feet high In 7 feet.
SOUTH AMELIA RIVER LIGHTED BUOY 52. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 11 cp. 8 feet high. In 14 feet. (200 mm e)
NASSAU CUT OFF LIGHT 53. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1943 (200 mm e)
Nassau Cut Off Daybeacon 55	Black square daymark with yellow border on white pile structure. Green reflector.	12 feet high. In 2 feet.
NASSAU CUT OFF LIGHT 57. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1943 (200 mm e)
Nassau Cut Off Daybeacon 58	Red triangular daymark with yellow border on white pile structure. Red reflector.	12 feet high. In 2 feet.
SAWPIT CREEK LIGHT 60. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1943 (200 mm e)
SAWPIT CREEK LIGHT 61. Fl. W., 4 sec. U.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 8 feet. 1943 (200 mm e)
Sawpit Creek Daybeacon 62	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 5 feet.
SAWPIT CREEK AND GUNNISON CUT OFF LIGHT 63. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1943 (200 mm e)
Sawpit Creek and Gunnison Cut Off Daybeacon 65.	Black square daymark with yellow border on white pile structure. Green reflector.	12 feet high. In 2 feet.
SAWPIT CREEK AND GUNNISON CUT OFF LIGHT 67. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1943 (200 mm e)
Sawpit Creek and Gunnison Cut Off Daybeacon 69.	Black square daymark with yellow border on white pile structure. Green reflector.	12 feet high. In 2 feet.
Sawpit Creek and Gunnison Cut Off Daybeacon 70.	Red triangular daymark with yellow border on white pile structure. Red reflector.	12 feet high. In 2 feet.

Name; mark on aid Charactor of light	Description	Remarks
FERNANDINA TO ST. JOHNS RIVER		
SAWPIT CREEK AND GUNNISON CUT OFF LIGHT 71. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 3 feet. 1943 (200 mm e)
Sawpit Creek and Gunnison Cut Off Daybeacon 72.	Red triangular daymark with yellow border on white pile structure. Red reflector.	12 feet high. In 2 feet.
Gunnison Creek Daybeacon 73	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
GUNNISON CREEK LIGHT 75. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. In 4 feet. 1943 (200 mm e)
GUNNISON CREEK LIGHT 77. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 12 feet high. In 4 feet. 1943 (200 mm e)
Gunnison Creek Daybeacon 79	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 4 feet.
GUNNISON CREEK LIGHT 81. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 5 feet. 1943 (200 mm e)
Gunnison Creek Daybeacon 83	Black square daymark with yellow border on white pile Green reflector.	12 feet high. In 3 feet.
Gunnison Creek Daybeacon 84	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 5 feet.
GUNNISON CREEK AND SISTERS CREEK CUT OFF LIGHT 85. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1943 (200 mm e)
Gunnison Creek and Sisters Creek Cut Off Daybeacon 86	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
GUNNISON CREEK AND SISTERS CREEK CUT OFF LIGHT 87. U. Fl. W., 4 sec.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 3 feet. 1943 (200 mm e)
Sisters Creek Daybeacon 89	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
SISTERS CREEK LIGHT 90. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At entrance to Sisters Creek. In 4 feet. 1943 (200 mm e)
Sisters Creek Daybeacon 91	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 4 feet.
SISTERS CREEK LIGHT 92. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 9 feet. 1943 (200 mm e)
SISTERS CREEK LIGHT 93. Fl. W., 4 sec. U.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 5 feet. 1943 (200 mm e)
SISTERS CREEK LIGHT 95. Fl. W., 4 sec. U.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 5 feet. 1943 (200 mm e)
SISTERS CREEK LIGHT 97. Fl. W., 4 sec. U.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 5 feet. 1943 (200 mm e)
Sisters Creek Daybeacon 98	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 4 feet.
SISTERS CREEK LIGHT 100. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 5 feet. 1943 (200 mm e)
SISTERS CREEK LIGHT 101. Fl. W., 4 sec. U.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 5 feet. 1943 (200 mm e)
Sisters Creek Daybeacon 102	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 4 feet.
SISTERS CREEK LIGHT 103. Fl. W., 4 sec. U.	Black square daymark with yellow border on white dolphin.	Flash 0.4 sec. 30 cp. 16 feet high. In 10 feet. 1943 (200 mm e)
Sisters Creek Daybeacon 104	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 1 foot.
Sisters Creek Daybeacon 106	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 1 foot.

Name; mark on aid Character of light	Description	Remarks
ST. JOHNS RIVER TO MATANZAS INLET		
SISTERS CREEK LIGHT 108 Fl. R. 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 10 feet. (200 mm e) 1943
EAST COAST CANAL LIGHT 1. U. Fl. G., 4 sec.	Black square daymark with yellow border on tripod.	Flash 0.4 sec. 10 cp. 18 feet high. On west end training wall. 1918–1934 (200 mm e)
Pablo Creek Daybeacon 3	Black square daymark with yellow border and green reflector on white pile.	12 feet high. In 4 feet.
MILE POINT LOWER RANGE REAR LIGHT 4. F. G. U.	Red triangular daymarks with yellow borders on white skeleton structure.	1,100 cp. 44 feet high. On Great Marsh Island. 1918–1934 (Rf e)
Pablo Creek Buoy 6	Red; 3d-cl. nun	In 6 feet.
Pablo Creek Buoy 7	Black; 3d-cl. can	In 6 feet
Pablo Creek Daybeacon 8	Red triangular daymark with yellow border, on white pile. Red reflector.	10 feet high. In 3 feet.
Pablo Creek Daybeacon 9	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 3 feet.
Pablo Creek Daybeacon 10	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 3 feet
PABLO CREEK LIGHT 11 Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 30 cp. 18 feet high. In 4 feet. (200 mm e) 1937
Pablo Creek Daybeacon 13	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	10 to 12 feet high In 3 feet.
Pablo Creek Daybeacon 14		
Pablo Creek Daybeacon 15		
Pablo Creek Daybeacon 17		
Pablo Creek Daybeacon 19		
Pablo Creek Daybeacon 20		
Pablo Creek Daybeacon 21		
Pablo Creek Daybeacon 22		
Pablo Creek Daybeacon 24		
Pablo Creek Daybeacon 25		
Pablo Creek Daybeacon 26		
Pablo Creek Daybeacon 27		
Pablo Creek Daybeacon 28		
Pablo Creek Daybeacon 30		
Pablo Creek Daybeacon 31		
Pablo Creek Daybeacon 33		
Pablo Creek Daybeacon 34		
Pablo Creek Daybeacon 35		
Pablo Creek Daybeacon 36		
Pablo Creek Daybeacon 37		
Pablo Creek Daybeacon 38		
Pablo Creek Daybeacon 39		
Pablo Creek Daybeacon 40		
Pablo Creek Daybeacon 41		
Pablo Creek Daybeacon 42		
Pablo Creek Daybeacon 47		
Pablo Creek Daybeacon 48		
Pablo Creek Daybeacon 50		
Pablo Creek Daybeacon 52		
Pablo Creek Daybeacon 53		
Pablo Creek Daybeacon 54		
Pablo Creek Daybeacon 58		
Pablo Creek Daybeacon 60		
Pablo Creek Daybeacon 61		
Pablo Creek Daybeacon 62		
Pablo Creek Daybeacon 63		
Pablo Creek Daybeacon 64		
Pablo Creek Daybeacon 65		
Pablo Creek Daybeacon 67		
Pablo Creek Daybeacon 69		
Pablo Creek Daybeacon 70		
Pablo Creek Daybeacon 71		
Pablo Creek Daybeacon 73		
Pablo Creek Daybeacon 75		
Pablo Creek Daybeacon 76		
Tolomato River Daybeacon 77	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 79. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 1 foot. 1937 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
ST. JOHNS RIVER TO MATANZAS INLET		
Tolomato River Daybeacon 80 Tolomato River Daybeacon 81 Tolomato River Daybeacon 82 Tolomato River Daybeacon 83	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on pile.	12 feet high. In 3 feet
TOLOMATO RIVER LIGHT 85. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 1 foot. 1937 (200 mm e)
Tolomato River Daybeacon 86	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Tolomato River Daybeacon 87	Black square daymark with yellow border on pile. Green reflecter.	
Tolomato River Daybeacon 89	Black band and pointer with yellow top on white pile. Green reflector.	
Tolomato River Daybeacon 90	Red triangular daymark with yellow border on white pile. Red reflector.	
Tolomato River Daybeacon 91	Black square daymark with yellow border on white pile. Green reflector.	
Tolomato River Daybeacon 92	Red triangular daymark with yellow border on white pile. Red reflector.	
TOLOMATO RIVER LIGHT 93. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 1 foot. 1938 (200 mm e)
Tolomato River Daybeacon 95	Black square daymark with yellow border on white pile. Green reflector.	10 feet high. In 3 feet
Tolomato River Daybeacon 96	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet
TOLOMATO RIVER LIGHT 98. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 1 foot. 1938 (200 mm e)
Tolomato River Daybeacon 99 Tolomato River Daybeacon 101 Tolomato River Daybeacon 103	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 104. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938-1943 (200 mm e)
Tolomato River Daybeacon 105 Tolomato River Daybeacon 107	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 109. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Tolomato River Daybeacon 110 Tolomato River Daybeacon 112	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 113. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Tolomato River Daybeacon 114 Tolomato River Daybeacon 116	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 118. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Tolomato River Daybeacon 119 Tolomato River Daybeacon 121	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Tolomato River Daybeacon 122 Tolomato River Daybeacon 124	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 3 feet.
Tolomato River Daybeacon 125	Black square daymark with yellow border, on pile Green reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 126. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Tolomato River Daybeacon 127	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 129. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
ST. JOHNS RIVER TO MATANZAS INLET		
Tolomato River Daybeacon 130.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Tolomato River Daybeacon 131..	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 132. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Tolomato River Daybeacon 133.. Tolomato River Daybeacon 135..	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 136. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Tolomato River Daybeacon 137..	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Tolomato River Daybeacon 138..	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Tolomato River Daybeacon 139..	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Tolomato River Daybeacon 140..	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 142. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Tolomato River Daybeacon 143.. Tolomato River Daybeacon 145..	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 3 feet.
Tolomato River Daybeacon 146..	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 147. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Tolomato River Daybeacon 148.. Tolomato River Daybeacon 150..	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
TOLOMATO RIVER LIGHT 151. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Tolomato River Buoy 151A	Black, yellow top; 2d-cl. can(s) Green reflector.	In 10 feet.
Tolomato River Shoal North Buoy	Red and black horizontal bands, yellow top; 3d-cl. nun(s).	In 9 feet.
Tolomato River Buoy 153	Black, yellow top; 3d-cl. can(s)	In 18 feet.
Tolomato River Buoy 154	Red, yellow top; 3d-cl. nun(s)	In 10 feet.
Tolomato River Shoal South Buoy	Red and black horizontal bands, yellow top; 3d-cl. nun(s).	In 7 feet.
Tolomato River Buoy 156	Red, yellow top, 3d-cl. nun(s)	In 8 feet.
Tolomato River Buoy 156A	Red, yellow top, 3d-cl. nun(s)	In 7 feet.
MATANZAS RIVER LIGHT 158. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 8 feet. 1935–1947 (200 mm e)
Matanzas River Daybeacon 159..	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 4 feet.
Matanzas River Daybeacon 160..	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 4 feet.
MATANZAS RIVER LIGHT 162. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 8 feet. 1935 (200 mm e)
Matanzas River Daybeacon 164.. Matanzas River Daybeacon 166..	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 8 feet.
ST. AUGUSTINE LIGHT F. Fl. W., 30 sec.	Conical tower; white base with black cornice; black and white spirally banded shaft; black below lantern deck; red above.	Fixed light, with 0.3 sec., flash every 30 sec., F. 20,000 cp., Fl. 450,000 cp. 161 feet high. 1824–1874 (1 e)
MATANZAS RIVER LIGHT 167. U. Fl. G., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 10 cp. 16 feet high. In 5 feet. (200 mm e) 1923–1935
Matanzas River Daybeacon 168..	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.

Name; mark on aid Character of light	Description	Remarks
SAN SEBASTIAN RIVER		
San Sebastian River Daybeacon 2. San Sebastian River Daybeacon 4. San Sebastian River Daybeacon 1. San Sebastian River Daybeacon 3. San Sebastian River Daybeacon 5. San Sebastian River Daybeacon 7. San Sebastian River Daybeacon 6. San Sebastian River Daybeacon 9. San Sebastian River Daybeacon 11. San Sebastian River Daybeacon 8. San Sebastian River Daybeacon 10.	Even numbered daybeacons are white triangular daymarks on pile; odd numbered daybeacons are white square daymarks on pile.	In 4 to 9 feet.
ST. JOHNS RIVER TO MATANZAS INLET		
Matanzas River Daybeacon 169 Matanzas River Daybeacon 171	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 172. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 173	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 174 Matanzas River Daybeacon 176	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 177 U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 178 Matanzas River Daybeacon 180	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 181	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet
MATANZAS RIVER LIGHT 182. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 183	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 184	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet
MATANZAS RIVER LIGHT 185. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
MATANZAS RIVER LIGHT 187. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 14 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 189 Matanzas River Daybeacon 191	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 192. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 11 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 193	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 194	Red triangular daymark with yellow border, on white pile. Red reflector.	16 feet high. In 6 feet.
MATANZAS RIVER LIGHT 195. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 196 Matanzas River Daybeacon 198	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 199	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 6 feet.
Matanzas River Daybeacon 200	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet

Name; mark on aid Character of light	Description	Remarks
ST. JOHNS RIVER TO MATANZAS INLET		
MATANZAS RIVER LIGHT 201. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 202	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 203	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 4 feet.
MATANZAS RIVER LIGHT 204. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 205	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 206	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 207	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 208 Matanzas River Daybeacon 210	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 211	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 213. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet 1938-1946 (200 mm e)
Matanzas River Daybeacon 214 Matanzas River Daybeacon 216 Matanzas River Daybeacon 217 Matanzas River Daybeacon 218 Matanzas River Daybeacon 220 Matanzas River Daybeacon 222	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector, on white pile.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 224. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938-1946 (200 mm e)
Matanzas River Daybeacon 226	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 227	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 228. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 230	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 231	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 232	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 6 feet.
MATANZAS RIVER LIGHT 233. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
MATANZAS RIVER RANGE FRONT LIGHT 235. U. Fl. W., 4 sec.	Black diamond daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 12 feet high. In 3 feet. 1937 (200 mm e)
Matanzas River Range Rear Daybeacon 235.	Black circular daymark with yellow border, on white pile.	18 feet high. 130 yards 165° from front light.
Matanzas River Range Front Daybeacon 236.	Red diamond daymark with yellow border, on white pile. Red reflector.	12 feet high.
Matanzas River Range Rear Daybeacon 236.	Red circular daymark with yellow border, on white pile. Red reflector.	18 feet high. 230 yards 187° from front daybeacon.
Matanzas River Daybeacon 237	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 238	Red band and pointer with yellow top, on white pile. Red reflector.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 1. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
MATANZAS INLET TO MOSQUITO LAGOON		
MATANZAS RIVER LIGHT 2. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938-1946 (200 mm e)
Matanzas River Daybeacon 3	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 4. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 6	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 7	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 8	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 10. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 11	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Matanzas River Daybeacon 12	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 13. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Matanzas River Daybeacon 15 Matanzas River Daybeacon 16 Matanzas River Daybeacon 17 Matanzas River Daybeacon 18	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	12 feet high. In 3 feet.
MATANZAS RIVER LIGHT 19. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Fox Cut Daybeacon 21	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
FOX CUT LIGHT 23 Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Silver Lake Daybeacon 25 Silver Lake Daybeacon 27 Silver Lake Daybeacon 29 Silver Lake Daybeacon 31 Silver Lake Daybeacon 33	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 3 feet.
SILVER LAKE LIGHT 35 Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Smith Creek Daybeacon 36 Smith Creek Daybeacon 37 Smith Creek Daybeacon 38 Smith Creek Daybeacon 39 Smith Creek Daybeacon 41 Smith Creek Daybeacon 42 Smith Creek Daybeacon 43 Smith Creek Daybeacon 44 Smith Creek Daybeacon 45 Smith Creek Daybeacon 47 Smith Creek Daybeacon 48 Halifax River Daybeacon 50	Even numbered daybeacons are red triangular daymarks with yellow border and red reflectors on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflectors, on white pile.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 52. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 53	Black square daymark with yellow border on pile. Green reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 54	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.

Name; mark on aid Character of light	Description	Remarks
MATANZAS INLET TO MOSQUITO LAGOON		
Halifax River Daybeacon 56	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 58	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 60. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 62 Halifax River Daybeacon 64 Halifax River Daybeacon 65 Halifax River Daybeacon 66 Halifax River Daybeacon 67	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector, on white pile.	12 feet high. In 3 feet.
Halifax River Daybeacon 68	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 69. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 70 Halifax River Daybeacon 71 Halifax River Daybeacon 72 Halifax River Daybeacon 73 Halifax River Daybeacon 74 Halifax River Daybeacon 75 Halifax River Daybeacon 76	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector, on white pile.	12 feet high. In 3 feet.
Halifax River Daybeacon 77	Black band and pointer with yellow top on white pile. Green reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 78	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 79	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 80	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 81. Fl. W., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 82	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 83	Black square daymark with yellow border, on white pile. Green reflector.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 84. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Buoy 85	Black, yellow top; 3d-cl. can(s).	In 7 feet.
Halifax River Daybeacon 86 Halifax River Daybeacon 88 Halifax River Daybeacon 90 Halifax River Daybeacon 91 Halifax River Daybeacon 92 Halifax River Daybeacon 94 Halifax River Daybeacon 95 Halifax River Daybeacon 96	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector, on white pile..	12 feet high. In 3 feet.
DAYTONA BEACH		
Daytona Beach Daybeacon 1	Pointer on pile. Green reflector.	
Daytona Beach Daybeacon 2	Pointer on pile. Red reflector.	
Daytona Beach Daybeacon 3	Pointer on pile.	
Daytona Beach Daybeacon 4	Pointer on pile.	
Daytona Beach Daybeacon 5	Pointer on pile.	
Daytona Beach Daybeacon 7	Pointer on pile.	
Daytona Beach Daybeacon 9	Pointer on pile.	

Name; mark on aid Character of light	Description	Remarks
DAYTONA BEACH		
Boat Works Channel Daybeacon 1. Boat Works Channel Daybeacon 2A. Boat Works Channel Daybeacon 3. Boat Works Channel Daybeacon 4. Boat Works Channel Daybeacon 5. Boat Works Channel Daybeacon 6. Boat Works Channel Daybeacon 7. Boat Works Channel Daybeacon 8. Boat Works Channel Daybeacon 10.	Odd numbered daybeacons are black numbers on white pile and pointer. Even-numbered daybeacons are red numbers on white pile and pointer. Maintained by Daytona Beach Boat Works.	12 feet high. In 4 to 6 feet.
MATANZAS INLET TO MOSQUITO LAGOON		
Halifax River Daybeacon 98	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. On northerly side of entrance to Daytona Beach Boat Works Channel. In 6 feet.
HALIFAX RIVER LIGHT 99. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 100	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 101. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 102 Halifax River Daybeacon 104	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 105. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 106	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 107	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 108. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 109	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 110	Red triangular daymark with yellow border, on white pile. Red reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 111	Black band and pointer with yellow top on white pile. Green reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 113 Halifax River Daybeacon 114 Halifax River Daybeacon 115 Halifax River Daybeacon 117 Halifax River Daybeacon 118	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 119. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 120	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 121	Black square daymark with yellow border on pile. Green reflector.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 122. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 123	Black square daymark with yellow border on pile. Green reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 124	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.

Name; mark on aid Character of light	Description	Remark
MATANZAS INLET TO MOSQUITO LAGOON		
HALIFAX RIVER LIGHT 125. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 126	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 127	Black band and pointer with yellow top on pile. Green reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 128	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 3 feet.
HALIFAX RIVER LIGHT 129. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Halifax River Daybeacon 130	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 3 feet.
Halifax River Daybeacon 132	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 3 feet.
Ponce de Leon Cut Daybeacon 133.	Black square daymark with yellow border on pile. Green reflector.	12 feet high. In 3 feet.
PONCE DE LEON CUT LIGHT 134. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Ponce de Leon Cut Daybeacon 136.	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 3 feet.
Ponce de Leon Cut Daybeacon 137.	Black square daymark with yellow border on pile. Green reflector.	12 feet high. In 3 feet.
Ponce de Leon Cut Daybeacon 138.	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 3 feet.
Ponce de Leon Cut Daybeacon 140.	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 3 feet.
Ponce de Leon Cut Daybeacon 141.	Black square daymark with yellow border on pile. Green reflector.	12 feet high. In 3 feet.
PONCE DE LEON CUT LIGHT 142. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin. Red reflector.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Ponce de Leon Cut Daybeacon 143.	Black square daymark with yellow border on pile. Green reflector.	12 feet high. In 3 feet.
Ponce de Leon Cut Daybeacon 144.	Red triangular daymark with yellow border on pile. Red reflector.	12 feet high. In 3 feet.
Ponce de Leon Cut Daybeacon 145.	Black square daymark with yellow border on pile. Green reflector.	12 feet high. In 3 feet.
Ponce de Leon Cut Daybeacon 147.	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
PONCE DE LEON CUT LIGHT 148. U. Fl. R., 4 sec	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 14 feet high. In 3 feet. 1938 (200 mm e)
Hillsborough River Buoy 148A	Red with yellow top; 3d-cl. nun (s).	In 6 feet.
Hillsborough River Daybeacon 150.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
HILLSBOROUGH RIVER LIGHT 152. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 14 feet high. In 3 feet. 1938–1946 (200 mm e)
HILLSBOROUGH RIVER LIGHT 154. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 14 feet high. In 3 feet. 1938 (200 mm e)
Hillsborough River Daybeacon 156. Hillsborough River Daybeacon 158.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.

Name; mark on aid Character of light	Description	Remarks
MATANZAS INLET TO MOSQUITO LAGOON		
Hillsborough River Daybeacon 159.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
Hillsborough River Daybeacon 161.		
Hillsborough River Daybeacon 163.		
Hillsborough River Daybeacon 165.		
HILLSBOROUGH RIVER LIGHT 166. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 14 feet high. In 3 feet. 1938 (200 mm e)
Hillsborough River Daybeacon 167.	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Hillsborough River Daybeacon 169.		
HILLSBOROUGH RIVER LIGHT 170. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 14 feet high. In 3 feet. 1938 (200 mm e)
Hillsborough River Daybeacon 171.	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
HILLSBOROUGH RIVER LIGHT 173. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1939 (200 mm e)
Hillsborough River Daybeacon 175.	Black square daymark with yellow border on pile. Green reflector.	12 feet high. In 3 feet.
HILLSBOROUGH RIVER LIGHT 177. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Hillsborough River Daybeacon 178.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Hillsborough River Daybeacon 179.	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
Hillsborough River Daybeacon 180.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet
HILLSBOROUGH RIVER LIGHT 181. U. Fl. W. 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Hillsborough River Daybeacon 182.	Even numbered daybeacons are red triangular daymarks with yellow border and red reflector on white pile; odd numbered daybeacons are black square daymarks with yellow border and green reflector on white pile.	12 feet high. In 3 feet.
Hillsborough River Daybeacon 184.		
Hillsborough River Daybeacon 185.		
Hillsborough River Daybeacon 186.		
HILLSBOROUGH RIVER LIGHT 187. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Hillsborough River Daybeacon 188.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
HILLSBOROUGH RIVER LIGHT 189. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 14 feet high. In 3 feet. 1938 (200 mm e)
Hillsborough River Daybeacon 190.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
HILLSBOROUGH RIVER LIGHT 191. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
Hillsborough River Daybeacon 193.	Black square daymark with yellow border, on pile. Green reflector	12 feet high. In 3 feet.
Hillsborough River Daybeacon 194.	Red band and pointer with yellow top, on pile. Red reflector.	12 feet high In 3 feet.
Hillsborough River Daybeacon 195.	Black square daymark with yellow border, on pile. Green reflector.	12 feet high In 3 feet.
Hillsborough River Daybeacon 196.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
HILLSBOROUGH RIVER LIGHT 197. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 3 feet. 1938 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
MATANZAS INLET TO MOSQUITO LAGOON		
Hillsborough River Daybeacon 198.	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Hillsborough River Daybeacon 199.	Black square daymark with yellow border, on pile. Green reflector.	12 feet high. In 3 feet.
MOSQUITO LAGOON TO EAU GALLIE		
Mosquito Lagoon Daybeacon 2	Red triangular daymark with yellow border, on pile. Red reflector.	12 feet high. In 3 feet.
Mosquito Lagoon Daybeacon 4	Red triangular daymark with yellow border, on pile.	12 feet high. In 3 feet.
MOSQUITO LAGOON LIGHT 5. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 50 cp. 12 feet high. In 1 foot. 1935 (200 mm e)
Mosquito Lagoon Buoy 6	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Mosquito Lagoon Buoy 7	Black with yellow top; 3d-cl. can (s).	In 6 feet.
Mosquito Lagoon Buoy 8 *Mosquito Lagoon Buoy 10* *Mosquito Lagoon Buoy 12*	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
MOSQUITO LAGOON LIGHT 13. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 3 feet. 1935 (200 mm e)
Mosquito Lagoon Buoy 13A *Mosquito Lagoon Buoy 14* *Mosquito Lagoon Buoy 16* *Mosquito Lagoon Buoy 17* *Mosquito Lagoon Buoy 18* *Mosquito Lagoon Buoy 20* *Mosquito Lagoon Buoy 21* *Mosquito Lagoon Buoy 22* *Mosquito Lagoon Buoy 24* *Mosquito Lagoon Buoy 26*	Even-numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd-numbered buoys are black with yellow top; 3d-cl. cans (s).	In 6 feet.
MOSQUITO LAGOON LIGHT 27. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 3 feet. 1935 (150 mm e)
Mosquito Lagoon Buoy 28 *Mosquito Lagoon Buoy 30* *Mosquito Lagoon Buoy 32*	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Mosquito Lagoon Buoy 33	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
MOSQUITO LAGOON LIGHT 35. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 14 feet high. In 6 feet. 1939 (200 mm e)
Mosquito Lagoon Buoy 36	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Mosquito Lagoon Buoy 37 *Mosquito Lagoon Buoy 39* *Mosquito Lagoon Buoy 41*	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
MOSQUITO LAGOON LIGHT 42. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 9 cp. 12 feet high. In 3 feet. 1935 (150 mm e)
Mosquito Lagoon Buoy 43 *Mosquito Lagoon Buoy 45*	Black, with yellow top, 3d-cl. can (s).	In 6 feet.
MOSQUITO LAGOON LIGHT 46. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 12 feet high. In 5 feet. 1935-1943 (200 mm e)
Mosquito Lagoon Buoy 47 *Mosquito Lagoon Buoy 49*	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Mosquito Lagoon Buoy 50	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
MOSQUITO LAGOON LIGHT 51. U. Fl. G., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 8 cp. 12 feet high. In 6 feet. 1935 (150 mm e)
Mosquito Lagoon Buoy 52	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Mosquito Lagoon Daybeacon 54	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.
Mosquito Lagoon Daybeacon 55	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
INDIAN RIVER		
Indian River North Daybeacon 56.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 3 feet.

Name; mark on aid Character of light	Description	Remarks
INDIAN RIVER		
Indian River North Daybeacon 57.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
Indian River North Buoy 58	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER NORTH LIGHT 59. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 5 feet. 1935 (150 mm e)
Indian River North Buoy 61 *Indian River North Buoy 63* *Indian River North Buoy 65* *Indian River North Buoy 66*	Even numbered buoys are red with yellow tops; 3d-cl. nuns (s). Odd numbered buoys are black with yellow tops; 3d-cl. cans (s).	In 6 feet.
INDIAN RIVER NORTH LIGHT 67. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 14 feet high. In 6 feet. 1939–1946 (200 mm e)
Indian River North Buoy 69 *Indian River North Buoy 71* *Indian River North Buoy 73*	Black with yellow tops; 3d-cl. cans (s).	In 6 feet.
INDIAN RIVER NORTH LIGHT 74. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 9 cp. 12 feet high. In 7 feet. 1935 (150 mm e)
Indian River North Buoy 75	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River North Buoy 76	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER NORTH LIGHT 77. U. Fl. G., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 8 cp. 12 feet high. In 8 feet. 1935 (150 mm e)
Indian River North Buoy 79	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River North Buoy 80	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER NORTH LIGHT 81. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. 1935 (150 mm e)
Indian River North Buoy 82	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Indian River North Buoy 83	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River North Buoy 84	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
Indian River North Buoy 85	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
INDIAN RIVER NORTH LIGHT 86. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 9 cp. 12 feet high. In 9 feet. 1934 (150 mm e)
Indian River North Buoy 87	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Titusville Yacht Basin Daybeacon 1. Titusville Yacht Basin Daybeacon 2. Titusville Yacht Basin Daybeacon 3. Titusville Yacht Basin Daybeacon 4. Titusville Yacht Basin Daybeacon 5. Titusville Yacht Basin Daybeacon 6.	Even numbered daybeacons are white pile with red pointer and red reflector. Odd-numbered daybeacons are white pile with black pointer and green reflector.	8 feet high. In 6 feet.
Indian River North Buoy 88	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
Indian River North Buoy 89 *Indian River North Buoy 91* *Indian River North Buoy 93*	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 94	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER NORTH LIGHT 95. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 7 feet. 1934 (150 mm e)
Indian River North Buoy 97	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 99	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 100	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
Indian River North Buoy 101 *Indian River North Buoy 103* *Indian River North Buoy 105*	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 106	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.

Name; mark on aid Character of light	Description	Remarks
INDIAN RIVER		
INDIAN RIVER NORTH LIGHT 107. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 7 feet. 1934 (150 mm e)
Indian River North Buoy 108	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
Indian River North Buoy 109	Black, wth yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 111	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 113	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 114	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER NORTH LIGHT 115. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 7 feet. 1934-1943 (200 mm e)
Indian River North Buoy 117	Black, wlth yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 119	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 121	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 122	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER NORTH LIGHT 123. U. Fl. G., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 8 cp. 12 feet high. In 9 feet. 1934 (150 mm e)
Indian River North Buoy 125	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indion River North Buoy 127	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 128	Red; 3d-cl. nun (s)	In 7 feet.
INDIAN RIVER NORTH LIGHT 129 U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 6 feet. 1934 (150 mm e)
Courtenay Channel Daybeacon 1.	Black square daymark on pile. Green reflector.	10 feet high. In 5 feet.
Courtenay Channel Daybeacon 2.	Even numbered daybeacons are red square daymarks on pile. Odd numbered daybeacons are black square daymarks on pile.	10 feet high. In 5 feet.
Courtenay Channel Daybeacon 3.		
Courtenay Channel Daybeacon 4.		
Courtenay Channel Daybeacon 5.		
Courtenay Channel Daybeacon 7.		
Courtenay Channel Daybeacon 9.		
Courtenay Channel Daybeacon 12.		
Courtenay Channel Daybeacon 11.		
Courtenay Channel Daybeacon 13.		
Courtenay Channel Daybeacon 15.		
Indian River North Buoy 131	Even numbered buoys are red with yellow top; 3d-cl. nun (s). Odd numbered buoys are black with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River North Buoy 133		
Indian River North Buoy 135		
Indian River North Buoy 136		
Indian River North Buoy 137		
Indian River North Buoy 139		
Indian River North Buoy 141		
Indian River North Buoy 142		
Indian River North Buoy 143		
INDIAN RIVER NORTH LIGHT 144. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 9 cp. 12 feet high. In 8 feet. 1934 (150 mm e)
Indian River North Buoy 145	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River North Buoy 147		
Indian River North Buoy 149		
Cocoa Yacht Basin Buoy 3	Black; can (M)	
Cocoa Yacht Basin Buoy 4	Red; nun (M)	
Cocoa Yacht Basin Buoy 5	Black; can (M)	
INDIAN RIVER NORTH LIGHT 151. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 50 cp. 12 feet high. In 7 feet. 1934 (200 mm e)
Indian River North Buoy 152	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
Indian River North Buoy 153	Black, with yellow top; 3d-cl. can (s).	In 7 feet.

Name; mark on aid Character of light	Description	Remarks
INDIAN RIVER		
Indian River North Buoy 154	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER NORTH LIGHT 155. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 10 feet. 1934 (150 mm e)
INDIAN RIVER NORTH LIGHT 156. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 9 cp. 12 feet high. In 10 feet. 1934 (150 mm e)
BANANA RIVER		
BANANA RIVER LIGHT 1. Fl. W., 4 sec. U.	Black square daymark on pile dolphin.	Flash 0.4 sec. 50 cp. 12 feet high. At entrance to Banana River from Indian River. 1942 (200 mm e)
Banana River Buoy 2	Red; 3d-cl. nun (s)	In 9 feet.
BANANA RIVER LIGHT 3. Fl. W., 4 sec. U.	Black square daymark on pile dolphin.	Flash 0.4 sec. 40 cp. 12 feet high. 1942 (150 mm e)
Banana River Buoy 4	Red; 3d-cl. nun (s)	In 6 feet.
BANANA RIVER LIGHT 5. Fl. W., 4 sec. U.	Black square daymark on pile dolphin.	Flash 0.4 sec. 40 cp. 12 feet high. In 9 feet. 1942 (150 mm e)
Banana River Buoy 6	Red; 3d-cl. nun (s)	In 6 feet.
BANANA RIVER RANGE FRONT LIGHT 7. U. Fl. W., 1 sec.	White square daymark visible on range line and black square daymark visible from channel, on pile dolphin.	Flash 0.3 sec. 40 cp. 12 feet high. In 8 feet. 1942 (150 mm e)
BANANA RIVER RANGE REAR LIGHT 7. U. F. W.	White square daymark on skeleton tower on piles.	180 cp. 41 feet high. 650 yards 180° from front light. 1942 (Rg e)
BANANA RIVER LIGHTED BUOY 8. Fl. R., 4 sec.	Red	Flash 0.4 sec. 9 cp. 8 feet high. In 6 feet. (150 mm e)
BANANA RIVER LIGHT 10. Fl. R., 4 sec. U.	Box on post	Flash 0.4 sec. 9 cp. 12 feet high. On end of dock. 1942 (150 mm e)
EAU GALLIE		
INDIAN RIVER SOUTH LIGHT 2. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 9 cp. 12 feet high. In 12 feet. 1935 (150 mm e)
EAU GALLIE LIGHT. Fl. R. 4 sec. U.	White square structure, upper part inclosed.	Flash 0.4 sec. 11 cp. 42 feet high. 1906-1935 (200 mm e)
Eau Gallie Daybeacon 1	Black pile with pointer. Green reflector.	12 feet high. In 3 feet.
Eau Gallie Daybeacon 3		
Eau Gallie Daybeacon 5		
Eau Gallie Daybeacon 7		
Eau Gallie Daybeacon 9		
Eau Gallie Daybeacon 11		
Eau Gallie Daybeacon 13		
Eau Gallie Daybeacon 15		
EAU GALLIE TO ST. LUCIE INLET		
Indian River South Buoy 4	Red, with yellow top; 3d-cl. nun (s).	In 5 feet.
INDIAN RIVER SOUTH LIGHT 5. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 50 cp. 12 feet high. In 10 feet. 1934 (200 mm e)
MELBOURNE		
Melbourne Daybeacon 7	Black pile with pointer. Green reflector.	12 feet high. In 3 feet.
Melbourne Daybeacon 6	Red pile with pointer. Red reflector.	12 feet high. In 5 feet.
Melbourne Daybeacon 9	Black pile with pointer. Green reflector.	12 feet high. In 3 feet.
Melbourne Daybeacon 8	Red pile with pointer. Red reflector.	12 feet high. In 3 feet.
Melbourne Daybeacon 11	Black pile with pointer. Green reflector.	12 feet high. In 3 feet.
Melbourne Daybeacon 10	Red pile with pointer.	12 feet high. In 3 feet.
Melbourne Daybeacon 12	Red reflector.	
Indian River South Buoy 7	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 6 feet.
Indian River South Buoy 9		
Indian River South Buoy 10		
Indian River South Buoy 11		
Indian River South Buoy 13		
Indian River South Buoy 15		
Indian River South Buoy 16		
Indian River South Buoy 17		
Indian River South Buoy 19		
Indian River South Buoy 21		
Indian River South Buoy 22		
Indian River South Buoy 23		
Indian River South Buoy 25		
Indian River South Buoy 26		

Name; mark on aid Character of light	Description	Remarks
EAU GALLIE TO ST. LUCIE INLET		
INDIAN RIVER SOUTH LIGHT 27. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 6 feet. 1934 (150 mm e)
Indian River South Buoy 29	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 31		
Indian River South Buoy 33		
Indian River South Buoy 34	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 35. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 7 feet. 1934-1943 (150 mm e)
Indian River South Buoy 37	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 38	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 39. U. Fl. G., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 8 cp. 12 feet high. In 7 feet. 1934 (150 mm e)
Indian River South Buoy 41	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 43	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 44	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER SOUTH LIGHT 45. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 6 feet. 1934-1945 (150 mm e)
Indian River South Buoy 46	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 47. U. Fl. G., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 8 cp. 12 feet high. In 7 feet. 1934 (150 mm e)
Indian River South Buoy 49	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 50	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 51. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 7 feet. 1934 (150 mm e)
Indian River South Buoy 53	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 54	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER SOUTH LIGHT 55. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 6 feet. 1934 (150 mm e)
Indian River South Buoy 56	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER SOUTH LIGHT 57. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 6 feet. 1934 (150 mm e)
Indian River South Buoy 59	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 60	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 61. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 8 feet. 1934-1943 (150 mm e)
Indian River South Buoy 63	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 65		
Indian River South Buoy 66	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 67. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 50 cp. 16 feet high. In 8 feet. 1934-1946 (200 mm e)
INDIAN RIVER SOUTH LIGHT 68. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1934-1944 (200 mm e)
Indian River South Buoy 69	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River South Buoy 71		
Indian River South Buoy 72	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER SOUTH LIGHT 73. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 6 feet. 1934 (150 mm e)
Indian River South Buoy 75	Black, with yellow top; 3d-cl. can (s).	In 6 feet
Indian River South Buoy 77		
Indian River South Buoy 79		
Indian River South Buoy 78	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.

Name; mark on aid Character of light	Description	Remarks
EAU GALLIE TO ST. LUCIE INLET		
Indian River South Buoy 81	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 82	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 83. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 8 feet. 1934 (150 mm e)
Indian River South Buoy 85	Black, with yellow top; 3d-cl. can (s).	In 8 feet.
Indian River South Buoy 87		
Ind an River South Buoy 88	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 89. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 14 feet high. In 7 feet. 1938 (200 mm e)
Indian River South Buoy 91	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River South Buoy 93		
INDIAN RIVER SOUTH LIGHT 94. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 9 cp. 14 feet high. In 8 feet. 1934 (150 mm e)
Indian River South Buoy 95	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River South Buoy 97	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River South Buoy 98	Red, with yellow top· 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER SOUTH LIGHT 99. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 14 feet high. In 7 feet. 1938-1942 (200 mm e)
Indian River South Buoy 101	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 6 to 7 feet.
Indian River South Buoy 102		
Indian River South Buoy 103		
Indian River South Buoy 104		
Indian River South Buoy 105		
Indian River South Buoy 106		
Indian River South Buoy 107		
Indian River South Buoy 108		
Indian River South Buoy 109		
Indian River South Buoy 110		
Indian River South Buoy 111		
Indian River South Buoy 112		
Indian River South Buoy 113		
Indian River South Buoy 114		
Indian River South Buoy 115		
Indian River South Buoy 116		
Indian River South Buoy 117		
Indian River South Buoy 118		
Indian River South Buoy 119		
Indian River South Buoy 120		
Indian River South Buoy 121		
Indian River South Buoy 122		
Indian River South Buoy 123		
Indian River South Buoy 124		
Indian River South Buoy 125		
Indian River South Buoy 126		
Indian River South Buoy 127		
INDIAN RIVER SOUTH LIGHT 128. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 14 feet high In 5 feet. 1938 (200 mm e)
Indian River South Buoy 129	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River South Buoy 131		
Indian River South Buoy 132	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER SOUTH LIGHT 133. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 14 feet high. In 9 feet. 1938 (200 mm e)
Indian River South Buoy 135	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
INDIAN RIVER SOUTH LIGHT 136. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 14 feet high. In 4 feet. 1938 (200 mm e)
Indian River South Buoy 137	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River South Buoy 139		
Indian River South Buoy 140	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER SOUTH LIGHT 141. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 6 feet. 1934 (150 mm e)
Indian River South Buoy 142	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Indian River South Buoy 143	Black, with yellow top; 3d-cl. can (s).	In 6 feet.

Name; mark on aid Character of light	Description	Remarks
EAU GALLIE TO ST. LUCIE INLET		
Indian River South Buoy 144	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Indian River South Buoy 145	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 147	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 148. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 14 feet high. In 2 feet. 1938 (200 mm e)
Indian River South Buoy 149	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Daybeacon 151.	Black square daymark with yellow border on white pile.	12 feet high. In 3 feet.
Indian River South Daybeacon 152.	Red triangular daymark with yellow border on white pile.	12 feet high. In 3 feet.
Indian River South Daybeacon 153.	Black square daymark with yellow border on white pile.	12 feet high. In 3 feet.
Indian River South Daybeacon 154.	Red band and pointer with yellow top on white pile. Red reflector.	12 feet high. In 3 feet.
Indian River South Buoy 155	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Indian River South Buoy 156	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
INDIAN RIVER SOUTH LIGHT 157. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 14 feet high. In 7 feet. 1934 (200 mm e)
Indian River South Buoy 158 *Indian River South Buoy 159* *Indian River South Buoy 160* *Indian River South Buoy 161* *Indian River South Buoy 162* *Indian River South Buoy 163* *Indian River South Buoy 164* *Indian River South Buoy 165* *Indian River South Buoy 166* *Indian River South Buoy 167* *Indian River South Buoy 168* *Indian River South Buoy 169*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 6 to 7 feet.
Indian River South Daybeacon 170.	Red triangular daymark with yellow border on pile.	In 6 feet.
Indian River South Daybeacon 171.	Black square daymark with yellow border on pile.	In 6 feet.
Indian River South Daybeacon 172.	Red triangular daymark with yellow border on pile.	In 6 feet.
Indian River South Daybeacon 173.	Black square daymark with yellow border on pile.	In 6 feet.
Indian River South Buoy 175	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 176. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 9 cp. 12 feet high. In 4 feet. 1934 (150 mm e)
Indian River South Buoy 177 *Indian River South Buoy 178* *Indian River South Buoy 179* *Indian River South Buoy 181* *Indian River South Buoy 183*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 6 to 7 feet.
INDIAN RIVER SOUTH LIGHT 183. U. Fl. G., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 8 cp. 12 feet high. In 7 feet. 1934 (150 mm e)
Indian River South Buoy 185	Black, with yellow top; 3d-cl. can (s).	In 10 feet.
INDIAN RIVER SOUTH LIGHT 186. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 9 cp. 12 feet high. In 10 feet. 1934 (150 mm e)
Indian River South Buoy 187	Black, with yellow top; 3d-cl. can (s).	In 10 feet.
Indian River South Buoy 188	Red, with yellow top; 3d-cl. nun (s).	In 10 feet.
INDIAN RIVER SOUTH LIGHT 189. U. Fl W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 9 feet. 1934 (150 mm e)
Indian River South Buoy 191 *Indian River South Buoy 193* *Indian River South Buoy 194* *Indian River South Buoy 195* *Indian River South Buoy 196*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 6 to 7 feet.
INDIAN RIVER SOUTH LIGHT 197. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 8 feet 1934–1947 (150 mm e)

Name; mark on aid Character of light	Description	Remarks
EAU GALLIE TO ST. LUCIE INLET		
Indian River South Buoy 199	Black, with yellow top; 3d-cl. can (s).	In 8 feet.
Indian River South Buoy 201	Black, with yellow top; 3d-cl. can (s).	In 8 feet.
INDIAN RIVER SOUTH LIGHT 202. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on pile structure.	Flash 0.4 sec. 11 cp. 12 feet high. In 8 feet. 1934-1943 (200 mm e)
Indian River South Buoy 203	Black with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 204	Red with yellow top; 3d.cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 205. U. Fl W., 4 sec.	Black square daymark with yellow border, on pile structure	Flash 0.4 sec. 40 cp. 16 feet high. In 7 feet. 1934-1943 (150 mm e)
Indian River South Buoy 207 *Indian River South Buoy 208* *Indian River South Buoy 209* *Indian River South Buoy 211* *Indian River South Buoy 213* *Indian River South Buoy 215* *Indian River South Buoy 216*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 7 to 8 feet.
INDIAN RIVER SOUTH LIGHT 217. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin	Flash 0.4 sec. 50 cp. 14 feet high. In 7 feet. 1938 (200 mm e)
Indian River South Buoy 219 *Indian River South Buoy 221* *Indian River South Buoy 222* *Indian River South Buoy 223* *Indian River South Buoy 225* *Indian River South Buoy 226* *Indian River South Buoy 227* *Indian River South Buoy 228*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 7 to 8 feet.
INDIAN RIVER SOUTH LIGHT 229. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 8 feet. 1934 (150 mm e)
Indian River South Buoy 230	Red with yellow top; 3d-cl. nun (s).	In 7 feet.
Indian River South Buoy 231	Black with yellow top; 3d-cl. can (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 233. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 6 feet. 1934-1943 (150 mm e)
Indian River South Junction Buoy	Red and black horizontal bands; 3d-cl. nun (s).	In 7 feet
FORT PIERCE INLET LIGHT 12. U. Fl. R., 4 sec.	Red triangular daymark on on pile structure.	Flash 0.4 sec. 11 cp. 18 feet high. On north side of entrance to turning basin. In 7 feet. (200 mm e) 1935-1937
FORT PIERCE INLET LIGHT 13. U. Fl. G., 4 sec.	Black square daymark on pile structure.	Flash 0.4 sec. 10 cp. 18 feet high. On south side of entrance to turning basin. In 6 feet. (200 mm e) 1935-1937
FORT PIERCE		
Taylor Creek Buoy 1	Black; 3d-cl. can (s)	In 6 feet.
Taylor Creek Buoy 2	Red; 3d-cl. nun (s)	In 6 feet.
Taylor Creek Buoy 3	Black; can (M)	Mark channel to entrance to Taylor Creek. In 6 feet.
Taylor Creek Buoy 4	Red; nun (M)	
Taylor Creek Buoy 5	Black; can (M)	
Taylor Creek Buoy 6	Red; nun (M)	
Yacht Basin Buoy 1 *Yacht Basin Buoy 2* *Yacht Basin Buoy 3* *Yacht Basin Buoy 4* *Yacht Basin Buoy 5* *Yacht Basin Buoy 6*	Even numbered buoys are red; 3d-cl. nun (s). Odd numbered buoys are black; 3d-cl. cans (s)	In 5 feet.
EAU GALLIE TO ST. LUCIE INLET		
Indian River South Buoy 234 *Indian River South Buoy 235* *Indian River South Buoy 237* *Indian River South Buoy 239* *Indian River South Buoy 240* *Indian River South Buoy 241* *Indian River South Buoy 243*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 245. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 7 feet. 1934 (150 mm e)

Name; mark on aid Character of light	Description	Remarks
EAU GALLIE TO ST. LUCIE INLET		
Indian River South Buoy 246 *Indian River South Buoy 247* *Indian River South Buoy 249* *Indian River South Buoy 251* *Indian River South Buoy 252* *Indian River South Buoy 253* *Indian River South Buoy 255* *Indian River South Buoy 257* *Indian River South Buoy 258* *Indian River South Buoy 259* *Indian River South Buoy 261* *Indian River South Buoy 262*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 7 to 9 feet.
INDIAN RIVER SOUTH LIGHT 263. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. 6 In feet. 1934 (150 mm e)
Indian River South Buoy 265 *Indian River South Buoy 267* *Indian River South Buoy 268* *Indian River South Buoy 269* *Indian River South Buoy 271* *Indian River South Buoy 273* *Indian River South Buoy 274* *Indian River South Buoy 275* *Indian River South Buoy 277*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 8 to 9 feet.
INDIAN RIVER SOUTH LIGHT 279. U. Fl. W., 4 sec.	lack square daymark with yellow border, on pile structure.	Flash 0.4 sec. 50 cp. 12 feet high. In 8 feet. 1934–1943 (200 mm e)
Indian River South Buoy 280 *Indian River South Buoy 281* *Indian River South Buoy 283* *Indian River South Buoy 285* *Indian River South Buoy 286* *Indian River South Buoy 287* *Indian River South Buoy 289* *Indian River South Buoy 291* *Indian River South Buoy 292* *Indian River South Buoy 293* *Indian River South Buoy 294* *Indian River South Buoy 295* *Indian River South Buoy 297* *Indian River South Buoy 299* *Indian River South Buoy 300* *Indian River South Buoy 301* *Indian River South Buoy 303* *Indian River South Buoy 305* *Indian River South Buoy 306* *Indian River South Buoy 307* *Indian River South Buoy 309* *Indian River South Buoy 310*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top, 3d-cl. caus (s).	In 6 to 8 feet.
INDIAN RIVER SOUTH LIGHT 311. U. Fl. W. 4 sec.	Black square daymark with yellow border ,on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 7 feet. 1934 (150 mm e)
Indian River South Buoy 312	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 313. U. Fl. G., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 10 cp. 12 feet high. In 7 feet. 1934 (200 mm e)
Indian River South Buoy 314	Red, with yellow top; 3d-cl. nun (s).	In 7 feet.
INDIAN RIVER SOUTH LIGHT 315. U. Fl. W., 4 sec.	Black square daymark with yellow border, on pile structure.	Flash 0.4 sec. 40 cp. 12 feet high. In 7 feet. 1934 (150 mm e)
ST. LUCIE CROSSOVER NORTH RANGE FRONT LIGHT 316. U. Fl. R., 1 sec.	Red diamond daymark with yellow border on white dolphin.	Flash 0.3 sec. 11 cp. 12 feet high. In 5 feet. 1943 (200 mm e)
ST. LUCIE CROSSOVER NORTH RANGE REAR LIGHT 316. U. F. W.	Red circular daymark with yellow border on white pyramidal slatted structure on piles.	180 cp. 22 feet high. 250 yards 336° from front light. In 4 feet. 1943 (Rg e)
Indian River South Buoy 317	Black, with yellow top; 3d-cl. can (s).	In 7 feet.
Indian River South Buoy 319	Black; 3d-cl. can (s)	In 7 feet.

Intracoastal Waterway continued on p. 103.

Name; mark on aid Character of light	Description	Remarks
ST. LUCIE RIVER		
ST. LUCIE ENTRANCE RANGE FRONT LIGHT. Fl. W., 1 sec. U.	White diamond daymark on dolphin.	Flash 0.3 sec. 1,200 cp. 16 feet high. 1946 (Rg e)
ST. LUCIE ENTRANCE RANGE REAR LIGHT. F. W. U.	White circular daymark with black border on dolphin.	1,200 cp. 27 feet high. 500 yards 261½° from front light. 1946 (Rg e)
St. Lucie Inlet Buoy 1	Black; 3d-cl. can(s)	In 10 feet. Positions vary. Use only with local knowledge.
St. Lucie Inlet Buoy	Black and white vertical stripes; 3d-cl. can(s).	In 10 feet.
St. Lucie Inlet Buoy 2	Red, 3d-cl. nun (s)	In 6 feet.
St. Lucie Inlet Buoy 3	Black, 3d-cl. can (s)	In 6 feet.
St. Lucie Inlet Buoy 5	Black, 3d-cl. can (s)	In 6 feet.
St. Lucie Inlet Buoy 7	Black with yellow top; 3d-cl. can (s).	At southeast corner of intersection of St. Lucie River channel with Intracoastal Waterway. In 5 feet.
St. Lucie River Buoy 4	Red with yellow top; 3d-cl. nun (s).	In 10 feet.
St. Lucie River Daybeacon 5	Black band and pointer on white pile, yellow top. Green reflector.	10 feet high. In 6 feet.
Salerno Daybeacon 1	Black pile with a black pointer.	10 feet high. In 5 feet.
Salerno Daybeacon 3		
Salerno Daybeacon 4	Red pile with a red pointer	10 feet high. In 3 feet.
St. Lucie River Daybeacon 6	Red band and pointer on white pile, yellow top. Red reflector.	10 feet high. In 6 feet.
ST. LUCIE RIVER LIGHT 8. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 9 cp. 16 feet high. In 9 feet. 1934 (150 mm e)
St. Lucie River Daybeacon 7	Black band and pointer on white pile, yellow top. Green reflector.	10 feet high. In 6 feet.
St. Lucie River Daybeacon 10	Red band and pointer on white pile, yellow top. Red reflector.	10 feet high. In 6 feet.
St. Lucie River Daybeacon 11	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
St. Lucie River Daybeacon 12	Red band and pointer on white pile, yellow top. Red reflector.	10 feet high. In 6 feet.
ST. LUCIE RIVER LIGHT 14. Fl. R., 4 sec. U.	Red rectangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 9 cp. 16 feet high. In 6 feet. 1937 (150 mm e)
ST. LUCIE RIVER LIGHT 15. Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 8 cp. 16 feet high. In 9 feet. 1934 (150 mm e)
St. Lucie River Daybeacon 17	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
St. Lucie River Daybeacon 19		
St. Lucie River Daybeacon 21X		
ST. LUCIE RIVER LIGHT 21. Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 7 feet. 1937 (200 mm e)
St. Lucie River Daybeacon 22	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
ST. LUCIE RIVER LIGHT 23. Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 8 cp. 16 feet high. In 6 feet. 1937 (150 mm e)
St. Lucie River Daybeacon 24	Red band and pointer on pile, yellow top. Red reflector.	11 feet high. In 7 feet.
ST. LUCIE RIVER LIGHT 25. Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
ST. LUCIE RIVER LIGHT 27. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
St. Lucie River Daybeacon 29	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
St. Lucie River Daybeacon 31	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
ST. LUCIE RIVER LIGHT 33. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 7 feet. 1937 (200 mm e)
St. Lucie River Daybeacon 34	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
St. Lucie River Daybeacon 35	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.

Name; mark on aid Character of light	Description	Remarks
ST. LUCIE RIVER		
St. Lucie River Daybeacon 36	Red band and pointer on white pile, yellow top. Red reflector.	11 feet high. In 6 feet.
St. Lucie River Daybeacon 37	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
St. Lucie River Daybeacon 39	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
St. Lucie River Daybeacon 40	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
For Trans-State Waterway, see p. 139.		
ST. LUCIE INLET TO JUPITER INLET		
Great Pocket Buoy 2	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
ST. LUCIE CROSSOVER RANGE FRONT LIGHT 2. Fl. R., 1 sec. U.	Red diamond daymark with yellow border on white pile dolphin.	Flash 0.3 sec. 11 cp. 16 feet high. Range marks the channel across St. Lucie Inlet. In 5 feet. 1939 (200 mm e)
ST. LUCIE CROSSOVER RANGE REAR LIGHT 2. F. W. U.	Red circular daymark with yellow border on white pyramidal structure, on piles	180 cp. 26 feet high. 300 yards, 155½° from the front light. 1939 (Rg e)
Great Pocket Buoy 1	Black; with yellow top; 3d-cl. can (s).	In 6 feet.
GREAT POCKET LIGHT 3. Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Great Pocket Buoy 4	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
GREAT POCKET LIGHT 5. Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Great Pocket Buoy 6	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
GREAT POCKET LIGHT 7. Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Great Pocket Buoy 8	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Great Pocket Buoy 9	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
GREAT POCKET LIGHT 10. Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
NORTH JUPITER NARROWS LIGHT 11. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Peck Lake Buoy 13	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Peck Lake Buoy 14	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Peck Lake Buoy 15	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
PECK LAKE LIGHT 17. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Peck Lake Buoy 18	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Peck Lake Buoy 20	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Peck Lake Buoy 21	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
South Jupiter Narrows Daybeacon 22.	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
SOUTH JUPITER NARROWS LIGHT 23. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
SOUTH JUPITER NARROWS LIGHT 25. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
SOUTH JUPITER NARROWS LIGHT 27. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
ST. LUCIE INLET TO JUPITER INLET		
South Jupiter Narrows Daybeacon 28.	Red band and pointer on white pile, yellow top. Red reflector.	16 feet high. In 6 feet.
SOUTH JUPITER NARROWS LIGHT 29. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
South Juptier Narrows Daybeacon 30.	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 5 feet.
Hobe Sound Buoy 33	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Hobe Sound Buoy 34	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Hobe Sound Buoy 35	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
HOBE SOUND LIGHT 36 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Hobe Sound Buoy 37	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Hobe Sound Buoy 39	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Hobe Sound Buoy 40	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Hobe Sound Buoy 41	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Hobe Sound Buoy 42	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
HOBE SOUND LIGHT 43 Fl. G., 4 sec. U	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Hobe Sound Buoy 44 *Hobe Sound Buoy 45* *Hobe Sound Buoy 46* *Hobe Sound Buoy 47* *Hobe Sound Buoy 48* *Hobe Sound Buoy 49*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 6 feet.
HOBE SOUND LIGHT 51 Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Hobe Sound Buoy 52	Red with yellow top; 3d-cl. nun (s).	In 6 feet.
Hobe Sound Buoy 54	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Hobe Sound Buoy 53	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Jupiter Sound Buoy 56	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Jupiter Sound Buoy 58	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
JUPITER SOUND LIGHT 57 Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin	Flash 0.4 sec 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
JUPITER SOUND LIGHT 60 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Jupiter Sound Buoy 59	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Jupiter Sound Buoy 61	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Jupiter Sound Buoy 62	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
JUPITER SOUND LIGHT 63 Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Jupiter Sound Buoy 64	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Jupiter Sound Buoy 65	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Jupiter Sound Buoy 66	Red, with yellow top 3d-cl. nun (s).	In 6 feet.
Jupiter Sound Buoy 67	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Jupiter Sound Buoy 69	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Jupiter Sound Buoy 70	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
JUPITER SOUND LIGHT 71 Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0. sec. 10 cp. 10 feet high. In 6 feet. 1937 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
ST. LUCIE INLET TO JUPITER INLET		
Jupiter Sound Buoy 72	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
JUPITER SOUND LIGHT 73. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 10 feet high. In 6 feet. 1937 (200 mm e)
JUPITER INLET TO LAKE WORTH INLET		
JUPITER INLET LIGHT. Gp. Fl. W., 30 sec. 2 Flashes.	Red brick tower	Flash 1.2 sec., eclipse 6.6 sec., flash 1.2 sec., eclipse 21 sec. 1,000,000 cp. 146 feet high. On north side of inlet. 1860 (1 e)
Jupiter Inlet Buoy 1	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
JUPITER INLET LIGHT 3. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Jupiter Inlet Buoy 4	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
LAKE WORTH CREEK LIGHT 5. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lake Worth Creek Buoy 6	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Lake Worth Creek Daybeacon 7	Black band and pointer on white pile, yellow top. Green reflector	12 feet high. In 3 feet.
Lake Worth Creek Daybeacon 8	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 3 feet.
LAKE WORTH CREEK LIGHT 9. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 5 feet. 1937 (200 mm e)
Lake Worth Creek Daybeacon 10	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
Lake Worth Creek Daybeacon 11	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 feet.
LAKE WORTH CREEK LIGHT 12. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1937 (200 mm e)
LAKE WORTH CREEK LIGHT 13. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lake Worth Creek Daybeacon 15	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
Lake Worth Creek Daybeacon 16	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 3 feet.
LAKE WORTH CREEK LIGHT 18. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1937 (200 mm e)
Lake Worth Creek Daybeacon 19	Black band and pointer on white pile, yellow top. Green reflector.	16 feet high. In 3 feet.
LAKE WORTH CREEK LIGHT 20. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1937 (200 mm e)
Lake Worth Creek Daybeacon 21	Black band and pointer on white pile, yellow top. Green reflector.	16 feet high. In 3 feet.
Lake Worth North Buoy 22	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
LAKE WORTH NORTH LIGHT 23. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 4 feet. 1937 (200 mm e)
Lake Worth North Buoy 25	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Lake Worth North Buoy 26	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
LAKE WORTH NORTH LIGHT 27. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lake Worth North Buoy 29	Black, with yellow top; 3d-cl. can (s).	In 5 feet.
LAKE WORTH NORTH LIGHT 29A. Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1939. (200 mm e)
Lake Worth North Buoy 31	Black, with yellow top; 3d-cl. can (s).	In 3 feet.

Name; mark on aid Character of light	Description	Remarks
JUPITER INLET TO LAKE WORTH INLET		
Lake Worth North Buoy 32	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Lake Worth North Buoy 33	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
LAKE WORTH NORTH LIGHT 35 U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 9 feet. 1937 (200 mm e)
Lake Worth North Buoy 34	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Lake Worth North Buoy 37	Black with yellow top; 3d-cl. can (s).	In 7 feet.
Lake Worth North Buoy 39	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
LAKE WORTH NORTH LIGHT 40. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lake Worth North Buoy 41	Black, with yellow top; 3d-cl. cans (s).	In 6 feet.
Lake Worth North Buoy 43		
Lake Worth North Buoy 44	Red with yellow top; 3d-cl. nun (s).	In 8 feet.
LAKE WORTH INLET LIGHT 8. U. Fl. R., 4 sec.	Red box and pointer on dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At northeast corner of turning basin. In 16 feet. 1941-1945 (200 mm e)
Lake Worth Inlet Buoy 5	Black; 2d-cl. can (s)	In 16 feet.
LAKE WORTH INLET TO HILLSBORO INLET		
LAKE WORTH SOUTH LIGHT 1. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile.	Flash 0.4 sec. 10 cp. 16 feet high. In 12 feet. 1947 (200 mm e)
Lake Worth South Buoy 2	Red with yellow top; 3d-cl. nuns (s).	In 6 feet.
Lake Worth South Buoy 4		
LAKE WORTH SOUTH LIGHT 5. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 5 feet. 1939 (200 mm e)
Lake Worth South Buoy 7	Black with yellow top; 3d-cl. can (s).	In 6 feet.
Lake Worth South Buoy 8	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
LAKE WORTH SOUTH LIGHT 9. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lake Worth South Buoy 11	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
Lake Worth South Buoy 13	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
LAKE WORTH SOUTH LIGHT 15. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1939 (200 mm e)
Lake Worth South Buoy 15A	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow tops; 3d-cl. cans (s).	In 6 feet.
Lake Worth South Buoy 16		
Lake Worth South Buoy 17		
Lake Worth South Buoy 18	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow tops; 3d-cl. cans (s).	In 6 feet.
Lake Worth South Buoy 19		
Lake Worth South Buoy 21		
Lake Worth South Buoy 22		
Lake Worth South Buoy 23		
LAKE WORTH SOUTH LIGHT 25. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1939 (200 mm e)
Lake Worth South Buoy 26	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s).	In 6 feet.
Lake Worth South Buoy 27		
Lake Worth South Buoy 29		
Lake Worth South Buoy 31		
Lake Worth South Buoy 32		
Lake Worth South Buoy 33		
LAKE WORTH SOUTH LIGHT 35. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1927 (200 mm e)
Lake Worth South Buoy 37	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
LAKE WORTH SOUTH LIGHT 39. U. Fl. G. 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
LAKE WORTH INLET TO HILLSBORO INLET		
Lake Worth South Buoy 38	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Lake Worth South Buoy 41	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
LAKE WORTH SOUTH LIGHT 43. U Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lake Worth South Buoy 44 *Lake Worth South Buoy 45* *Lake Worth South Buoy 47* *Lake Worth South Buoy 49* *Lake Worth South Buoy 51*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d. cl. cans (s).	In 6 feet.
LAKE WORTH SOUTH LIGHT 53. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lake Worth South Buoy 58 *Lake Worth South Buoy 55* *Lake Worth South Buoy 57* *Lake Worth South Buoy 59* *Lake Worth South Buoy 60* *Lake Worth South Buoy 61*	Even numbered buoys are red with yellow top; 3d-cl. nuns (s). Odd numbered buoys are black with yellow top; 3d-cl. cans (s)).	In 6 feet.
LAKE WORTH SOUTH LIGHT 63. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937-1942 (200 mme)
Lake Worth South Buoy 65	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
LAKE WORTH SOUTH LIGHT 67. U. Fl. G . 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lake Worth South Buoy 66	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
Lake Worth South Buoy 69	Black, with yellow top; 3d-cl. can (s).	In 3 feet.
Lake Worth South Buoy 69A	Black, with yellow top; 3d-cl. can (s).	In 3 feet.
Lake Worth South Buoy 70	Red, with yellow top; 3d-cl. nun (s).	In 6 feet.
LAKE WORTH SOUTH LIGHT 71. U. Fl. G.. 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lake Worth South Buoy 73	Black, with yellow top; 3d-cl. can (s).	In 6 feet.
LAKE WORTH SOUTH LIGHT 72. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lake Wyman Daybeacon 74	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 3 feet.
Lake Wyman Daybeacon 75	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
LAKE WYMAN LIGHT 76 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin..	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1937 (200 mm e)
Lake Wyman Daybeacon 79	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
Lake Wyman Daybeacon 80	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 3 feet.
LAKE WYMAN LIGHT 81 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. 1937-1945 (200 mm e)
Lake Boca Raton Daybeacon 82	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
LAKE BOCA RATON LIGHT 83. U. Fl. G. 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 3 feet. 1937 (200 mm e)
Lake Boca Raton Daybeacon 84	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 3 feet.
LAKE BOCA RATON LIGHT 85. U. Fl. W., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 5 feet. 1937-1943 (200 mm e)
HILLSBORO RIVER LIGHT 87. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. 1937 (200 mm e)
Hillsboro River Daybeacon 89	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.

Name; mark on aid Character of light	Description	Remarks
LAKE WORTH INLET TO HILLSBORO INLET		
Hillsboro River Daybeacon 91	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
HILLSBORO INLET TO BISCAYNE CREEK		
HILLSBORO INLET LIGHT 1. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Lettuce Lake Daybeacon 2	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 3 feet.
Lettuce Lake Daybeacon 3	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
MUD LAKE LIGHT 5 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 3 feet. 1938 (200 mm e)
MUD LAKE LIGHT 6 Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1938 (200 mm e)
MIDDLE RIVER LIGHT 7 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 4 feet. 1938–1944 (200 mm e)
Middle River Daybeacon 9	Black band and pointer on white pile; yellow top. Green reflector.	12 feet high. In 4 feet.
MIDDLE RIVER LIGHT 10 Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1938 (200 mm e)
Middle River Daybeacon 12	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
MIDDLE RIVER LIGHT 15 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 5 feet. 1937 (200 mm e)
NEW RIVER SOUND LIGHT 16. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 5 feet. 1937 (200 mm e)
NEW RIVER SOUND LIGHT 18. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 5 feet 1937 (200 mm e)
New River Sound Daybeacon 19	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 feet.
New River Sound Daybeacon 21	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 5 feet.
NEW RIVER LIGHT 24 Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1937–1942 (200 mm e)
New River Daybeacon 23	Black band and pointer on white pile, yellow top. Green reflector.	In 6 feet.
New River Daybeacon 25	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 8 feet.
NEW RIVER LIGHT 26 Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 5 feet. 1937 (200 mm e)
New River Daybeacon 27	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 1 foot.
New River Daybeacon 29	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 5 feet.
NEW RIVER LIGHT 31 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 8 feet. 1937–1943 (200 mm e)
New River Daybeacon 2	Red band and pointer on pile. Red reflector.	12 feet high. In 7 feet, at entrance to Tarpon River.
New River Daybeacon 3	Black pointer on black pile	12 feet high. In 4 feet. South side of channel.
New River Daybeacon 4	Red pointer on red pile	12 feet high. In 4 feet. North side of channel.
STRANAHAN RIVER LIGHT 33. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white piles	Flash 0.4 sec. 10 cp. 16 feet high. In 8 feet. 1937–1945 (200 mm e)
Stranahan River Daybeacon 35	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 5 feet.
Stranahan River Daybeacon 37	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 5 feet

Name; mark on aid Character of light	Description	Remarks
HILLSBORO INLET TO BISCAYNE CREEK		
STRANAHAN RIVER LIGHT 39. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white piles.	Flash 0.4 sec. 10 cp. 16 feet high. In 4 feet. 1937 (200 mm e)
STRANAHAN RIVER LIGHT 41. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 5 feet. 1943 (200 mm e)
Stranahan River Daybeacon 42	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 8 feet.
STRANAHAN RIVER LIGHT 44. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 5 feet. 1937–1940 (200 mm e)
Stranahan River Daybeacon 45	Black band and pointer yellow top on white pile. Green reflector.	12 feet high. In 6 feet.
Stranahan River Buoy 46	Red with yellow top; 3d-cl. nun(s). Red reflectors.	In 12 feet.
PORT EVERGLADES LIGHT 8. U. Fl. R., 1 sec.	Red box and cage work on pile.	Flash 0.3 sec. 11 cp. 14 feet high. On north side of channel. In 15 feet. 1934–1939 (200 mm e)
PORT EVERGLADES LIGHT 7. U. Fl. G., 1 sec.	Black box on pile dolphin	Flash 0.3 sec. 10 cp. 14 feet high. South side of channel. In 9 feet. 1934–1947 (200 mm e)
Lake Mabel Daybeacon 47	Black band and pointer, on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
Lake Mabel Buoy 48	Red with yellow top; 3d-cl. nun(s).	In 6 feet.
Lake Mabel Daybeacon 49	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
LAKE MABEL LIGHT 51 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Dania Sound Daybeacon 53 Dania Sound Daybeacon 55 Dania Sound Daybeacon 57 Hollywood Daybeacon 58 Hallandale Daybeacon 60 Hallandale Daybeacon 62 Ojus Daybeacon 64	Even numbered daybeacons are red band and pointer with yellow top and red reflector on white pile; odd numbered daybeacons are black band and pointer with yellow top and green reflector on white pile.	12 feet high. In 3 to 5 feet.
DUMFOUNDLING BAY LIGHT 65. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 4 feet. 1937 (200 mm e)
Dumfoundling Bay Daybeacon 67.	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
Dumfoundling Bay Daybeacon 69.	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 5 feet.
DUMFOUNDLING BAY LIGHT 70. U. Fl. R., 4 sec.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1937 (200 mm e)
Dumfoundling Bay Daybeacon 71.	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
Dumfoundling Bay Daybeacon 73.	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
DUMFOUNDLING BAY LIGHT 75. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 4 feet. 1937
Dumfoundling Bay Daybeacon 74.	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 3 feet. (200 mm e)
BISCAYNE CREEK		
Biscayne Creek Daybeacon 1 Biscayne Creek Daybeacon 5	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
BISCAYNE CREEK LIGHT 7. U. Fl. G., 4 sec.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 3 feet. 1937 (200 mm e)
Biscayne Creek Daybeacon 9 Biscayne Creek Daybeacon 11	Black band and pointer on white pile, yellow top. Green reflector.	In 6 feet.

Name, mark on and Character of light	Description	Remarks
BISCAYNE BAY		
BISCAYNE BAY LIGHT 12 Fl. R., 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1936 (200 mm e)
Biscayne Bay Daybeacon 13 Biscayne Bay Daybeacon 15	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
BISCAYNE BAY LIGHT 16 Fl. R. 4 sec. U.	Red triangular daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Biscayne Bay Daybeacon 17 Biscayne Bay Daybeacon 19 Biscayne Bay Daybeacon 21 Biscayne Bay Daybeacon 23	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 5 to 9 feet.
BISCAYNE BAY LIGHT 25 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1936–1943 (200 mm e)
Biscayne Bay Daybeacon 27 Biscayne Bay Daybeacon 29 Biscayne Bay Daybeacon 31 Biscayne Bay Daybeacon 33	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 to 7 feet.
BISCAYNE BAY LIGHT 35 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 9 feet. 1936–1940 (200 mm e)
Biscayne Bay Daybeacon 37 Biscayne Bay Daybeacon 39 Biscayne Bay Daybeacon 41 Biscayne Bay Daybeacon 43	Black band and pointer on white pile, yellow top. Green reflector.	In 7 feet.
BISCAYNE BAY LIGHT 45 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Biscayne Bay Daybeacon 47 Biscayne Bay Daybeacon 49 Biscayne Bay Daybeacon 51	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 5 feet.
BISCAYNE BAY LIGHT 53 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1936 (200 mm e)
Biscayne Bay Daybeacon 55 Biscayne Bay Daybeacon 57 Biscayne Bay Daybeacon 59 Biscayne Bay Daybeacon 61	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
BISCAYNE BAY LIGHT 63 Fl. G., 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 3 feet. 1936 (200 mm e)
Biscayne Bay Daybeacon 65 Biscayne Bay Daybeacon 67 Biscayne Bay Daybeacon 69 Biscayne Bay Daybeacon 71	Black band and pointer on white pile, yellow top. Green reflector.	In 3 feet.
BISCAYNE BAY LIGHT 73 Fl. G. 4 sec. U.	Black square daymark with yellow border, on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 3 feet. 1936 (200 mm e)
Biscayne Bay Daybeacon 75 Biscayne Bay Daybeacon 77 Biscayne Bay Daybeacon 79	Black band and pointer on white pile, yellow top. Green reflector.	In 5 feet.
Biscayne Bay Buoy	Red and black horizontal bands; 3d-cl. nun (s).	In 10 feet.
MIAMI HARBOR		
MIAMI MAIN CHANNEL LIGHT 20. U. Fl. R. 4 sec.	Red triangular skeleton structure, on pile.	Flash 0.4 sec. 11 cp. 28 feet high. In 12 feet. 1935 (200 mm e)
MIAMI MAIN CHANNEL LIGHT 23. U. Fl. G. 4 sec.	Black box and pointer, on pile dolphin.	Flash 0.4 sec. 10 cp. 15 feet high. In 6 feet. 1935 (200 mm e)
MIAMI MAIN CHANNEL LIGHT 25. U. Fl. G. 4 sec.	Black box and pointer, on pile dolphin.	Flash 0.4 sec. 10 cp. 15 feet high. In 7 feet. 1935 (200 mm e)
MIAMI MAIN CHANNEL LIGHT 27. U. Fl. W. 4 sec.	Black box and pointer, on pile dolphin.	Flash 0.4 sec. 50 cp. 15 feet high. At entrance to turning basin. In 6 feet. 1921 (200 mm e)
Miami South Channel Buoy 9	Black; 3d-cl can(s)	In 7 feet.
Miami South Channel Daybeacon 7.	Black pointer on pile Green reflector.	12 feet high. In 8 feet.
MIAMI SOUTH CHANNEL LIGHT 16. U. Fl. R. 4 sec.	Red box and pointer, on pile dolphin	Flash 0.4 sec. 11 cp. 15 feet high. North end of Yacht Basin. In 15 feet. 1927 (200 mm e)
Miami Yacht Basin Daybeacon 1 Miami Yacht Basid Daybeacon 2 Miami Yacht Basin Daybeacon 3 Miami Yacht Basin Daybeacon 4 Miami Yacht Basin Daybeacon 5 Miami Yacht Basin Daybeacon 6 Miami Yacht Basin Daybeacon 7	Even numbered daybeacons are red pointer and reflector, on pile, odd numbered daybeacons are black pointer and green reflector, on pile.	12 feet high. In 5 to 6 feet.

Name; mark on aid Character of light	Description	Remarks
MIAMI HARBOR		
Miami Bay Front Yacht Basin Daybeacon D.	Red pointer on pile	12 feet high. In 6 feet.
Miami Bay Front Yacht Basin Daybeacon C.	Red pointer on pile	In 6 feet.
Miami Bay Front Yacht Basin Daybeacon B.	Red pointer on pile	In 6 feet.
Miami Bay Front Yacht Basin Daybeacon A.	Red pointer on pile	In 6 feet.
FISHERMANS CHANNEL		
MIAMI MAIN CHANNEL JUNCTION LIGHTED BUOY. I. Gk. Fl. W.	Black and red horizontal bands.	Flashes interrupted by eclipse. 70 cp. In 16 feet. (200 mm a)
Fishermans Channel Daybeacon 2.	Even numbered daybeacons are red pointer on pile with red reflector. Odd numbered daybeacons are black pointer on pile with green reflector.	12 feet high. In 4 to 7 feet
Fishermans Channel Daybeacon 3.		
Fishermans Channel Daybeacon 5.		
Fishermans Channel Daybeacon 6.		
Fishermans Channel Daybeacon 8.		
Fishermans Channel Daybeacon 9.		
Fishermans Channel Daybeacon 11.		
Fishermans Channel Daybeacon 12.		
Fishermans Channel Daybeacon 13.		
Fishermans Channel Junction Buoy.	Red and black horizontal bands; 3d-cl. nun(s).	In 7 feet.
MIAMI HARBOR		
Miami River North Channel Daybeacon 1.	Black pointer on pile	In 6 feet.
Miami River North Channel Daybeacon 1A.	Black pointer on pile	In 3 feet.
Miami River North Channel Daybeacon 3.	Black pointer on pile	In 4 feet.
Miami South Channel Daybeacon 14A.	Red pointer on pile Red reflector.	12 feet high. In 3 feet.
YACHT BASIN RANGE FRONT LIGHT 14. U. Fl. R. 1 sec.	Red box and pointer, on pile dolphin.	Flash 0.3 sec. 11 cp. 15 feet high. At turn. In 12 feet. 1918 (200 mm e)
YACHT BASIN RANGE REAR. U. F.W.	White triangular structure, on piles.	6,000 cp. 22 feet high. Visible on range line only. 480 yards 154° from front light. In 22 feet. 1927–1943 (Rg e)
Miami South Channel Daybeacon 5.	Black pointer on pile Green reflector.	In 4 feet.
MIDDLE RANGE FRONT LIGHT 1. U Fl. G 1 sec.	Black box on pile dolphin	Flash 0.3 sec. 10 cp. 15 feet high. In 6 feet. 1927 (200 mm e)
MIDDLE RANGE REAR LIGHT. U. F.W.	White triangular pyramidal structure on piles.	6,000 cp. 22 feet high. Visible on range line only. 400 yards 195° from front light. In 3 feet. 1927–1943 (Rg e)
Miami South Channel Daybeacon 12.	Red pointer on pile Red reflector.	In 4 feet.
Miami River South Channel Daybeacon 2.	Red pointer on pile dolphin. Red reflector.	
Miami River South Channel Daybeacon 3.	Black pointer on pile Green reflector.	
MIAMI RIVER RANGE FRONT LIGHT 10. U. Fl. R., 1 sec.	Red box and pointer on pile dolphin.	Flash 0.3 sec. 11 cp. 15 feet high. In 12 feet. 1918 (200 mm e)
MIAMI RIVER RANGE REAR LIGHT U. F.W.	White triangular pyramidal structure on piles.	6,000 cp. 20 feet high. Visible on range line only. 300 yards 159° from front light. In 4 feet. 1918–1943 (Rg e)
SOUTH CHANNEL ENTRANCE RANGE FRONT LIGHT. U. Fl. W., 1 sec.	White battery box on dolphin.	Flash 0.3 sec. 50 cp. 15 feet high. In 10 feet. 1927 (200 mm e)
SOUTH CHANNEL ENTRANCE RANGE REAR LIGHT. U. Occ. W., 6 sec.	White triangular pyramidal structure on piles.	Light 3 sec. eclipse 3 sec. 50 cp. 33 feet high. 1,450 yards 178° from front light. In 9 feet. 1932 200 mm e)
Miami South Channel Daybeacon 8.	Red pointer on pile Red reflector.	In 4 feet.

Name; mark on aid Character of light	Description	Remarks
MIAMI HARBOR		
MIAMI SOUTH CHANNEL LIGHT 6. U. Fl. R., 4 sec.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 15 feet high. In 6 feet. 1927–1943 (200 mm e)
MIAMI SOUTH CHANNEL LIGHTED BUOY 2. Fl. R., 4 sec.	Red	Flash 0.4 sec. 9 cp. In 9 feet. (150 mm e)
(For Coconut Grove, see p. 145.)		
West Point Daybeacon 28	Red pointer on pile. Red reflector.	In 6 feet.
Southwest Point Daybeacon 26	Red pointer on pile. Red reflector.	In 6 feet.
SOUTHWEST POINT LIGHT 2X. U. Fl. R., 4 sec.	Red box and pointer on pile structure.	Flash 0.4 sec., 11 cp. 16 feet high. In 5 feet. 1941 (200 mm e)
Biscayne Channel Daybeacon 24	Red pointer on pile. Red reflector.	12 feet high. In 9 feet.
Biscayne Channel Daybeacon 22	Red pointer on pile. Red reflector.	12 feet high. In 9 feet.
Biscayne Channel Daybeacon 21	Black pointer on pile. Green reflector.	In 6 feet.
BISCAYNE CHANNEL LIGHTED BUOY 23. Fl. W., 4 sec.	Black	Flash 0.4 sec. 50 cp. In 15 feet. (200 mm e)
For Cape Florida Channel see p. 146.		
BISCAYNE BAY TO LONG KEY		
Safety Valve Bank Daybeacon 1	Black band and pointer on white pile, yellow top. Green reflector.	On west edge of coral bank. In 3 feet.
Safety Valve Bank Daybeacon 1A.		
Black Ledge Daybeacon 2	Red band and pointer on white pile, yellow top.	On west side of Biscayne Bay. In 6 feet.
FEATHERBED BANK LIGHTED BUOY 3. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 40 cp. On east side of cut through bank. In 6 feet. (150 mm e)
Featherbed Bank Daybeacon 3X.	Black band and pointer on white pile, yellow top.	In 3 feet.
Featherbed Bank Daybeacon 4	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
Featherbed Bank Daybeacon 5	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. On point of shoal. In 6 feet.
FEATHERBED BANK LIGHTED BUOY 6. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 9 cp. On west side of entrance to cut. In 6 feet. (150 mm e)
Sands Key Daybeacon 2	Red band and pointer on white pile, yellow top.	In 4 feet.
SANDS KEY LIGHT 3 Fl. G., 4 sec. U.	Black square daymark with yellow border on pile dolphin.	Flash 0.4 sec. 8 cp. 16 feet high. In 4 feet. 1939. (150 mm e)
Sands Key Daybeacon 4	Red band and pointer on white pile, yellow top.	In 4 feet.
Featherbed Bank Daybeacon 5X	Black band and pointer on white pile, yellow top.	In 4 feet.
PELICAN BANK LIGHT 1 Fl. G., 4 sec. U.	Black box and pointer on white pile dolphin.	Flash 0.4 sec. 10 cp 16 feet high. In 5 feet. 1940 (200 mm e)
Pelican Bank Daybeacon 2	Red pointer on pile. Red reflector.	In 5 feet.
MOWRY CANAL LIGHT 4 Fl. R., 4 sec. U.	Red box and pointer on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 5 feet. 1940 (200 mm e)
RUBICON KEYS LIGHT 8 Fl. R., 4 sec. U.	Red triangular daymark with yellow border and pointer on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. On southeast side of bank. In 6 feet. 1938 (200 mm e)
CUTTER BANK LIGHTED BUOY 9. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 40 cp. At north end of cut. In 5 feet. (150 mm e)
Cutter Bank Daybeacon 11	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
Cutter Bank Daybeacon 12	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 2 feet.
Cutter Bank Daybeacon 13	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 2 feet

Name; mark on aid Character of light	Description	Remarks
BISCAYNE BAY TO LONG KEY		
CUTTER BANK LIGHTED BUOY 14. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 9 cp. At south end of cut. In 6 feet. (150 mm e)
Cutter Bank Daybeacon 15	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
Cutter Bank Daybeacon 15A		
ANGELFISH CREEK		
ANGELFISH CREEK LIGHT 2. U. Fl. W., 4 sec.	Red box and pointer, on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. At outer end of Angelfish Creek. In 4 feet. 1937 (200 mm e)
Angelfish Creek Daybeacon 1	Black pointer on pile. Green reflector.	In 5 feet.
Angelfish Creek Daybeacon 3	Black pointer on pile. Green reflector.	In 5 feet.
Angelfish Creek Daybeacon 4	Red pointer on pile. Red reflector.	In 7 feet.
Angelfish Creek Daybeacon 5	Black pointer on pile.	In 6 feet.
ANGELFISH CREEK LIGHT 6. U. Fl. R., 4 sec.	Red box on dolphin	Flash 0.4 sec. 11 cp. 16 feet high. In 8 feet. 1944 (200 mm e)
Angelfish Creek Daybeacon 8	Red pointer on pile. Red reflector.	In 7 feet.
Angelfish Creek Daybeacon 10	Red pointer on pile. Red reflector.	In 8 feet.
Angelfish Creek Daybeacon 12	Red band and pointer, on white pile, yellow top.	In 4 feet.
ANGELFISH CREEK LIGHT 14. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. Inner end of creek. In 4 feet. 1937 (200 mm e)
BISCAYNE BAY TO LONG KEY		
CARD BANK LIGHTED BUOY 17. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 40 cp. At north end of cut. In 6 feet. (150 mm e)
Card Bank Daybeacon 16	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
Card Bank Daybeacon 18		
Card Bank Daybeacon 19	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
Card Bank Daybeacon 21		
CARD BANK LIGHTED BUOY 20. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 9 cp. At south end of cut. In 6 feet. (150 mm e)
Barnes Point Daybeacon 22	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
Barnes Point Daybeacon 23	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 feet.
Barnes Point Daybeacon 24	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 2 feet.
Barnes Point Daybeacon 25	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 2 feet.
BARNES POINT LIGHT 26 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At south end of cut through causeway. In 7 feet. 1939 (200 mm e)
Barnes Point Daybeacon 27	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 7 feet.
JEWFISH CREEK LIGHT 29. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. At north entrance to creek. In 7 feet. 1938 (200 mm e)
Jewfish Creek Daybeacon 30	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
Jewfish Creek Daybeacon 31	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet.
Jewfish Creek Daybeacon 32	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet
Jewfish Creek Daybeacon 34		
Jewfish Creek Daybeacon 36		
Blackwater Sound Daybeacon 37	Black band and pointer on white pile, yellow top. Green reflector	12 feet high. In 4 feet.

Name; mark on aid Character of light	Description	Remarks
BISCAYNE BAY TO LONG KEY		
BLACKWATER SOUND LIGHT 38. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. South of highway bridge. In 6 feet. 1938 (200 mm e)
Blackwater Sound Daybeacon 40	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
BLACKWATER SOUND LIGHT 41. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. South end of sound. In 5 feet. 1934—1945 (200 mm e)
Tarpon Basin Daybeacon 42	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
Tarpon Basin Daybeacon 43	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 feet.
Tarpon Basin Daybeacon 44	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
TARPON BASIN LIGHT 46. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. Off north entrance to basin. In 3 feet. 1938 (200 mm e)
Tarpon Basin Daybeacon 46A	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
TARPON BASIN LIGHT 48. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1939 (200 mm e)
Tarpon Basin Daybeacon 48A	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
TARPON BASIN LIGHT 50. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At west entrance to basin. In 4 feet. 1934-1941 (200 mm e)
Grouper Creek Daybeacon 52 Grouper Creek Daybeacon 52A	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
Grouper Creek Daybeacon 53	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
GROUPER CREEK LIGHT 54. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. 1¾ miles north of Rock Harbor. In 6 feet. 1938 (200 mm e)
BAKER CUT LIGHT 55. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. West of Rock Harbor. In 6 feet. 1938 (200 mm e)
Baker Cut Daybeacon 56 Baker Cut Daybeacon 56A	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
Baker Cut Daybeacon 57 Baker Cut Daybeacon 57A	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 feet.
BAKER CUT LIGHT 58. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At turn in channel. In 5 feet. 1934-1939 (200 mm e)
Baker Cut Daybeacon 58A	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 5 feet.
Baker Cut Daybeacon 59	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
BAKER CUT LIGHT 60. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. Northeast from Pigeon Key. In 6 feet. 1934-1939 (200 mm e)
PIGEON KEY LIGHT 61. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. Off west side of key. In 7 feet. 1934-1939 (200 mm e)
HAMMER POINT LIGHT 62. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1934-1939 (200 mm e)
Hammer Point Daybeacon 62A Hammer Point Daybeacon 64 Hammer Point Daybeacon 64A	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 3 feet.
RAMSHORN SHOAL LIGHT 65. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. West of Hammer Point. In 4 feet. 1936 (200 mm e)
Ramshorn Shoal Daybeacon 66	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.

Name; mark on aid Character of light	Description	Remarks
BISCAYNE BAY TO LONG KEY		
Ramshorn Shoal Daybeacon 67	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 feet
Ramshorn Shoal Daybeacon 68	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 2 feet.
Ramshorn Shoal Daybeacon 69	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 2 feet.
RAMSHORN SHOAL LIGHT 70. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At south end of cut. In 6 feet. 1934 (200 mm e)
RAMSHORN SHOAL LIGHT 71. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. At entrance to Tavernier Creek. In 4 feet. 1934 (200 mm e)
COWPENS LIGHT 73 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. At north end of cut. In 6 feet. 1939 (200 mm e)
Cowpens Daybeacon 73A	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 feet.
Cowpens Daybeacon 74	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
Cowpens Daybeacon 74A	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 2 feet.
Cowpens Daybeacon 75	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 3 feet
Cowpens Daybeacon 76 Cowpens Daybeacon 76A	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
COWPENS LIGHT 78 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At south end of cut. In 6 feet. 1939 (200 mm e)
East Key Daybeacon 78A	Red band and pointer on white pile, yellow top. Red reflector	12 feet high. In 5 feet.
McGinty Bank Daybeacon 80	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
McGINTY BANK LIGHT 81 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. 2 miles north of Islamoranda. In 3 feet. 1934 (200 mm e)
McGinty Bank Daybeacon 82 McGinty Bank Daybeacon 84 McGinty Bank Daybeacon 86	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 2 to 4 feet.
SHELL KEY LIGHT 87 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. Marks cut through Shell Key Bank In 4 feet. 1939–1945 (200 mm e)
Shell Key Daybeacon 88	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
Shell Key Daybeacon 89	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 2 feet.
SHELL KEY LIGHT 90 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At south end of cut. In 4 feet. 1934-1943 (200 mm e)
Shell Key Daybeacon 91	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 feet.
Shell Key Channel Daybeacon 2	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. 2,100 yards, 128° from Shell Key Light 87. In 7 feet.
UPPER MATECUMBE LIGHT 1. U. Fl. G., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 7 feet. 1935 (200 mm e)
Lignumvitae Key Daybeacon 91A.	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 7 feet.
BOWLEGS CUT LIGHT 93 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. At north end of cut. In 4 feet. 1934–1945 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
BISCAYNE BAY TO LONG KEY		
Bowlegs Cut Daybeacon 92	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
Bowlegs Cut Daybeacon 96	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 2 feet.
Bowlegs Cut Daybeacon 95	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 2 feet.
Bowlegs Cut Daybeacon 97	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 2 feet.
BOWLEGS CUT LIGHT 98 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. At south end of cut. In 4 feet. 1934 (200 mm e)
LONG KEY TO HARBOR KEY		
LOWER MATECUMBE LIGHT 2 U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1931 (200 mm e)
Long Key Daybeacon 1X	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. On point of bank off Jewfish Key. In 4 feet.
LONG KEY LIGHT 1 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. On north end of rock reef. In 6 feet. 1931-1943 (200 mm e)
To Cape Sable, see p. 118.		
Long Key Bank Daybeacon 2X	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. On south end of long shoal on Long Key Bank. In 3 feet.
Long Key Bank Daybeacon 4X	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. Marks shoal. In 2 feet.
South Shoal Daybeacon 2	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. On east end of bank. In 4 feet.
Old Sweat Bank E. End Daybeacon.	Black pointer on pile.	12 feet high. In 3 feet.
Old Sweat Bank SW. End Daybeacon.	Red pointer on pile.	12 feet high. In 3 feet.
Channel Key Daybeacon 4	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
CHANNEL KEY LIGHT 5 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 5 feet. 1931-1947 (200 mm e)
Channel Key Daybeacon 8	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
Channel Key Daybeacon 7	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
CHANNEL KEY LIGHT 9 Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1931 (200 mm e)
GRASSY KEY LIGHT 11 Fl. G., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1931-1942 (200 mm e)
BAMBOO KEY LIGHT 13 Fl W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 6 feet. 1931 (200 mm e)
Palmetto Bank Daybeacon 15	Black square daymark with yellow border on white dolphin. Green reflector.	12 feet high. In 6 feet.
BETHEL BANK LIGHT 16 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 7 feet. 1936 (200 mm e)
For Hawk Channel, see p. 147.		
Moser Channel Daybeacon 2	Red triangular daymark and pointer on white pile. Red reflector.	15 feet high. Marks west end of Red Bay Bank Shoal. In 5 feet.
Moser Channel Daybeacon 1	Black square daymark and pointer on white pile Green reflector.	15 feet high. Marks Bullard Bank Shoal. In 5 feet.
MOLASSES KEY LIGHT 17 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 6 feet. 1931 (200 mm e)
Cocoanut Key Daybeacon 18	Red band and pointer on white pile, yellow top Red reflector	12 feet high. In 6 feet.

Name; mark on aid Character of light	Description	Remarks
LONG KEY TO HARBOR KEY		
Cerion Key Daybeacon 19	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 6 feet.
BAHIA HONDA LIGHT 20 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1931 (200 mm e)
Little Pine Key Daybeacon 22	Red triangular daymark with yellow border and pointer on white pile. Red reflector.	12 feet high. In 6 feet.
Ferry Daybeacon 22X	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
Little Pine Key Daybeacon 24 Little Pine Key Daybeacon 26 Crawl Key Daybeacon 28 Little Spanish Key Daybeacon 30 Big Spanish Key Daybeacon 32	Red triangular daymark with yellow border and pointer on white pile. Red reflector.	12 feet high. In 6 feet.
Big Spanish Key Daybeacon 33	Black square daymark with yellow border and pointer on white pile. Green reflector.	12 feet high. In 5 feet.
Big Spanish Key Daybeacon 34	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
Big Spanish Key Daybeacon 36	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
Big Spanish Key Daybeacon 39	Black square daymark with yellow border and pointer on white pile. Green reflector.	12 feet high. In 6 feet.
Big Spanish Key Daybeacon 38	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 6 feet.
Big Spanish Key Daybeacon 41	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
Harbor Key Daybeacon 43	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 6 feet.
HARBOR KEY BANK LIGHT 45. Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 15 ft. high. At north entrance to Big Spanish Channel. In 6 feet. 1927 (200 mm e)
BULLFROG BANKS LIGHT Fl. R., 4 sec. U.	Red box and pointer on pile dolphin. Maintained from Nov. 15 to Mar. 31.	Flash 0.4 sec. 11 cp. 15 feet high. In 6 feet. 1930 (200 mm e)
HARBOR KEY TO KEY WEST		
CALDA CHANNEL		
CALDA CHANNEL LIGHT 1 Fl. W., 4 sec. U.	Black box and pointer on dolphin.	Flash 0.4 sec. 50 cp. 15 feet high. In 6 feet. 1927 (200 mm e)
Calda Channel Daybeacon 3	Black pointer on pile	12 feet high. In 4 feet.
Calda Channel Daybeacon 5	Black pointer on pile	
Calda Channel Daybeacon 2	Red pointer on pile	
Calda Channel Daybeacon 4	Red pointer on pile	
Calda Channel Daybeacon 7	Black pointer on pile	
Calda Channel Daybeacon 9	Black pointer on pile	
Calda Channel Daybeacon 6	Red pointer on pile	
Calda Channel Daybeacon 11	Black pointer on pile	
Calda Channel Daybeacon 8	Red pointer on pile	
Calda Channel Daybeacon 10	Red pointer on pile	
Calda Channel Daybeacon 12	Red pointer on pile	
Calda Channel Daybeacon 13	Black pointer on pile	
Calda Channel Daybeacon 14	Red pointer on pile	
Calda Channel Daybeacon 15	Black pointer on pile	
Calda Channel Daybeacon 16	Red pointer on pile	
Calda Channel Daybeacon 18	Red pointer on pile	
Calda Channel Daybeacon 17	Black square daymark and pointer on pile.	
KEY WEST HARBOR RANGE FRONT LIGHT. Fl. W., 1 sec. U.	Red tankhouse, on pile dolphin.	Flash 0.3 sec. 400 cp. 21 ft. high. Visible from 249° to 159°. Off northwest point of Fleming Key. In 6 feet. 1923 (300 mm a)
KEY WEST HARBOR RANGE REAR LIGHT. F. W. U.	Black tankhouse on white skeleton structure, on piles.	1,100 cp. 56 feet high. 775 yards 24° from front light. 1923-1925 (Rg e)

Name; mark on aid Character of light	Description	Remarks
LONG KEY TO CAPE SABLE		
LONG KEY LIGHT 1 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. On north end of rock reef. In 6 feet. 1934 (200 mm e)
HORSENECK SHOAL LIGHT 1. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 4 feet. 1934 (200 mm e)
HORSENECK SHOAL LIGHT 2. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1934 (200 mm e)
Five-Foot Shoal Daybeacon 3	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 feet.
NORTH SHOAL LIGHT 5 Fl. W., 4 sec. U.	Black square daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 4 feet. 1934 (200 mm e)
SCHOONER BANK LIGHT 6. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1934 (200 mm e)
Schooner Bank Daybeacon 8	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. On northwest end of bank. In 4 feet.
Schooner Bank Daybeacon 7	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. On east side of bank. In 4 feet.
OXFOOT BANK LIGHT 10 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet 1934 (200 mm e)
Sandy Key Channel Daybeacon 9X.	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. On southeast point of bank. In 4 feet.
Sandy Key Channel Daybeacon 10X.	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. On west side of bank. In 4 feet.
Sandy Key Daybeacon 11	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. In 4 feet.
Sandy Key Channel Daybeacon 12.	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 4 feet.
CAPE SABLE ANCHORAGE LIGHT 14. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1934 (200 mm e)
Cape Sable Anchorage Shoal West End Daybeacon 16.	Red pointer on pile	12 feet high. Marks end of shoal. In 4 feet.
Cape Sable Anchorage Shoal East End Daybeacon 17.	Black pointer on pile	12 feet high. Marks end of shoal. In 4 feet.
Cape Sable Anchorage Daybeacon 15.	Black band and pointer on white pile, yellow top. Green reflector.	12 feet high. Off East Cape. In 4 feet.
LITTLE SHARK RIVER		
LITTLE SHARK RIVER LIGHT 1. U. Fl. W., 4 sec.	Black box and pointer on dolphin.	Flash 0.4 sec. 140 cp. 15 feet high. In 6 feet. 1936 (200 mm e)
Little Shark River Daybeacon 3.	Black pointer on pile	Little Shark River Light 1, 720 yards 234½°. In 6 feet.
Little Shark River Daybeacon 2.	Red pointer on pile	Little Shark River Light 1, 1,190 yards 231°. In 6 feet.
INDIAN KEY PASS		
INDIAN KEY LIGHT 1 Fl. W., 4 sec. U.	Black triangular superstructure on piles.	Flash 0.4 sec. 140 cp. 32 feet high. On south end of bank making out from key. In 9 feet. 1922–1927 (200 mm e)
Indian Key Sea Buoy 2	Red; 2d-cl. nun(s)	In 11 feet.
Indian Key Pass Daybeacon 3	Black square daymark and pointer on white pile. Green reflector.	12 feet high. On north side of pass. In 9 feet.
Indian Key Pass Daybeacon 5	Black pointer on white pile Green reflector.	12 feet high. On point of shoal. In 6 feet.
Indian Key Pass Daybeacon 7	Black pointer on pile Green reflector.	12 feet high. At entrance to Walkers Pass. In 6 feet.

Name; mark on aid Character of light	Description	Remarks
INDIAN KEY PASS		
Indian Key Pass Daybeacon 2	Even numbered daybeacons have a red pointer and a red reflector on a white pile. Odd numbered daybeacons have a black pointer and a green reflector on a white pile.	12 feet high. In 3 feet.
Indian Key Pass Daybeacon 9		
Indian Key Pass Daybeacon 4		
Indian Key Pass Daybeacon 11		
Indian Key Pass Daybeacon 6		
Indian Key Pass Daybeacon 8		
Indian Key Pass Daybeacon 13		
Indian Key Pass Daybeacon 10		
Indian Key Pass Daybeacon 15		
Indian Key Pass Daybeacon 12		
Indian Key Pass Daybeacon 17		
Indian Key Pass Daybeacon 14		
Indian Key Pass Daybeacon 19		
Indian Key Pass Daybeacon 17A		
Indian Key Pass Daybeacon 16		
Indian Key Pass Daybeacon 18		
Indian Key Pass Daybeacon 20		
Indian Key Pass Daybeacon 21		
Chokoloskee Bay Daybeacon 22		
Chokoloskee Bay Daybeacon 24		
Chokoloskee Bay Daybeacon 23		
Chokoloskee Bay Daybeacon 26		
Chokoloskee Bay Daybeacon 25		
Chokoloskee Bay Daybeacon 28		
Chokoloskee Bay Daybeacon 30		
Chokoloskee Bay Daybeacon 27		
Chokoloskee Bay Daybeacon 29		
BIG MARCO RIVER		
COON KEY LIGHT Fl. W., 4 sec. U.	White triangular slatted structure, on piles.	Flash 0.4 sec. 140 cp. 22 feet high. In Gullivan Bay, south entrance to Big Marco River. In 6 feet. 1915–1930 (200 mm e)
Big Marco River Daybeacon 2	Red triangular daymark and pointer on pile.	12 feet high. In 3 to 6 feet.
Big Marco River Daybeacon 1	Black square daymark and pointer on pile.	
Big Marco River Daybeacon 4	Red triangular daymark and pointer on pile.	
Big Marco River Daybeacon 3	Black pointer on pile	
Big Marco River Daybeacon 3A	Black pointer on pile	
Big Marco River Daybeacon 6	Red pointer on pile	
Big Marco River Daybeacon 8	Red pointers on pile	
Big Marco River Daybeacon 10	Red triangular daymarks and pointers on pile.	
Big Marco River Daybeacon 10A	Red pointer on pile	
Big Marco River Daybeacon 3B	Black pointer on pile	
Big Marco River Daybeacon 12	Red triangular daymark and pointer on pile.	
Big Marco River Daybeacon 5	Black square daymark and pointer on pile.	
Big Marco River Daybeacon 14	Red triangular daymark and pointer on pile.	
Big Marco River Daybeacon 16	Red triangular daymark and pointer on pile.	
Big Marco River Daybeacon 7	Black square daymark and pointer on pile.	
Big Marco River Daybeacon 18	Red triangular daymark and pointer on pile.	
Big Marco River Daybeacon 20	Red triangular daymark and pointer on pile.	
Big Marco River Daybeacon 9	Black pointer on pile	
Big Marco River Daybeacon 11	Black pointer on pile	
Big Marco River Daybeacon 22	Red triangular daymark and pointer on pile.	
CAXAMBAS PASS		
FROM SOUTHWARD		
COON KEY LIGHT Fl. W., 4 sec. U.	White triangular slatted structure, on piles.	Flash 0.4 sec. 140 cp. 22 feet high. In Gullivan Bay, south entrance to Big Marco River. In 6 feet. 1915–1930 (200 mm e)
Caxambas Pass Daybeacon 2	Red triangular daymark and pointer on pile.	12 feet high. In 5 feet.
Caxambas Pass Daybeacon 4	Red triangular daymark and pointer on pile.	12 feet high. In 5 feet.
Caxambas Pass Daybeacon 1	Black square daymark and pointer on pile.	12 feet high. In 5 feet.

Name; mark on aid Character of light	Description	Remarks
CAXAMBAS PASS		
FROM SOUTHWARD		
Caxambas Pass Daybeacon 3	Black square daymark and pointer on pile.	12 feet high. In 5 feet.
Caxambas Pass Daybeacon 5	Black square daymark and pointer on pile.	12 feet high. In 5 feet.
Caxambas Pass Daybeacon 6 Caxambas Pass Daybeacon 7 Caxambas Pass Daybeacon 8 Caxambas Pass Daybeacon 9 Caxambas Pass Daybeacon 11 Caxambas Pass Daybeacon 13 Caxambas Pass Daybeacon 10 Caxambas Pass Daybeacon 15 Caxambas Pass Daybeacon 12 Caxambas Pass Daybeacon 17 Caxambas Pass Daybeacon 14 Caxambas Pass Daybeacon 19	Even numbered daybeacons are red pointer on pile. Odd numbered daybeacons are black pointer on pile.	12 feet high. In 4 to 5 feet.
FROM NORTHWARD		
CAXAMBAS PASS LIGHT 2 Fl. W., 4 sec. U.	Red pointer on triangular, slatted structure on piles.	Flash 0.4 sec. 140 cp. 23 feet high. On point of bank, on south side of entrance to pass. In 4 feet. 1918–1928 (200 mm e)
Caxambas Pass Entrance Buoy 4	Red; 3d-cl. nun(s)	Shifted as channel changes.
Caxambas Pass Channel Buoy	Black and white vertical stripes; 3d-cl. nun(s).	Shifted as channel changes.
Caxambas Pass Daybeacon 4 Caxambas Pass Daybeacon 6	Red pointer on red pile	At north entrance to Caxambas Pass. 12 feet high. In 5 feet.
BIG MARCO PASS		
BIG MARCO PASS LIGHTED BUOY 2. Fl. W., 10 sec.	Red	Flash 1 sec. 70 cp. 8 feet high. In 24 feet. (200 mm a)
Big Marco Entrance Buoy	Black and white vertical stripes; 2d-cl. nun(s).	In 16 feet.
Big Marco Channel Buoy	Black and white vertical stripes; 3d-cl. nun(s).	In 6 feet.
BIG MARCO PASS LIGHT 1 Fl. W., 4 sec. U.	Black square slatted structure on piles.	Flash 0.4 sec 140 cp. 22 feet high. In 6 feet. 1927 (200 mm e)
Big Marco Pass Daybeacon 2	Red triangular daymark and white pointer on pile.	12 feet high. In 6 feet.
Big Marco Pass Daybeacon 4	Red pointer on pile	12 feet high. In 6 feet.
Big Marco Pass Daybeacon 6	Red pointer on pile	12 feet high. In 4 feet.
Big Marco Pass Naples Daybeacons 1 to 95, 70 daybeacons. Gordon Pass Daybeacon 3 Gordon Pass Daybeacon 4 Gordon Pass Daybeacon 5 Gordon Pass Daybeacon 6 Gordon Pass Daybeacon 7	Even numbered daybeacons are red band and pointer on white pile with yellow top. Red reflector. Odd numbered daybeacons are black band and pointer on white pile with yellow top. Green reflector.	14 feet high. In 3 to 6 feet.
SAN CARLOS BAY		
CALOOSAHATCHEE RIVER APPROACH		
CALOOSA LIGHTED BELL BUOY 2. Fl. W., 4 sec.	Red	Flash 0.4 sec. 70 cp. 12 feet high. In 19 feet. (200 mm a)
PUNTARASA RANGE FRONT LIGHT. U. Fl. W., 1 sec.	White rectangular daymark and battery house with black stripe, on piles.	Flash 0.3 sec. 140 cp. 22 feet high. In 9 feet. (200 mm e) 1934
PUNTA RASA RANGE REAR LIGHT. U. F. W.	White square daymark with black stripe on skeleton tower, on piles.	180 cp. 59 feet high. 1,105 yards 317° from front light. In 1 foot. 1934 (Rge)
Caloosa Entrance Outer Buoy 1	Black; 2d-cl. can(s)	In 16 feet.
San Carlos Channel Daybeacon 4	Red triangular daymark and pointer on pile.	14 feet high. In 11 feet.
SANIBEL ISLAND LIGHT Gp. Fl. W., 10 sec. 2 flashes.	Brown square pyramidal skeleton tower, inclosing stair cylinder.	Flash 0.5 sec., eclipse 1.5 sec., flash 0.5 sec., eclipse 7.5 sec. 3,000 cp. 98 feet high. On Point Ybel, east end of island. 1884 (3 a)
San Carlos Channel Daybeacon 6 San Carlos Channel Daybeacon 8	Red triangular daymark and pointer with red reflector on pile.	12 feet high. In 11 feet.

Name; mark on aid Character of light	Description	Remarks
SAN CARLOS BAY		
CALOOSAHATCHEE RIVER APPROACH		
Punta Rasa Daybeacon 1	Black pointer on pile. Green reflector.	14 feet high. In 6 feet.
Punta Rasa Daybeacon 3	Black pointer on pile. Green reflector.	In 6 feet.
San Carlos Channel Daybeacon 10.	Red triangular daymark and pointer on pile. Red reflector.	In 12 feet.
San Carlos Channel Daybeacon 12.	Red triangular daymark and pointer on pile. Red reflector.	At a turn, off Punta Rasa. In 9 feet.
ESTERO PASS		
ESTERO PASS CHANNEL LIGHTED BUOY 2. Fl. W., 4 sec.	Red	Flash 0.4 sec. 40 cp. 5 feet high. In 8 feet. (150 mm e)
ESTERO PASS CHANNEL LIGHTED BUOY 4. Fl. R., 4 sec.	Red	Flash 0.4 sec. 9 cp. 5 feet high. In 9 feet. (150 mm e)
Estero Pass Channel Buoy 5	Black; 3d-cl. can (s)	In 9 feet.
ST. JAMES CITY CHANNEL		
St. James Daybeacon 2	Red triangular daymark with yellow border on white pile. Red reflector.	0.7 mile, 293½° from Sanibel Island Light. In 12 feet.
St. James Daybeacon 3	Black square daymark with yellow border on white pile. Green reflector.	In 12 feet
St. James Daybeacon 4	Red triangular daymark with yellow border on white pile. Red reflector.	In 10 feet
ST JAMES LIGHT 5 Fl. G., 4 sec. U.	Black square daymark with yellow border and pointer on pile dolphin.	Flash 0 4 sec. 10 cp. 16 feet high. In 12 feet. 1938–1942 (200 mm e)
St. James Daybeacon 7	Black square daymark with yellow border on white pile. Green reflector.	In 12 feet.
PINE ISLAND SOUND		
Pine Island Sound Daybeacon 8	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high In 5 feet.
PINE ISLAND SOUND LIGHT 10. U. Fl. R., 4 sec.	Red triangular daymark with yellow border and pointer on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. 19 miles southwest of St. James City. In 7 feet. 1919–1943 (200 mm e)
Pine Island Sound Daybeacon 12.	Red band and pointer on white pile, yellow top. Red reflector.	In 5 feet.
Pine Island Sound Daybeacon 14.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 5 feet.
Pine Island Sound Daybeacon 15.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 5 feet.
PINE ISLAND SOUND LIGHT 16. U. Fl. R., 4 sec.	Red triangular daymark with yellow border and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. On south end of shoal In 6 feet. 1914–1919 (200 mm e)
PINE ISLAND SOUND LIGHT 18. U. Fl., R. 4 sec.	Red triangular daymark with yellow border and pointer on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1941 (200 mm e)
Pine Island Sound Daybeacon 19.		
Pine Island Sound Daybeacon 20.		
Pine Island Sound Daybeacon 21.	Even numbered daybeacons are red triangular daymark with yellow border and red reflector on white pile. Odd numbered daybeacons are black square daymark with yellow border and green reflector on white pile.	14 feet high. In 6 to 7 feet.
Pine Island Sound Daybeacon 22.		
Pine Island Sound Daybeacon 21A.		
Pine Island Sound Daybeacon 22A.		
Pine Island Sound Daybeacon 21B.		
Pine Island Sound Daybeacon 22B.		

Name; mark on aid Character of light	Description	Remarks
WULFERT CHANNEL		
Wulfert Daybeacon 1	Black square daymark and pointer on pile.	In 6 feet.
Wulfert Range Front Daybeacon 2.	Red pointer on pile	On axis of dredged channel. In 4 feet.
Wulfert Range Rear Daybeacon	White circular daymark, on pile.	500 yards, 270° from front daybeacon. In 4 feet.
Wulfert Daybeacon 3	Black pointer on pile	In 3 feet.
Wulfert Daybeacon 5	Black pointer on pile	In 3 feet.
Wulfert Daybeacon 7	Black pointer on pile	In 4 feet.
HORN PASSAGE		
Horn Passage Daybeacon 2	Red pointer on pile	In 5 feet.
Horn Passage Daybeacon 1	Black pointer on pile	In 3 feet.
Horn Passage Daybeacon 3	Black pointer on pile	In 3 feet.
Horn Passage Daybeacon 2A	Red pointer on pile	In 4 feet.
Horn Passage Daybeacon 2B	Red pointer on pile	In 3 feet.
Horn Passage Daybeacon 4	Red pointer on pile	In 3 feet.
Horn Passage Daybeacon 4A	Red pointer on pile	In 3 feet.
Horn Passage Daybeacon 6	Red pointer on pile	In 3 feet.
Horn Passage Daybeacon 5	Black pointer on pile	In 3 feet.
Horn Passage Daybeacon 8	Red pointer on pile	In 4 feet.
Horn Passage Daybeacon 10	Red pointer on pile	In 5 feet.
CAPTIVA CHANNEL		
CAPTIVA LIGHT 2 Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 15 feet high. At entrance to cut. In 4 feet. 1931 (200 mm e)
Captiva Range Front Daybeacon.	White diamond daymark on pile.	On axis of dredged channel. In 5 feet.
Captiva Range Rear Daybeacon.	White circular daymark on pile.	200 yards, 225° from front daybeacon. In 5 feet.
Captiva Daybeacon 4	Red pointer on pile	In 4 feet.
Captiva Daybeacon 6	Red pointer on pile	In 5 feet.
PINE ISLAND SOUND		
PINE ISLAND SOUND LIGHT 23. U. Fl. G., 4 sec.	Black square daymark with yellow border and pointer on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 7 feet. 1938 (200 mm e)
Pine Island Sound Daybeacon 24.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 6 feet.
PINE ISLAND SOUND LIGHT 25. U. Fl. W., 4 sec	Black square daymark with yellow border and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. On southeast end of shoal, 1 mile inside Captiva Pass. In 6 feet. 1914-1919 (200 mm e)
Pine Island Sound Daybeacon 27.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 5 feet.
Pine Island Sound Daybeacon 29.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 feet.
PINE ISLAND SOUND LIGHT 31. U. Fl. W., 4 sec.	Black square daymark with yellow border and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. On south end of shoal. In 6 feet. 1914-1928 (200 mm e)
Pine Island Sound Daybeacon 32.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 5 feet.
Pine Island Sound Daybeacon 33.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 6 feet.
Pine Island Sound Daybeacon 34.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 6 feet.
Pine Island Sound Daybeacon 35.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 6 feet.
PINE ISLAND SOUND LIGHT 37. U. Fl. W., 4 sec.	Black square daymark with yellow border and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. On west side of north end of cut. In 6 feet. 1914-1919 (200 mm e)
Pine Island Sound Daybeacon 33X. Pine Island Sound Daybeacon 35X.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 3 to 4 feet.

Name; mark on aid Character of light	Description	Remarks
PINE ISLAND SOUND		
Pine Island Sound Daybeacon 37X.	Black square daymark with yellow border on white pile. Green reflector.	12 feet high. In 6 feet.
Pine Island Sound Daybeacon 38X.	Red triangular daymark with yellow border on white pile. Red reflector.	12 feet high. In 6 feet.
CHARLOTTE HARBOR		
Eleven Foot Shoal Daybeacon 2	Red triangular daymark and pointer on pile	In 11 feet.
PINE ISLAND SHOAL LIGHT 4. U. Fl. R., 4 sec.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 11 feet high. In 11 feet. 1938-1942 (200 mm e)
Eight Foot Shoal Daybeacon 5	Black square daymark and pointer on pile.	In 11 feet.
Cape Haze Shoal Daybeacon	Black square daymark and pointer on pile.	1.5 miles southeast of Cape Haze. In 7 feet.
CHARLOTTE HARBOR LIGHT. U. Fl. W., 4 sec.	White skeleton tower on brown pile foundation.	Flash 0.4 sec. 140 cp. 26 feet high. Near middle of harbor. In 10 feet. 1890-1943 (200 mm e)
Matlacha Daybeacon 7	Black square daymark and pointer on pile.	In 12 feet.
Miakka River Daybeacon 9	Black square daymark and pointer on pile.	In 12 feet.
PEACE RIVER		
MANGROVE POINT LIGHT. U. Fl. W., 4 sec.	Black triangular slatted structure and pointer on piles.	Flash 0.4 sec. 50 cp. 22 feet high. 1.8 miles southeast of point. In 15 feet. 1893-1938 (200 mm e)
PEACE RIVER LIGHT Fl. R., 4 sec. U.	Red triangular slatted structure and pointer, on piles.	Flash 0.4 sec. 11 cp. 22 feet high. On south side of turn in channel, at entrance of river In 13 feet. 1893-1938. (200 mm e)
Peace River Daybeacon 1	Black pointer on pile	12 feet high. In 10 feet.
Punta Gorda Wreck Daybeacon 2X.	Red pointer on pile	12 feet high. In 12 feet.
PUNTA GORDA LIGHT 2 Fl. R., 4 sec. U.	Red box and pointer on pile	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. (200 mm e)
Punta Gorda Daybeacon 4	Red pointer on pile Red reflector.	At entrance to dredged cut. In 8 feet. 1936
Punta Gorda Daybeacon 6 Punta Gorda Daybeacon 8 Punta Gorda Daybeacon 10	Red pointer with red reflector on pile.	In 5 feet.
Punta Gorda Daybeacon 12	Red pointer on pile Red reflector.	12 feet high. In 5 feet.
Punta Gorda Daybeacon 14	Red pointer on pile Red reflector.	12 feet high. In 5 feet.
Peace River Daybeacon 4	Red pointer on pile Red reflector.	12 feet high. In 9 feet.
Peace River Daybeacon 6	Red pointer on pile Red reflector.	12 feet high. In 6 feet.
Peace River Daybeacon 8	Red triangular daymark and pointer on pile.	12 feet high. In 6 feet.
Peace River Daybeacon 1A	Black square daymark and pointer on pile.	In 7 feet.
Peace River Daybeacon 3	Black square daymark and pointer on pile.	12 feet high. In 4 feet.
Peace River Daybeacon 10	Red triangular daymark and pointer on pile.	In 4 feet.
Peace River Daybeacon 12	Red triangular daymark and pointer on pile.	In 7 feet.
Peace River Daybeacon 5	Black square daymark and pointer on pile.	12 feet high. In 4 feet.
Peace River Daybeacon 7	Black square daymark and pointer on pile.	In 4 feet.
GASPARILLA SOUND		
Ferry Route Daybeacon 1	White pointer on pile	12 feet high. In 6 feet. Maintained by Boca Grande Ferry Co.
Ferry Route Daybeacon 3	White pointer on pile	12 feet high. In 6 feet. Maintained by Boca Grande Ferry Co.
Ferry Route Daybeacon 5	White pointer on pile	12 feet high. In 4 feet. Maintained by Boca Grande Ferry Co.
GASPARILLA PASS LIGHT 1. U. Fl. W., 4 sec.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 8 feet. 1938-1946 (200 mm e)
Gasparilla Pass Daybeacon 3	Black pointer on pile	In 6 feet.
Gasparilla Pass Daybeacon 5	Black pointer on pile	In 6 feet.
Gasparilla Pass Daybeacon 7	Black pointer on pile	In 6 feet.
Gasparilla Pass Daybeacon 9	Black pointer on pile	In 5 feet.

Name; mark on aid Character of light	Description	Remarks
GASPARILLA SOUND		
Gasparilla Pass Daybeacon 10	Red pointer on pile	In 3 feet.
Gasparilla Pass Daybeacon 11	Black pointer on pile	In 5 feet.
Gasparilla Pass Daybeacon 13	Black pointer on pile	In 4 feet.
Gasparilla Pass Daybeacon 14	Red pointer on pile	In 7 feet.
Gasparilla Pass Daybeacon 15	Black pointer on pile	In 6 feet.
Gasparilla Pass Daybeacon 17	Black pointer on pile	In 7 feet.
Gasparilla Pass Daybeacon 19	Black pointer on pile	In 6 feet.
Gasparilla Pass Daybeacon 21	Black pointer on pile	In 4 feet.
VENICE INLET		
VENICE INLET LIGHT 1 Fl. W., 4 sec. U.	Black skeleton structure	Flash 0.4 sec., 50 cp. 20 feet high. On outer end of north jetty. 1938-1940. (200 mm e)
Venice Inlet Daybeacon 2	Red pointer and reflector on pile.	In 3 feet.
Venice Inlet Daybeacon 3 Venice Inlet Daybeacon 5 Venice Inlet Daybeacon 7	Black pointer and green reflector on pile.	In 3 feet.
Venice Inlet Daybeacon 8 Venice Inlet Daybeacon 8X	Red pointer and reflector on pile.	In 3 feet.
Little Sarasota Bay Daybeacons 1 to 96. (74).	Even numbered daybeacons are red band and pointer on white pile with yellow top. Red reflector. Odd numbered daybeacons are black band and pointer on white pile with yellow top. Green reflector.	14 feet high. In 1 to 7 feet
BIG SARASOTA PASS		
Big Sarasota Pass Bell Buoy 2	Red; red reflector	Off entrance to pass. In 24 feet.
Big Sarasota Pass Buoy	Black and white vertical stripes; 3d-cl. nun(s).	At entrance to pass. In 9 feet.
Big Sarasota Pass Daybeacon 4	Red pointer and reflector on pile.	In 7 feet.
BIG SARASOTA PASS LIGHT 5. Fl. G., 4 sec. U.	White square skeleton super structure and tank house, on pile structure.	Flash 0.4 sec. 90 cp 47 feet high. Off entrance to pass. In 9 feet. 1925-1943 (200 mm e)
Big Sarasota Pass Daybeacon 7	Black pointer on pile. Green reflector.	12 feet high. In 5 feet.
Big Sarasota Pass Daybeacon 9	Black pointer on pile	In 4 feet.
Big Sarasota Pass Daybeacon 11	Black pointer on pile. Green reflector.	In 4 feet.
Big Sarasota Pass Daybeacon 12	Red pointer and reflector on pile.	14 feet high. In 5 feet.
Big Sarasota Pass Daybeacon 13	Black pointer on pile. Green reflector.	In 6 feet.
Big Sarasota Pass Daybeacon 14	Red pointer and reflector on pile.	In 7 feet.
BIG SARASOTA PASS LIGHT 15. Fl. W., 4 sec. U.	Black box on dolphin	Flash 0.4 sec. 50 cp. 16 feet high. In 7 feet. 1945 (200 mm e)
Big Sarasota Pass Daybeacon 17	Black pointer on pile. Green reflector.	In 7 feet.
BIG SARASOTA PASS LIGHT 19. Fl. G., 4 sec. U.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1938 (200 mm e)
Big Sarasota Pass Daybeacon 21	Black pointer and green reflector on pile.	In 5 feet.
BIG SARASOTA PASS LIGHT 22. Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 15 feet high. Northwest of point of bank at entrance to Sarasota. In 10 feet. 1927 (200 mm e)
Coon Key Channel Daybeacon 1	Black pointer on pile. Green reflector.	In 7 feet.
Coon Key Channel Daybeacon 2	Red pointer on pile. Red reflector.	In 7 feet.
Coon Key Channel Daybeacon 3	Black pointer on pile. Green reflector.	In 7 feet.
Coon Key Channel Daybeacon 4	Red pointer on pile. Red reflector.	In 7 feet.
Coon Key Channel Daybeacon 5	Black pointer on pile. Green reflector.	In 7 feet.
Coon Key Channel Daybeacon 6	Red pointer on pile. Red reflector.	In 7 feet.

Name; mark on aid Character of light	Description	Remarks
NEW PASS		
SARASOTA MAIN CHANNEL LIGHTED BUOY 1. Fl. W. 4 sec.	Black	Flash 0.4 sec. 70 cp. 8 feet high. At entrance to New Pass into Sarasota Bay. In 22 feet. (200 mm a)
Main Channel Buoy 3	Black; 3d-cl. can(s)	In 8 feet.
Sarasota Main Channel Buoy 3A.	Black; 3d-cl. can(s)	In 8 feet.
Main Channel Daybeacon 7	Black pointer and green reflector on pile.	In 9 feet.
BARGE CHANNEL RANGE FRONT LIGHT 9. Fl. W., 1 sec. U.	White tank house and pointer on pile dolphin.	Flash 0.3 sec. 50 cp. 21 feet high. At north side of turning basin. In 7 feet. 1927 (200 mm e)
BARGE CHANNEL RANGE REAR LIGHT. Occ. W., 6 sec. U.	White triangular structure on piles.	Light 3 sec., eclipse 3 sec. 50 cp. 32 feet high. On axis of cut, 510 yards 251° from front light. In 4 feet. 1927 (200 mm e)
SARASOTA MAIN CHANNEL LIGHT 11. U. Fl. W., 4 sec.	White box and pointer on dolphin.	Flash 0.4 sec. 50 cp. 21 feet high. At east end of turning basin. In 11 feet. 1927-1930 (200 mm e
Barge Channel Daybeacon 13	Black pointer and green reflector on pile.	In 9 feet.
Barge Channel Daybeacon 15	Black pointer and green reflector on pile.	In 9 feet.
Barge Channel Daybeacon 17	Black pointer and green reflector on pile.	In 9 feet.
SARASOTA BAY		
Sarasota Bay Daybeacon 27	Black pointer and green reflector on pile.	On point of shoal off point. In 6 feet.
SARASOTA BAY LIGHT 30. Fl. W., 4 sec. U.	Red box and pointer on dolphin.	Flash 0.4 sec. 50 cp. 32 feet high. In 8 feet. 1927 (200 mm e)
SARASOTA BAY LIGHT 28. Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 15 feet high. In 8 feet. 1927 (200 mm e
South Entrance Range Front Daybeacon 24.	Red triangular daymark and pointer on pile.	In 6 feet.
South Entrance Range Rear Daybeacon.	White circular daymark on pile dolphin.	350 yards 265° from front daybeacon. In 5 feet.
Sarasota Bay Daybeacon 25	Black pointer on pile	On north side of entrance to dredged cut. In 3 feet.
WEST CHANNEL SOUTH RANGE FRONT LIGHT 26. U. Fl. R., 1 sec.	Red box and slatted daymark with white vertical stripe on dolphin.	Flash 0.3 sec. 11 cp. Visible around horizon. 15 feet high. At turn in channel. In 5 feet. 1927 (200 mm e)
WEST CHANNEL SOUTH RANGE REAR LIGHT. F. W. U.	White triangular structure on piles.	6,000 cp. Visible on range line only 1,400 yards, 130° from front light. 32 feet high. In 7 feet. (Rg e) 1927
Long Bar Shoal Daybeacon 23	Black pointer and green reflector on pile.	On northeasterly side of dredged cut. In 4 feet.
Sarasota Bay Daybeacon 22	Red pointer and red reflector on pile.	In 3 feet.
Sarasota Bay Daybeacon 20C	Red pointer and red reflector on pile.	In 3 feet.
Sarasota Bay Daybeacon 20B	Red pointer and red reflector on pile.	In 3 feet.
WEST CHANNEL LIGHT 21. Fl. G., 4 sec. U.	White box and pointer on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. On east edge of channel. In 4 feet. 1927 (200 mm e)
Sarasota Bay Daybeacon 20A	Red pointer and reflector on pile.	In 3 feet.
Sarasota Bay Daybeacon 20	Red pointer and reflector on pile.	Opposite west end of Otter Island. In 3 feet.
WEST CHANNEL LIGHT 19. U. Fl. W., 4 sec.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. On point of bank east of Longboat Inlet. In 6 feet. 1940 (200 mm e)
Longboat Inlet Daybeacon 18	Red pointer and reflector on pile.	In 4 feet.
Longboat Inlet Daybeacon 16B	Red pointer and reflector on pile.	In 5 feet
Longboat Inlet Daybeacon 17	Black pointer and green reflector on pile.	In 5 feet.

Name; mark on aid Character of light	Description	Remarks
SARASOTA BAY		
LONGBOAT LIGHT 16A. Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. On west side of channel. In 6 feet. 1940 (200 mm e)
Longboat Inlet Daybeacon 16	Red pointer on pile. Red reflector.	In 6 feet.
Longboat Inlet Daybeacon 15A	Black pointer and green reflector on pile.	In 5 feet.
LONGBOAT INLET LIGHT 15. Fl. W., 4 sec. U.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 15 feet high. In 5 feet. 1927 (200 mm e)
Sarasota Bay Daybeacon 13	Black pointer and green reflector on pile.	East side of channel off Cortez. In 5 feet.
SARASOTA BAY LIGHT 11. Fl. W., 4 sec. U.	White box and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 15 feet high. In 6 feet. 1927 (200 mm e)
Cobbs Wharf Daybeacon 8	Red triangular daymark, red reflector and pointer on pile	Off end of wharf. In 6 feet.
Sarasota Pass Daybeacon 9	Black square daymark, pointer and green reflector on pile.	In 6 feet.
SARASOTA PASS LIGHT 6A. Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 15 feet high. In 6 feet. 1927 (200 mm e)
BULKHEAD SOUTH RANGE FRONT LIGHT 7. Fl. W., 1 sec. U.	White box and pointer on pile dolphin.	Flash 0.3 sec. 50 cp. 15 feet high. At south entrance to bulkhead. In 6 feet. 1927 (200 mm e)
BULKHEAD SOUTH RANGE REAR LIGHT. Occ. W., 6 sec. U.	White triangular structure on piles. Same as Bulkhead North Range Rear Light.	Light 3 sec., eclipse 3 sec., 50 cp. 400 yards, 29° from front light. 22 feet high. In 6 feet. 1927 (200 mm e)
Sarasota Pass Daybeacon 6	Red pointer on pile. Red reflector.	In 6 feet.
BULKHEAD NORTH RANGE FRONT LIGHT 5. Fl. W., 1 sec. U.	White box and pointer on pile dolphin.	Flash 0.3 sec., 50 cp. 15 feet high. At turn in cut. In 6 feet. 1927 (200 mm e)
BULKHEAD NORTH RANGE REAR LIGHT. Occ. W., 6 sec. U.	White triangular structure on piles. Same as Bulkhead South Range Rear Light.	Light 3 sec., eclipse 3 sec., 50 cp. 22 feet high. 300 yards, 145° from front light. In 6 feet. 1927 (200 mm e)
SARASOTA PASS LIGHT 4. Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 15 feet high. At entrance to Bulkhead North Cut. In 6 feet. 1927 (200 mm e)
Sarasota Pass Daybeacon 2B	Red pointer on pile. Red reflector.	Marks edge of shoal, east of School Key.
Sarasota Pass Daybeacon 3	Black pointer on pile. Green reflector.	
SARASOTA PASS LIGHT 2A. Fl. W., 4 sec. U.	Red triangular daymarks and pointer on dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. Northeasterly of Anna Maria Key. 1942 (200 mm e)
Sarasota Pass Daybeacon 2	Red pointer on pile. Red reflector.	On edge of shoal making off Anna Maria Key. In 7 feet.
SARASOTA PASS LIGHT 1. Fl. W., 4 sec. U.	Black box and pointer on pile dolphin.	Flash 0.4 sec., 50 cp. 15 feet high. On east side of entrance to pass. In 6 feet 1927–1944 (200 mm e)
MANATEE RIVER		
Terraceia Island Spit Buoy 4	Red; 2d-cl. nun(s)	On west point of shoal. In 13 feet.
Manatee River Entrance Buoy 2	Red; 2d-cl. nun(s)	At entrance to Cut A. In 12 feet.
MANATEE RIVER CUT A RANGE FRONT LIGHT 4. Fl. R., 1 sec. U.	Red triangular slatted structure on piles.	Flash 0.3 sec., 11 cp. On axis of Cut A and on south side of entrance to Cut B. 20 feet high. In 9 feet. 1916 (200 mm e)
MANATEE RIVER CUTS A AND C RANGE REAR LIGHT. Occ. W., 6 sec. U.	White triangular slatted structure on piles.	Light 3 sec., eclipse 3 sec., 50 cp., 420 yards 136° from front light. 30 feet high. In 9 feet. 1916 (200 mm e)
MANATEE RIVER CUT C RANGE FRONT LIGHT 6. Fl. R., 1 sec. U.	Red triangular slatted structure on piles.	Flash 0.3 sec., 11 cp. On axis of cut, 420 yards 100° from rear light and on south side of Cut B. In 9 feet. 1916–1923 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
MANATEE RIVER		
MANATEE RIVER CUT D RANGE FRONT LIGHT 1. Fl. W., 1 sec. U.	Black square structure on piles.	Flash 0.3 sec., 50 cp. On axis of cut and on north side of Cut C. 17 feet high. In 9 feet. 1916-1927 (200 mm e)
MANATEE RIVER CUT D RANGE REAR LIGHT. Occ. W., 6 sec. U.	White triangular slatted structure on piles.	Light 3 sec., eclipse 3 sec., 50 cp., 1000 yards 297° from front light. 30 feet high. In 3 feet. 1916 (200 mm e)
Manatee River Daybeacon 3	White square daymark and pointer on pile.	On north side of dredged cut. In 5 feet.
Manatee River Daybeacon 8	Red triangular daymark and pointer on pile.	In 5 feet.
Manatee River Daybeacon 5	White square daymark and pointer on pile. Green reflector.	In 5 feet.
Manatee River Daybeacon 10	Red triangular daymark and pointer on pile. Red reflector.	In 9 feet.
McNEIL POINT SPIT LIGHT 12. Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec., 11 cp. 15 feet high. At northeast end of shoal. In 4 feet. 1912-1927 (200 mm e)
Terraceia Cutoff Daybeacon 2	Red triangular daymark and pointer on pile.	On east side of entrance to cut between Manatee River and Terraceia Bay. In 6 feet.
HOOKER POINT LIGHT 7. Fl. W., 4 sec. U.	White box and pointer on pile dolphin.	Flash 0.4 sec., 50 cp. 15 feet high. At southwest end of shoal. In 4 feet. 1912-1927 (200 mm e)
Manatee River Daybeacon 14	Red triangular daymark and pointer on pile. Red reflector.	In 6 feet.
DANIEL POINT SHOAL LIGHT 16. Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec., 11 cp. 15 feet high. Near north end of shoal. In 6 feet. 1912-1927 (200 mm e)
BRADENTON CUT RANGE FRONT LIGHT. Fl. W., 1 sec. U.	Black daymark with white stripe, white box on pile dolphin.	Flash 0.3 sec., 50 cp. 15 feet high. On axis of cut. In 6 feet. 1930 (200 mm e)
BRADENTON CUT RANGE REAR LIGHT. Occ. R., 6 sec. U.	White triangular slatted structure on piles.	Light 3, sec. eclipse 3 sec., 11 cp., 175 yards 329° from front light. 22 feet high. In 4 feet. 1930 (200 mm e)
Palmetto Cut Daybeacon	Black square daymark and pointer on pile.	13 feet high. Marks cut leading to Palmetto Wharf. In 9 feet.
Palmetto Cut Daybeacon 2	Red triangular daymark and pointer on pile.	13 feet high. In 3 feet.
Palmetto Cut Daybeacon 3	White square daymark and pointer on pile.	13 feet high. In 7 feet.
Palmetto Cut Daybeacon 4	Red triangular daymark and pointer on pile.	13 feet high. In 7 feet.
Manatee River Daybeacon 18	Red triangular daymark and pointer on pile.	On south side of dredged cut. In 9 feet.
Manatee River Daybeacon 20	Red triangular daymark and pointer on pile.	On south side of dredged cut. In 8 feet.
Manatee River Daybeacon 22	Red triangular daymark and pointer on pile.	Off mouth of Braidens Creek. In 9 feet.
Manatee River Daybeacon 24	Red triangular daymark and pointer on pile.	In 7 feet.
Rocky Bluff Daybeacon 9	White square daymark and pointer on pile.	At turn in channel near Ellenton. In 9 feet.
Manatee River Cut Daybeacon 11.	White square daymark and pointer on pile.	On west side of dredged cut. In 7 feet.
TERRACEIA BAY		
Terraceia Point Daybeacon 1	Black box and pointer on dolphin.	15 feet high. At entrance to bay. In 5 feet.
Terraceia Point Daybeacon 3	Black square daymark and pointer on pile.	In 5 feet.
Terraceia Point Daybeacon 5 Terraceia Point Daybeacon 7 Terraceia Point Daybeacon 7A	Black square daymark and pointer on pile.	13 feet high. In 7 feet.
Terraceia Point Daybeacon 2	Red triangular daymark and pointer on pile.	Marks north end of shoal from Sneads Island. In 5 feet.
Terraceia Point Daybeacon 4	Red triangular daymark and pointer on pile.	In 6 feet.
Bird Key Daybeacon 9	Black square daymark and pointer on pile.	15 feet high. On northeast side of channel in bay. In 5 feet.
Terraceia Cutoff Daybeacon 4	Red triangular daymark and pointer on pile.	16 feet high. On east side of entrance to cut between Terraceia Bay and Manatee River. In 6 feet.
LITTLE MANATEE RIVER		
Little Manatee River Daybeacon 1.	White daymark and pointer, on black pile dolphin.	25 feet high. On point of shoal at entrance to river. In 4 feet.
Starboard Shoal Daybeacon	Red triangular daymark and pointer on pile.	In 2 feet.
Little Manatee River Daybeacon 3.	White daymark and pointer, on black pile dolphin.	21 feet high. On east side of channel In 4 feet.

Name; mark on aid Character of light	Description	Remarks
ST. PETERSBURG HARBOR		
CHANNEL LIGHTED BUOY 1. Fl. W., 4 sec.	Black	Flash 0.4 sec. 70 cp. South side of entrance to cut. In 18 feet. (200 mm a)
ST. PETERSBURG CHANNEL LIGHTED BUOY 2. Fl. R., 4 sec.	Red	Flash 0.4 sec. 18 cp. In 18 feet. (200 mm e)
ST. PETERSBURG CHANNEL LIGHT 3. U. Fl. G., 4 sec.	Black box and pointer on pile	Flash 0.4 sec. 10 cp. 15 feet high. South side of entrance to channel. In 15 feet. 1940–1946 (200 mm e)
ST. PETERSBURG CHANNEL LIGHT 7. U. Fl. G., 4 sec.	Black battery box on dolphin	Flash 0.4 sec. 10 cp. 16 feet high. In 14 feet. 1945 (200 mm e)
ST. PETERSBURG CHANNEL LIGHT 9. U. Fl. G., 4 sec.	Black battery box on dolphin	Flash 0.4 sec. 10 cp. 16 feet high. In 14 feet. (200 mm e) 1945
PIERHEAD LIGHT F. R. U.	Red post, on wharf	30 cp. 27 feet high. Maintained by Atlantic Coast Line R. R. 1931 (Pl o)
MUNICIPAL PIER LIGHT 2 F. R. U.	White standards	100 cp. 20 feet high. On northeast and southeast corners of pier, 30 yards apart. Maintained by city of St. Petersburg. 1923 (e)
YACHT BASIN RANGE FRONT LIGHT. U. F. R.	White pole	100 cp. 50 feet high. Maintained by city of St. Petersburg. 1923 (e)
YACHT BASIN RANGE REAR LIGHT. U. F. R.	On hotel	100 cp. 90 feet high. 198 yards 270° from front light. Maintained by city of St. Petersburg. 1923 (e)
YACHT BASIN SOUTH MOLE LIGHT. U. Fl. W., 4 sec.	White standard	Flash 0.4 sec. 50 cp. 25 feet high. On northeast corner of mole. 1924 (200 mm e)
YACHT BASIN NORTH MOLE LIGHT. U. Fl. R., 4 sec.	White standard	Flash 0.4 sec. 11 cp. 25 feet high. On southeast corner of mole. 1924 (200 mm e)
BOCA CIEGA BAY		
BOCA CIEGA BAY LIGHT 2. Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1938 (200 mm e)
Boca Ciega Bay Buoy 1	Black; 3d-cl can(s)	In 6 feet.
Boca Ciega Bay Daybeacon 3	Black pointer on pile. Green reflector.	At west end of cut. In 6 feet.
BOCA CIEGA BAY LIGHT 5. Fl. G., 4 sec. U.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. At entrance to second cut. In 6 feet. 1938 (200 mm e)
Boca Ciega Bay Daybeacon 7	Black pointer on pile. Green reflector.	In 6 feet.
BOCA CIEGA BAY LIGHT 9. Fl. W., 4 sec. U.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. At west end of second cut. In 6 feet. 1938 (200 mm e)
BOCA CIEGA BAY LIGHT 11 Fl. G., 4 sec. U.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1938 (200 mm e)
Boca Ciega Bay Daybeacon 11A	Black pointer on pile. Green reflector.	In 6 feet.
Boca Ciega Bay Daybeacon 13	Black pointer on pile. Green reflector.	On west point of shoal. In 4 feet.
BOCA CIEGA BAY LIGHT 4. Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. On southwest point of shoal extending off Bird Key. In 4 feet. 1938 (200 mm e)
Boca Ciega Bay Daybeacon 6	Red pointer on pile. Red reflector.	In 4 feet.
Boca Ciega Bay Daybeacon 13A	Black pointer on pile. Green reflector.	In 6 feet.
Boca Ciega Bay Daybeacon 8	Red pointer on pile. Red reflector.	At junction of bay channel with Pass A Grille Channel. In 6 feet.
PASS A GRILLE		
PASS A GRILLE NORTH CHANNEL LIGHT 2. U. Fl. R., 4 sec.	Red square daymark on a red pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 10 feet. 1941 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
PASS A GRILLE		
Pass A Grille North Daybeacon 1.	Black square daymark and pointer on pile. Green reflector.	14 feet high. In 4 feet.
Pass A Grille North Channel Daybeacon 3.	Black pointer on pile. Green reflector.	14 feet high. In 4 feet.
Pass A Grille North Channel Daybeacon 5.	Black pointer on pile. Green reflector.	14 feet high. In 4 feet.
Pass A Grille North Channel Daybeacon 7.	Black pointer on pile. Green reflector.	14 feet high. Off south end of Long Key. In 4 feet.
PASS A GRILLE NORTH CHANNEL LIGHT 8. U. Fl. W., 4 sec.	Red square daymark on a red pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 5 feet. 1941 (200 mm e)
Pass A Grille North Channel Daybeacon 9.	Black pointer on pile. Green reflector.	In 6 feet.
Pass A Grille North Channel Daybeacon 10.	Red pointer on pile. Red reflector.	In 7 feet.
BOCA CIEGA BAY		
Boca Ciega Bay Daybeacon 15	Black pointer on pile. Green reflector.	In 4 feet.
TO GULFPORT		
Gulfport Channel Daybeacon 2	Red pointer on pile	Entrance to Gulfport Channel. In 6 feet.
Gulfport Channel Daybeacon 1	Black pointer on pile	In 6 feet.
BOCA CIEGA BAY		
Boca Ciega Bay Daybeacon 10	Red pointer on pile. Red reflector.	In 4 feet.
Boca Ciega Bay Daybeacon 17	Black pointer on pile. Green reflector.	In 3 feet.
Boca Ciega Bay Daybeacon 12	Red pointer on pile. Red reflector.	At south end of cut. In 3 feet.
Boca Ciega Bay Daybeacon 19	Black pointer on pile. Green reflector.	In 3 feet.
Boca Ciega Bay Daybeacon 14	Red pointer on pile	At north end of cut. In 3 feet
Boca Ciega Bay Daybeacon 21	Black pointer on pile	Abreast Daybeacon 14. In 3 feet.
Boca Ciega Bay Daybeacon 23	Black pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 16	Red pointer on pile	At southeast end of cut. In 3 feet.
Boca Ciega Bay Daybeacon 25	Black pointer on pile	Abreast Daybeacon 16. In 3 feet.
Boca Ciega Bay Daybeacon 18	Red pointer on pile	At northwest end of cut. In 3 feet
Boca Ciega Bay Daybeacon 27	Black pointer on pile	Abreast Beacon 18. In 3 feet.
Boca Ciega Bay Daybeacon 29	Black pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 31	Black pointer on pile	Off point of Long Key. In 3 feet
Boca Ciega Bay Daybeacon 20	Red pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 20A	Red pointer on pile	In 6 feet.
Boca Ciega Bay Daybeacon 20B	Red pointer on pile	In 6 feet.
Boca Ciega Bay Daybeacon 22	Red pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 24	Red pointer on pile	Off north end of Long Key. In 3 feet.
Boca Ciega Bay Daybeacon 26	Red pointer on pile	At junction with Blind Pass Channel. In 3 feet
Boca Ciega Bay Daybeacon 33	Black pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 35	Black pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 28	Red pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 37	Black pointer on pile	In 3 feet.
JOHNS PASS		
JOHNS PASS LIGHTED BUOY JP. S-L. Fl. W.	Black and white vertical stripes.	A short flash and a long flash. 70 cp. In 18 feet. (200 mm a)
Johns Pass Buoy 1 / *Johns Pass Buoy 3*	Black; 3d-cl can(s)	In 8 and 6 feet, respectively.
Johns Pass Buoy 2 / *Johns Pass Buoy 4*	Red; 3d-cl nun(s)	In 6 feet.
JOHNS PASS LIGHTED BUOY 6 Fl. R., 4 sec.	Red	Flash 0.4 sec. 9 cp. In 6 feet. (150 mm e)
Johns Pass Daybeacon 8	Red pointer on pile	In 4 feet.
Johns Pass Daybeacon 5	Black pointer on pile	In 6 feet.
BOCA CIEGA BAY		
Boca Ciega Bay Daybeacon 30	Red pointer on pile	Abreast Beacon 39A. In 3 feet.
Boca Ciega Bay Daybeacon 39	Black pointer on pile	At east end of cut, above junction with Johns Pass Channel. In 3 feet.
Boca Ciega Bay Daybeacon 39A	Black pointer on pile	In 4 feet.
Boca Ciega Bay Daybeacon 41	Black pointer on pile	At west end of dredged cut. In 3 feet.
Boca Ciega Bay Daybeacon 32	Red pointer on pile	Abreast Daybeacon 40. In 3 feet.
Boca Ciega Bay Daybeacon 34	Red pointer on pile	Off Turtle Crawl Point. In 3 feet.
Boca Ciega Bay Daybeacon 43	Black pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 45	Black pointer on pile	In 3 feet

Name; mark on aid Character of light	Description	Remarks
BOCA CIEGA BAY		
Boca Ciega Bay Daybeacon 36	Red pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 47	Black pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 49	Black pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 38	Red pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 49A	Black pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 40	Red pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 42	Red pointer on pile	At east entrance to cut. In 3 feet.
Boca Ciega Bay Daybeacon 44	Red pointer on pile	At bend in cut. In 3 feet.
Boca Ciega Bay Daybeacon 44A	Red pointer on pile	In 3 feet.
Boca Ciega Bay Daybeacon 46	Red pointer on pile	At bend in cut. In 3 feet.
THE NARROWS		
The Narrows Daybeacon 48	Red pointer on pile	At bend in cut and south entrance to The Narrows. In 3 feet.
The Narrows Daybeacon 50	Red pointer on pile	At bend in cut. In 3 feet.
The Narrows Daybeacon 51	Black pointer on pile	At bend in cut. In 3 feet.
The Narrows Daybeacon 52	Red pointer on pile	At bend in cut. In 3 feet.
The Narrows Daybeacon 54	Red pointer on pile	Alongside cut. In 3 feet.
The Narrows Daybeacon 56	Red pointer on pile	Alongside cut. In 3 feet.
The Narrows Daybeacon 53	Black pointer on pile	At bend in cut. In 3 feet.
The Narrows Daybeacon 58	Red pointer on pile	At bend in cut. In 3 feet.
The Narrows Daybeacon 60	Red pointer on pile	At north end of cut. In 3 feet.
The Narrows Daybeacon 62	Red pointer on pile	North of Indian Rock Beach. In 3 feet.
The Narrows Daybeacon 64	Red pointer on pile	At south end of dredged cut. In 3 feet.
The Narrows Daybeacon 66	Red pointer on pile	At bend of cut. In 3 feet.
CLEARWATER HARBOR SOUTH OF CAUSEWAY		
Clearwater Harbor Daybeacon 68	Red pointer on pile	At south end of cut. In 4 feet.
Clearwater Harbor Daybeacon 70	Red pointer on pile	Alongside cut. In 3 feet.
Clearwater Harbor Daybeacon 72	Red pointer on pile	At north end of cut. In 3 feet.
Clearwater Harbor Daybeacon 74	Red pointer on pile	At south end of cut, off McKays Point. In 3 feet.
Clearwater Harbor Daybeacon 76	Red pointer on pile	Off point of shoal. In 4 feet.
Clearwater Harbor Daybeacon 78	Red pointer on pile	At north end of cut. In 3 feet.
Clearwater Harbor Daybeacon 55	Black pointer on pile Green reflector.	12 feet high. Off Prickly Point. In 3 feet.
Clearwater Harbor Daybeacon A78	Red pointer on pile Red reflector.	12 feet high. Abreast preceding. In 3 feet.
Clearwater Harbor Daybeacon 80	Red pointer on pile Red reflector.	12 feet high. At south end of cut. In 3 feet.
Clearwater Harbor Daybeacon 82	Red pointer on pile Red reflector.	12 feet high. At north end of cut. In 3 feet.
Clearwater Harbor Daybeacon 84	Red pointer on pile Red reflector.	In 7 feet. 1,600 yards 256¼° from the hotel chimney at Belleair.
Belleair Channel Daybeacon 1	Black pointer on pile Green reflector.	In 6 feet.
Belleair Channel Daybeacon 3	Black pointer on single pile Green reflector.	In 6 feet.
LITTLE PASS LIGHTED BELL BUOY 1. Fl. W., 4 sec.	Black BELL, on buoy.	Flash 0.4 sec. 70 cp. 12 feet high. In 18 feet. 2,800 yards 221½° from tank at Clearwater Beach. (200 mm a)
Little Pass Buoy 2	Red; 3d-cl nun (s)	In 6 feet.
LITTLE PASS LIGHT 3 Fl. G., 4 sec. U.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 4 feet. 1938 (200 mm e)
Little Pass Daybeacon 4 Little Pass Daybeacon 6	Red pointer on pile Red reflector.	12 feet high. In 4 feet.
LITTLE PASS LIGHT 8 Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. 1938–1947 (200 mm e)
Little Pass Daybeacon 10	Red pointer on pile Red reflector.	11 feet high. In 4 feet.
LITTLE PASS LIGHT 12 Fl. R., 4 sec. U.	Red box on 5-pile dolphin	Flash 0.4 sec. 11 cp. 16 feet high. In 16 feet. 1945 (200 mm e)
Little Pass Daybeacon 13 Little Pass Daybeacon 14 Little Pass Daybeacon 15 Little Pass Daybeacon 17 Little Pass Daybeacon 22 Little Pass Daybeacon 19 Little Pass Daybeacon 21 Little Pass Daybeacon 25 Little Pass Daybeacon 24	Even numbered daybeacons are red pointer on pile and red reflector; odd numbered daybeacons are black pointer on pile and green reflector.	11 feet high. In 4 to 5 feet.
Clearwater Harbor Daybeacon 57	Black pointer and green reflector on pile.	12 feet high. On point of shoal. In 6 feet.
Clearwater Harbor Daybeacon 59	Black square daymark and pointer, green reflector, on pile.	12 feet high. On shoal. In 4 feet.

Name; mark on aid Character of light	Description	Remarks
CLEARWATER HARBOR		
SOUTH OF CAUSEWAY		
Clearwater Harbor Daybeacon 84A.	Red pointer on pile	11 feet high. In 4 feet.
Clearwater Harbor Daybeacon 59A.	Black pointer on pile. Green reflector.	12 feet high. On north end of shoal. In 4 feet.
Clearwater Harbor Daybeacon 59B.	Black pointer on pile. Green reflector.	12 feet high. In 6 feet.
Causeway Channel Buoy 1C	Black; 3d-cl. can(s)	In 7 feet.
Causeway Channel Buoy 2C	Red; 3d-cl nun(s)	In 6 feet.
Causeway Channel Buoy 4C	Red; nun (s)	In 5 feet.
Causeway Channel Buoy 6C	Red; nun (s)	In 7 feet.
Causeway Channel Daybeacon 8C.	Red pointer on pile	11 feet high. In 4 feet.
Causeway Channel Daybeacon 9C.	Black pointer on pile	11 feet high. In 4 feet.
Causeway Channel Daybeacon 10C.	Red pointer on pile	11 feet high. In 4 feet.
Causeway Channel Daybeacon 11C.	Black pointer on pile	11 feet high. In 4 feet.
Causeway Channel Daybeacon 13C.	Black pointer on pile. Green reflector.	12 feet high. In 4 feet.
Causeway Channel Daybeacon 15C.	Black pointer on pile. Green reflector.	12 feet high. In 4 feet.
Causeway Channel Daybeacon 16C.	Red pointer on pile	11 feet high. In 4 feet.
NORTH OF CAUSEWAY		
Clearwater Harbor Daybeacon 59C.	Black pointer on pile. Green reflector.	12 feet high. In 6 feet.
Clearwater Harbor Daybeacon 61.	Black pointer on pile. Green reflector.	12 feet high. In 4 feet.
Clearwater Harbor Daybeacon 63.	Black pointer on pile. Green reflector.	12 feet high. East of Blind Key. In 4 feet.
Clearwater Harbor Daybeacon 86.	Red pointer on pile. Red reflector.	12 feet high. In 4 feet.
Clearwater Harbor Daybeacon 88.	Red pointer on pile. Red reflector.	12 feet high. On south side of junction with Big Pass Channel. In 4 feet.
BIG PASS		
BIG PASS LIGHT 2. Fl. R., 4 sec. U.	Red box and pointer on pile structure.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1938 (200 mm e)
Big Pass Daybeacon 3	Black pointer on pile. Green reflector.	12 feet high. In 4 feet.
Big Pass Daybeacon 5	Black pointer on pile. Green reflector.	12 feet high. In 4 feet.
BIG PASS LIGHT 7. Fl. G., 4 sec. U.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 4 feet. 1938 (200 mm e)
Big Pass Daybeacon 2A	Red pointer on pile	11 feet high. In 4 feet.
Big Pass Daybeacon 9	Black pointer on pile	11 feet high.
Big Pass Daybeacon 2B	Red pointer on pile. Red reflector.	In 6 feet.
Big Pass Daybeacon 11	Black pointer on pile. Green reflector.	In 4 feet.
Big Pass Daybeacon 13		
Big Pass Daybeacon 4	Red pointer on pile	11 feet high. In 4 feet.
Big Pass Daybeacon 6	Red pointer on pile	11 feet high. In 4 feet.
Big Pass Daybeacon 8	Red pointer on pile	11 feet high. In 4 feet.
Mandalay Channel Daybeacon 1	Black pointer on pile. Green reflector.	
Mandalay Channel Daybeacon 2	Red pointer on pile	11 feet high. In 4 feet.
Mandalay Channel Daybeacon 4	Red pointer on pile	11 feet high. In 6 feet.
Dunedin Channel Daybeacon 1	Odd numbered daybeacons are black pointer and green reflector on pile. Even numbered daybeacons are red pointer and reflector on pile.	12 feet high. In 4 feet.
Dunedin Channel Daybeacon 2		
Dunedin Channel Daybeacon 3		
Dunedin Channel Daybeacon 4		
Dunedin Channel Daybeacon 5		
Dunedin Channel Daybeacon 5A.		
Dunedin Channel Daybeacon 5B.		
Dunedin Channel Daybeacon 6		
Dunedin Channel Daybeacon 8		
Dunedin Channel Daybeacon 10		
Dunedin Channel Daybeacon 7		
Dunedin Channel Daybeacon 12	Red pointer on pile	11 feet high. In 4 feet.
Dunedin Channel Daybeacon 9	Black pointer on pile. Green reflector.	12 feet high. In 4 feet.
Dunedin Channel Daybeacon 14	Red pointer on pile. Red reflector.	12 feet high. In 4 feet.
Dunedin Channel Daybeacon 11	Black pointer on pile	11 feet high. In 4 feet

Name; mark on aid Character of light	Description	Remarks
ST. JOSEPH SOUND		
St. Joseph Sound Daybeacon 65	Even numbered daybeacons are red pointers with red reflectors. Odd numbered daybeacons are black pointers on piles with green reflectors.	12 feet high. In 3 to 4 feet.
St. Joseph Sound Daybeacon 65A.		
St. Joseph Sound Daybeacon 67		
St. Joseph Sound Daybeacon 88A.		
St. Joseph Sound Daybeacon 69		
St. Joseph Sound Daybeacon 69A.		
St. Joseph Sound Daybeacon 88B.		
St. Joseph Sound Daybeacon 71		
St. Joseph Sound Daybeacon 90		
St. Joseph Sound Daybeacon 73		
St. Joseph Sound Daybeacon 92		
St. Joseph Sound Daybeacon 92A.		
St. Joseph Sound Daybeacon 73A.		
St. Joseph Sound Daybeacon 94		
Hurricane Pass Daybeacon 1		
Hurricane Pass Daybeacon 3		
Hurricane Pass Daybeacon 5	Black pointer on pile	11 feet high. In 4 feet.
St. Joseph Sound Daybeacon 75	Black pointers on pile. Green reflector.	12 feet high. In 4 feet.
St. Joseph Sound Daybeacon 77	Black pointers on pile. Green reflector.	12 feet high. In 4 feet.
St. Joseph Sound Daybeacon 79	Black pointer on pile. Green reflector.	12 feet high. In 4 feet.
St. Joseph Sound Daybeacon 96	Red triangular daymark and pointer on pile. Red reflector.	12 feet high. In 4 feet.
St. Joseph Sound Daybeacon 98	Red triangular daymark and pointer on pile. Red reflector.	12 feet high. In 4 feet.
ANCLOTE ANCHORAGE		
SOUTH ENTRANCE LIGHT 1. U. Fl. W., 4 sec.	Black box and pointer on dolphin.	Flash 0.4 sec., 50 cp. 15 feet high. Anclote Keys Light, 4,235 yards 33°. In 14 feet. 1931–1941 (200 mm e)
South Entrance Daybeacon 3	Black pointer on pile. Green reflector.	In 9 feet.
South Entrance Daybeacon 5	Black pointer on pile. Green reflector.	In 9 feet.
SOUTH ENTRANCE LIGHT 7. U. Fl. G., 4 sec.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. At inner end of cut. In 10 feet. 1940 (200 mm e)
South Entrance Daybeacon 8	Red pointer on pile. Red reflector.	In 10 feet.
South Entrance Daybeacon 10	Red pointer on pile. Red reflector.	In 10 feet.
South Entrance Daybeacon 3X	Black square daymark and pointer on pile.	In 9 feet.
Turn Daybeacon 5X		On southeast point of shoal south of Anclote Key Lighthouse. In 4 feet
Anclote Keys Daybeacon 7X	Green reflector.	Eastward of Anclote Key Lighthouse. 12 feet high. In 5 feet.
ANCLOTE RIVER		
CUT A RANGE FRONT LIGHT 9. U. Fl. G., 1 sec.	White box on black pile dolphin.	Flash 0.3 sec., 10 cp. 15 feet high. Also front range light for Cut B. In 6 feet. 1914–1924 (200 mm e)
CUT A RANGE REAR LIGHT. U. F. G.	White triangular slatted structure on piles.	35 cp. 22 feet high. In 1 foot. 420 yards 70° from front light. 1914–1924 (Rg e)
ANCLOTE RIVER LIGHT 1. Fl. G., 4 sec. U.	Black box and pointer on piles.	Flash 0.4 sec. 10 cp. 16 feet high. On north side of entrance. In 4 feet. 1910 (200 mm e)
Anclote River Daybeacon 2	Red pointer on pile. Red reflector.	12 feet high. In 9 feet.
Anclote River Daybeacon 2A		
Anclote River Daybeacon 3	Black pointer on pile. Green reflector.	In 4 feet.
Anclote River Daybeacon 4	Red pointer on pile. Red reflector.	12 feet high. In 5 feet.
Anclote River Daybeacon 5	Black pointer on pile. Green reflector.	In 4 feet.
Anclote River Daybeacon 6	Red pointer on pile. Red reflector.	In 3 feet.
Anclote River Daybeacon 8	Red pointer on pile. Red reflector.	In 3 feet.

Name; mark on aid Character of light	Description	Remarks
ANCLOTE RIVER		
CUT B RANGE FRONT LIGHT 9. U. Fl. G., 1 sec.	White box on black pile dolphin.	Flash 0.3 sec. 10 cp. 15 feet high. In 6 feet. 1914–1924 (200 mm e)
CUT B RANGE REAR LIGHT U. F. G.	White triangular slatted structure on piles.	35 cp. 22 feet high. In 3 feet. 375 yards, 288° from front light. 1914–1944. (Rg e)
Anclote River Daybeacon 10	Red pointer on pile Red reflector.	In 3 feet.
Anclote River Daybeacon 11	Black pointer on pile Green reflector.	In 5 feet.
Anclote River Daybeacon 12	Red pointer on pile Red reflector.	In 5 feet.
Anclote River Daybeacon 13	Black pointer on pile Green reflector.	In 5 feet.
Anclote River Daybeacon 16	Red pointer on pile Red reflector.	In 3 feet.
ANCLOTE RIVER LIGHT 17. Fl. G., 4 sec. U.	Black pointer and box on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
CUT C RANGE FRONT LIGHT 22. U. Fl. R., 1 sec.	Red slatted daymark and pointer on pile dolphin.	Flash 0.3 sec. 11 cp. 16 feet high In 9 feet. 1937 (200 mm e)
CUT C RANGE REAR LIGHT. U. F. R.	White triangular daymark with red stripe on pile structure.	40 cp. 22 feet high. In 4 feet. 466 yards, 146° from front light. 1937. (Rg e)
Anclote River Daybeacon 18	Red pointer on pile Red reflector.	12 feet high. In 4 feet.
Anclote River Daybeacon 19	Black pointer on pile Green reflector.	In 3 feet.
Anclote River Daybeacon 20	Red pointer on pile Red reflector.	In 3 feet.
Anclote River Daybeacon 21	Black pointer on pile Green reflector.	In 2 feet.
Anclote Riber Daybeacon 23	Black pointer on pile Green reflector.	In 2 feet.
Anclote River Daybeacon 25	Black pointer on pile Green reflector.	In 2 feet.
Anclote River Daybeacon 26	Red pointer on pile Red reflector.	In 3 feet.
Anclote River Daybeacon 28	Red pointer on pile Red reflector.	In 4 feet.
ANCLOTE RIVER LIGHT 29. Fl. G., 4 sec. U.	Black pointer and box on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
CUT E RANGE FRONT LIGHT 36. U. Fl. R., 1 sec.	Red slatted daymark and pointer on pile dolphin.	Flash 0.3 sec. 11 cp. 16 feet high. In 9 feet. 1937–1946 (200 mm e)
CUT E RANGE REAR LIGHT. U. F. R.	White triangular daymark with red stripe on pile structure.	40 cp. 22 feet high. 230 yards, 138° from front light. 1937 Rg e)
Anclote River Daybeacon 30	Red pointer on pile Red reflector.	In 2 feet.
Anclote River Daybeacon 32	Red pointer on pile Red reflector.	In 2 feet.
Anclote River Daybeacon 34	Red pointer on pile Red reflector.	In 6 feet.
Anclote River Daybeacon 35	Black pointer on pile Green reflector.	In 6 feet.
Anclote River Daybeacon 37	Black pointer on pile Green reflector.	In 3 feet.
Anclote River Daybeacon 38	Red pointer on pile Red reflector.	12 feet high. In 3 feet.
ANCLOTE RIVER LIGHT 39. Fl. G., 4 sec. U.	Black pointer and box on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Anclote River Daybeacon 40	Red pointer on pile Red reflector.	In 3 feet.
Anclote River Daybeacon 42	Red pointer on pile Red reflector.	In 3 feet.
ANCLOTE RIVER LIGHT 43. Fl. G., 4 sec. U.	Black pointer and box on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Anclote River Daybeacon 44	Red pointer on pile Red reflector.	In 3 feet.
Anclote River Daybeacon 45	Black pointer on pile Green reflector.	In 3 feet.

Name; mark on aid Character of light	Description	Remarks
ANCLOTE RIVER		
ANCLOTE RIVER LIGHT 46. Fl. R., 4 sec. U.	Red pointer and box on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Anclote River Daybeacon 47	Black pointer on pile. Green reflector.	In 6 feet.
ANCLOTE RIVER LIGHT 48. Fl. R., 4 sec. U.	Red pointer and box on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 6 feet. 1937 (200 mm e)
Anclote River Daybeacon 49	Black pointer on pile. Green reflector.	In 6 feet.
Anclote River Daybeacon 50	Red pointer on pile. Red reflector.	12 feet high. In 6 feet.
SOUTH CHANNEL		
Anclote River Daybeacon 26S	Red pointer on pile. Red reflector.	In 2 feet.
Anclote River Daybeacon 28S	Red pointer on pile. Red reflector.	In 2 feet.
Anclote River Daybeacon 11S	Black pointer on pile. Green reflector.	In 2 feet.
Anclote River Daybeacon 30S	Red pointer on pile. Red reflector.	In 3 feet.
Anclote River Daybeacon 13S	Black pointer on pile.	In 4 feet.
Anclote River Daybeacon 32S	Red pointer on pile.	In 2 feet.
Anclote River Daybeacon 34S	Red pointer on pile.	In 2 feet.
Anclote River Daybeacon 36S	Red pointer on pile.	In 6 feet.
Anclote River Daybeacon 15S	Black pointer on pile.	In 6 feet.
Anclote River Daybeacon 38S	Red pointer on pile.	In 3 feet.
Anclote River Daybeacon 40S	Red pointer on pile.	In 3 feet.
Anclote River Daybeacon 17S	Black pointer on pile.	In 3 feet.
Anclote River Daybeacon 42S	Red pointer on pile.	In 3 feet.
Anclote River Daybeacon 19S	Black pointer on pile.	In 3 feet.
Anclote River Daybeacon 44S	Red pointer on pile.	In 3 feet.
ANCLOTE ANCHORAGE		
NORTH ENTRANCE LIGHT 2. Fl. R., 4 sec. U.	Red lantern box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 15 feet high. At north entrance to Anclote Anchorage. In 14 feet. 1931 (200 mm e)
NORTH ENTRANCE LIGHT 4. Fl. R., 4 sec. U.	Red lantern box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 15 feet high. In 8 feet. 1931 (200 mm e)
Bailey Bluff Daybeacon 1	Black square daymark on pile.	On east point of shoal. In 4 feet.
NORTH ANCLOTE LIGHT 6. Fl. R., 4 sec. U.	Red box and pointer on pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 4 feet. On point of spit east of North Anclote Island. 1938 (200 mm e)
Anclote North Channel Daybeacon 3.	Black square daymark and pointer on piles.	On south side of old channel into river. In 4 feet.
PITHLOCHASCOOTIE RIVER		
Pithlochascootie River Entrance Daybeacon.	White box on pile dolphin	Off entrance to River. 15 feet high. In 6 feet. Maintained by New Port Richey Club.
ST. MARTIN REEF		
ST. MARTIN OUTER SHOAL LIGHT 22. Fl. W., 4 sec. U.	Red; triangular daymark and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. On east point of shoal. In 13 feet. 1942. (200 mm e)
HOMOSASSA BAY		
HOMOSASSA ENTRANCE LIGHTED BUOY 2. Fl. W., 4 sec.	Red	Flash 0.4 sec. 50 cp. 17 miles 21½° from St. Martin Outer Shoal Light 22. In 7 feet. (200 mm e)
HOMOSASSA LIGHTED BUOY 4. Fl. W., 4 sec.	Red	Flash 0.4 sec. 40 cp. At entrance to Homosassa River. In 10 feet. (150 mm e)
Homosassa Daybeacon 6 Homosassa Daybeacon 8 Homosassa Daybeacon 10 Homosassa Daybeacon 12 Homosassa Daybeacon 14 Homosassa Daybeacon 16 Homosassa Daybeacon 18 Homosassa Daybeacon 20 Homosassa Daybeacon 22 Homosassa Daybeacon 24	Red pointer on pile. Red reflector	In 5 to 10 feet.

Name; mark on aid Character of light	Description	Remarks
HOMOSASSA BAY		
HOMOSASSA LIGHTED BUOY 26. Fl. W., 4 sec.	Red	Flash 0.4 sec. 40 cp. 860 yards 180° from Platform Ship Rock. In 10 feet. (150 mm e)
Homosassa Daybeacon 28	Red pointer on pile. Red reflector.	In 5 feet.
Homosassa Daybeacon 30		
Homosassa Daybeacon 31	Black pointer on pile. Green reflector.	In 6 feet.
HOMOSASSA RIVER		
Homosassa Daybeacon 32	Even-numbered day beacons are red pointers on piles with red reflectors; Odd-numbered daybeacons are black pointers on piles with green reflectors.	In 1 to 7 feet.
Homosassa Daybeacon 33		
Homosassa Daybeacon 34		
Homosassa Daybeacon 35		
Homosassa Daybeacon 36		
Homosassa Daybeacon 37		
Homosassa Daybeacon 38		
Homosassa Daybeacon 39		
Homosassa Daybeacon 40		
Homosassa Daybeacon 41		
Homosassa Daybeacon 42		
Homosassa Daybeacon 43		
Homosassa Daybeacon 44		
Homosassa Daybeacon 45		
Homosassa Daybeacon 47		
Homosassa Daybeacon 48		
Homosassa Daybeacon 49		
Homosassa Daybeacon 51		
Homosassa Daybeacon 53		
Homosassa Daybeacon 54		
Homosassa Daybeacon 55		
Homosassa Daybeacon 56		
Homosassa Daybeacon 57		
Homosassa Daybeacon 58		
Homosassa Daybeacon 59		
Homosassa Daybeacon 61		
Homosassa Daybeacon 62		
Homosassa Daybeacon 63		
Homosassa Daybeacon 63A		
Homosassa Daybeacon 64		
Homosassa Daybeacon 65		
Homosassa Daybeacon 66		
Homosassa Daybeacon 68		
Homosassa Daybeacon 69		
Homosassa Daybeacon 70		
Homosassa Daybeacon 71		
Homosassa Daybeacon 72		
Homosassa Daybeacon 73		
Homosassa Daybeacon 74		
CRYSTAL RIVER		
Crystal River Daybeacon 2	Red pointer on pile. Red reflector.	At entrance to channel through Crystal Reefs. In 4 feet.
Crystal River Daybeacon 1	Black square pyramidal structure and pointer on piles.	16 feet high. In 4 feet.
Crystal River Daybeacon 2A	Red pointer on pile. Red reflector.	Marks rock shoals. In 2 feet.
Crystal River Daybeacon 3	Black pointer on pile. Green reflector.	In 4 feet.
Crystal River Daybeacon 4	Red pointer on pile. Red reflector.	In 4 feet.
Crystal River Daybeacon 6	Red triangular daymark and pointer on pile. Red reflector.	At entrance to cut. In 4 feet.
Crystal River Daybeacon 5	Black pointer on pile. Green reflector.	In 4 feet.
Crystal River Daybeacon 8	Red pointer on pile.	At east end of cut. In 4 feet.
Crystal River Daybeacon 7	Black pointer on pile. Green reflector.	Abreast Daybeacon 8. In 4 feet.
Crystal River Daybeacon 10	Red pointer on pile. Red reflector.	At entrance to second cut. In 4 feet.
Crystal River Daybeacon 9	Black pointer on pile. Green reflector.	Abreast Daybeacon 10. In 4 feet.
Crystal River Daybeacon 12	Red pointer on pile. Red reflector.	Alongside cut. In 4 feet.

Name; mark on aid Character of light	Description	Remarks
CRYSTAL RIVER		
Crystal River Daybeacon 11	Black pointer on pile. Green reflector.	Abreast Daybeacon 12. In 4 feet.
Crystal River Daybeacon 14	Red pointer on pile. Red reflector.	At east end of cut. In 4 feet.
Crystal River Daybeacon 13	Black pointer on pile. Green reflector.	Abreast Daybeacon 14. In 4 feet.
Crystal River Daybeacon 16	Red pointer on pile. Red reflector.	At entrance to third cut. In 4 feet.
Crystal River Daybeacon 15	Black pointer on pile. Green reflector.	Abreast Daybeacon 16. In 4 feet.
Crystal River Daybeacon 18	Red pointer on pile. Red reflector.	At east end of cut, at mouth of river. In 4 feet.
Crystal River Daybeacon 17	Black pointer on pile. Green reflector.	Abreast Daybeacon 18. In 4 feet.
WITHLACOOCHEE RIVER		
Withlacoochee Entrance Buoy	Black and white vertical stripes; 1st-cl. nun.	In 21 feet.
East Shoal Buoy 1	Black; 2d-cl. can	In 17 feet.
Withlacooche Entrance Shoal Buoy.	Red and black horizontal bands; 3d-cl. nun(s).	In 9 feet.
WITHLACOOCHEE ENTRANCE LIGHT 1. U. Fl. G., 4 sec.	Black square daymark on pile dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 9 feet. 1943. (200 mm e)
Withlacoochee Entrance Daybeacon 2.	Red triangular daymark on pile. Red reflector.	In 9 feet.
Withlacoochee River Daybeacon 1A.	Black square pyramidal structure and pointer on piles.	At north side of entrance to Cut A, 15 feet high. In 9 feet.
Withlacoochee River Daybeacon 2A.	Red pointer on pile	8 feet high. In 7 feet.
WITHLACOOCHEE RIVER LIGHT. U. Fl. W., 4 sec.	White square structure on piles.	Flash 0.4 sec. 140 cp. 34 feet high. On north side of entrance to channel. In 9 feet. 1906 (200 mm e)
Withlacoochee River Daybeacon 4.	Red pointer on pile	8 feet high. In 8 feet.
Withlacoochee River Daybeacon 3.	Black pointer on pile	8 feet high. In 8 feet.
Withlacoochee River Daybeacon 6.	Red pointer on pile	8 feet high. In 8 feet.
Withlacoochee River Daybeacon 5.	Black pointer on pile	8 feet high. In 8 feet.
Withlacoochee River Daybeacon 8.	Red pointer on pile	8 feet high. In 8 feet.
Withlacoochee River Daybeacon 7.	Black pointer on pile	8 feet high. In 8 feet.
Withlacoochee River Daybeacon 10.	Red pointer on pile	8 feet high. In 8 feet.
Withlacoochee River Daybeacon 9.	Black pointer on pile	8 feet high. In 10 feet.
Withlacoochee River Daybeacon 11.	Black pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 12.	Red pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 13.	Black pointer on pile	8 feet high. In 8 feet.
Withlacoochee River Daybeacon 14.	Red pointer on pile	8 feet high. In 8 feet.
Withlacoochee River Daybeacon 15.	Black pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 16.	Red pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 17.	Black pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 18.	Red pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 19.	Black pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 20.	Red pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 21.	Black pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 22.	Red pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 23.	Black pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 24.	Red pointer on pile	8 feet high. In 9 feet.

Name; mark on aid Character of light	Description	Remarks
WITHLACOOCHEE RIVER		
Withlacoochee River Daybeacon 25.	Black pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 26.	Red pointer on pile	8 feet high. In 9 feet.
Withlacoochee River Daybeacon 27.	Black pointer on pile	8 feet high. In 6 feet.
Withlacoochee River Daybeacon 28.	Red pointer on pile	8 feet high. In 6 feet.
Withlacoochee River Daybeacon 30.	Red pointer on pile	8 feet high. In 6 feet.
Withlacoochee River Daybeacon 29.	Black pointer on pile	8 feet high. In 7 feet.
Withlacoochee River Daybeacon 32.	Red pointer on pile	8 feet high. In 6 feet.
Withlacoochee River Daybeacon 31.	Black pointer on pile	8 feet high. In 6 feet.
Withlacoochee River Daybeacon 34.	Red pointer on pile	8 feet high. In 6 feet.
Withlacoochee River Daybeacon 33.	Black pointer on pile	8 feet high. In 6 feet.
CEDAR KEYS		
Seahorse Reef Spit Whistle Buoy 3.	Black	2.5 miles 213° from Seahorse Reef Light. In 27 feet.
SEAHORSE REEF LIGHT. Fl. W., 5 sec. U.	White, triangular, pyramidal, skeleton structure on piles.	Flash 1 sec. 450 cp. 43 feet high. Near south end of reef. In 9 feet. 1922 (200 mm e)
MAIN CHANNEL LIGHT 1. Fl. W., 4 sec. U.	Black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 20 feet high. In 13 feet. On west side of entrance to channel. 1922 (200 mm e)
Main Channel Daybeacon 3	Black pointer on pile. Green reflector.	In 10 feet.
Main Channel Daybeacon 5	Black square daymark and pointer on pile. Green reflector.	12 feet high. In 12 feet.
MAIN CHANNEL LIGHT 7. Fl. G., 4 sec. U.	Black pointer and box on dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 12 feet. (200 mm e) (1930-1946)
Main Channel Daybeacon 8	Red pointer on pile. Red reflector.	In 7 feet.
MAIN CHANNEL LIGHT 9. Fl. W., 4 sec. U.	Black pointer and box on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 12 feet. (200 mm e) 1946
Cedar Keys Daybeacon	White unused lighthouse	On east end of mound on Seahorse Key. 75 feet high.
Main Channel Daybeacon 10	Red pointer on pile. Red reflector.	In 9 feet.
Main Channel Daybeacon 12	Red pointer on pile. Red reflector.	In 8 feet.
MAIN CHANNEL LIGHT 14. Qk. Fl. W. U.	Red pointer and box on dolphin.	75 flashes per minute. 50 cp. 16 feet high. In 10 feet. (200 mm e) 1946
CUT D RANGE FRONT LIGHT. U. Fl. W., 1 sec.	White daymark with black stripe and pointer on pile dolphin.	Flash 0.3 sec. 50 cp. 15 feet high. In 10 feet. 1930 (200 mm e)
CUT D RANGE REAR LIGHT. U. F. W.	White triangular slatted structure on piles.	500 cp. 32 feet high. 520 yards 58° from front light. In 5 feet. 1930-1941 (Rg e)
Main Channel Daybeacon 16	Red pointer on pile. Red reflector.	In 10 feet.
Main Channel Daybeacon 18	Red pointer on pile. Red reflector.	In 10 feet.
Main Channel Daybeacon 19	Black pointer on pile. Green reflector.	In 10 feet.
MAIN CHANNEL LIGHT 21. Fl. W., 4 sec. U.	Black pointer and box on pile dolphin.	Flash 0.4 sec. 50 cp. 15 feet high. In 10 feet. At turn. (200 mm e) 1930
MAIN CHANNEL LIGHT 23. Fl. W., 4 sec. U.	Black pointer and box on pile dolphin.	Flash 0.4 sec. 50 cp. 15 feet high. In 10 feet. At turn. (200 mm e) 1930-1941
Main Channel Daybeacon 25	Black pointer on pile. Green reflector.	12 feet high. In 5 feet.
MAIN CHANNEL LIGHT 27. Qk. Fl. G. U.	Black pointer and box on dolphin.	75 flashes per minute. 10 cp. 15 feet high. In 11 feet. (200 mm e) 1930
Main Channel Daybeacon 28	Red pointer on pile. Red reflector.	10 feet high. In 10 feet.

Name; mark on aid Character of light	Description	Remarks
CEDAR KEYS		
MAIN CHANNEL LIGHT 30. Qk. Fl. R. U.	Red pointer and box on pile dolphin.	75 flashes per minute. 11 cp. 15 feet high. In 9 feet. 1930 (200 mm e)
Main Channel Daybeacon 31	Black pointer on pile. Green reflector.	In 5 feet.
Main Channel Daybeacon 32	Red pointer on pile. Red reflector.	In 10 feet. 14 feet high.
Main Channel Daybeacon 34	Red pointer on pile. Red reflector.	In 10 feet.
Main Channel Daybeacon 36	Red pointer on pile. Red reflector.	In 10 feet.
SOUTH BAR LIGHT 2. Fl. W., 4 sec. U.	Red triangular daymark on piles.	Flash 0.4 sec. 50 cp. 15 feet high. Near South Bar Shoal. In 4 feet. 1922 (200 mm e)
South Bar Channel Daybeacon 4	Red pointer on pile. Red reflector.	In 4 feet.
South Bar Channel Daybeacon 6	Red pointer on pile. Red reflector.	In 2 feet.
South Bar Channel Daybeacon 1	Black square daymark and pointer on pile. Green reflector.	In 4 feet.
South Bar Channel Daybeacon 8	Red pointer on pile. Red reflector.	In 6 feet.
Northwest Channel Daybeacon 2.	Red pointer on pile. Red reflector.	14 feet high. In 6 feet.
Northwest Channel Daybeacon 4.	Red pointer on pile. Red reflector.	In 4 feet.
Northwest Channel Daybeacon 6.	Red pointer on pile. Red reflector.	In 6 feet.
Northwest Channel Daybeacon 8.	Red pointer on pile. Red reflector.	In 8 feet.
Northwest Channel Daybeacon 10.	Red pointer on pile. Red reflector.	In 3 feet.
Northwest Channel Daybeacon 3.	Black pointer on pile. Green reflector.	In 3 feet.
Northwest Channel Daybeacon 5.	Black pointer on pile. Green reflector.	In 3 feet.
Northwest Channel Daybeacon 5A.	Black pointer on pile. Green reflector.	In 5 feet.
Northwest Channel Daybeacon 14.	Red pointer on pile. Red reflector.	In 5 feet.
Northeast Channel Daybeacon 7	Black pointer on pile. Green reflector.	13 feet high. In 12 feet.
SUWANNEE SOUND		
Suwannee Sound South Entrance Daybeacon 2.	Red pointer on pile	In 6 feet.
Suwannee Sound South Entrance Daybeacon 1.	Black pointer on pile	In 6 feet.
Suwannee Sound South Entrance Daybeacon 3.	Black pointer on pile	In 6 feet.
Suwannee Sound South Entrance Daybeacon 3A.	Black pointer on pile	In 6 feet.
Suwannee Sound South Entrance Daybeacon 5.	Black pointer on pile	In 6 feet.
Suwannee Sound South Entrance Daybeacon 7.	Black pointer on pile	In 8 feet.
Suwannee Sound South Entrance Daybeacon 9.	Black pointer on pile	In 8 feet.
Suwannee Sound South Entrance Daybeacon 11.	Black pointer on pile dolphin	In 6 feet.
Derrick Gap Channel Daybeacon 2.	Red pointer on pile. Red reflector.	On east side of entrance to channel. In 2 feet.
Derrick Gap Channel Daybeacon 1.	Black pointer on pile. Green reflector.	On west side of channel at bend. In 2 feet.
Derrick Gap Channel Daybeacon 3.	Black pointer on pile. Green reflector.	On west side of channel at bend. In 2 feet.
Derrick Gap Channel Daybeacon 5.	Black pointer on pile	Marks south side of channel at third bend. In 6 feet.
Derrick Gap Channel Daybeacon 4.	Red pointer on pile	On north side of channel at bend. In 3 feet.
Derrick Gap Channel Daybeacon 6.	Red triangular daymark and pointer on pile dolphin.	On north side of channel. In 5 feet.
Suwannee River East Pass Channel Daybeacon 2.	Red triangular daymark and pointer on pile dolphin.	On east side of channel at entrance. In 3 feet.
Suwannee River East Pass Channel Daybeacon 2A.	Red pointer on pile	On east side of channel at bend. In 3 feet.
Suwannee River East Pass Channel Daybeacon 4.	Red pointer on pile	On south side of channel at bend. In 3 feet.

Name; mark on aid Character of light	Description	Remarks
SUWANNEE SOUND		
Suwannee River East Pass Channel Daybeacon 1.	Black pointer on pile	On north side of channel. In 3 feet.
Suwannee River East Pass Channel Daybeacon 6.	Red pointer on pile	On south side of channel. In 2 feet.
Suwannee River East Pass Channel Daybeacon 1A.	Black pointer on pile	In 3 feet.
Suwannee River East Pass Channel Daybeacon 3.	Black pointer on pile	On north side of inner end of channel. In 6 feet.
Suwannee River East Pass Channel Daybeacon 5.	Black pointer on pile	On point of spit. In 6 feet.
Suwannee River East Pass Channel Daybeacon 8.	Red pointer on pile	At entrance to pass. In 6 feet.
STEINHATCHEE RIVER		
STEINHATCHEE RIVER LIGHT 1. U. Fl. W., 4 sec.	White slatted structure on piles.	Flash 0.4 sec. 50 cp. 30 feet high. At entrance to channel. In 8 feet. 1940 (200 mm e)
Steinhatchee River Daybeacon 3. Steinhatchee River Daybeacon 5. Steinhatchee River Daybeacon 7. Steinhatchee River Daybeacon 9.	Black pointer on pile. Green reflector.	In 3 to 10 feet.
STEINHATCHEE RIVER LIGHT 11. U. Fl. W., 4 sec.	Black slatted structure on piles.	Flash 0.4 sec. 50 cp. 30 feet high. On north side of channel. In 5 feet. 1940 (200 mm e)
Steinhatchee River Daybeacon 13. Steinhatchee River Daybeacon 15. Steinhatchee River Daybeacon 17. Steinhatchee River Daybeacon 19.	Black pointer on pile. Green reflector.	In 3 to 10 feet.
STEINHATCHEE RIVER LIGHT 21. U. Fl. W., 4 sec.	Black slatted structure on piles.	Flash 0.4 sec. 50 cp. 30 feet high. At turn in channel. In 5 feet. 1940 (200 mm e)
Steinhatchee River Daybeacon 23.	Black pointer on pile	North side of cut B. In 2 feet.
Steinhatchee River Daybeacon 24.	Red pointer on pile	South side of channel at turn. In 4 feet.
Steinhatchee River Daybeacon 25.	Black pointer on pile	North side of channel at turn. In 6 feet.
Steinhatchee River Daybeacon 26.	Red pointer on pile	South side of channel at turn. In 5 feet.
Steinhatchee River Daybeacon 28.	Red pointer on pile	South side of channel at turn. In 4 feet.
Steinhatchee River Daybeacon 30.	Red pointer on pile	South side of channel at turn. In 6 feet.
Steinhatchee River Daybeacon 31.	Black pointer on pile	North side of channel at turn. In 4 feet.
Steinhatchee River Daybeacon 33.	Black pointer on pile	North side of channel. In 5 feet.
Steinhatchee River Daybeacon 34.	Red pointer on pile	South side of channel at turn. In 5 feet.
Steinhatchee River Daybeacon 36.	Red pointer on pile	South side of channel at turn. In 5 feet.
TRANS-STATE WATERWAY		
LAKE OKEECHOBEE		
ST. LUCIE CANAL LIGHT 1. U. Fl. W., 4 sec.	Black square daymark with yellow border on white pyramidal slatted structure on piles.	Flash 0.4 sec. 50 cp. 27 feet high. In 3 feet. On point of jetty on south side of entrance to canal. 1916–1930 (200 mm e)
St. Lucie Canal Daybeacon 2	Red band and pointer on white pile, yellow top. Red reflector.	In 5 feet.
St. Lucie Canal Daybeacon 4	Red band and pointer on white pile, yellow top. Red reflector.	In 6 feet.
St. Lucie Canal Daybeacon 5	Black band and pointer on white pile, yellow top. Green reflector.	In 6 feet.

Name; mark on aid Character of light	Description	Remarks
TRANS-STATE WATERWAY		
LAKE OKEECHOBEE		
PALM BEACH CANAL LIGHT. U. Fl. R., 4 sec.	Red triangular pyramidal slatted structure on piles.	Flash 0.4 sec. 11 cp. 27 feet high. In 4 feet. On south side of entrance to channel leading to canal. 1916–1930 (200 mm e)
Southeast Dikes Daybeacon 6	Even-numbered daybeacons are red pointer and red reflector on pile. Odd-numbered daybeacons are black pointer and green reflector on pile.	In 5 feet, marks dredged cuts from Pahokee to Clewiston.
Southeast Dikes Daybeacon 7		
Southeast Dikes Daybeacon 8		
Southeast Dikes Daybeacon 9		
Southeast Dikes Daybeacon 11		
Southeast Dikes Daybeacon 12		
Southeast Dikes Daybeacon 14		
Southeast Dikes Daybeacon 15		
Southeast Dikes Daybeacon 16		
Southeast Dikes Daybeacon 17		
Southeast Dikes Daybeacon 18		
Southeast Dikes Daybeacon 20		
Southeast Dikes Daybeacon 21		
Southeast Dikes Daybeacon 22		
Southeast Dikes Daybeacon 23		
Southeast Dikes Daybeacon 23A		
Southeast Dikes Daybeacon 24		
Southeast Dikes Daybeacon 25		
Southeast Dikes Daybeacon 25A		
Southeast Dikes Daybeacon 26		
Southeast Dikes Daybeacon 26A		
Southeast Dikes Daybeacon 28		
Southeast Dikes Daybeacon 30		
Southeast Dikes Daybeacon 32		
Southeast Dikes Daybeacon 36		
Southeast Dikes Daybeacon 38		
Southeast Dikes Daybeacon 40		
Southeast Dikes Daybeacon 42		
Southeast Dikes Daybeacon 44		
BACOM POINT ROCKS LIGHT. U. Fl. W., 4 sec.	Red triangular pyramidal structure on piles.	Flash 0.4 sec. 50 cp. 27 feet high. In 6 feet. On west side of rocks off point. 1922–1930 (200 mm e)
KREAMER SHOAL LIGHT. Fl. G., 4 sec. U.	White triangular pyramidal structure on piles.	Flash 0.4 sec. 10 cp. 27 feet high. In 4 feet. On end of shoal making out from north end of Kreamer Island. 1922–1930 (200 mm e)
ROCK REEF NORTH LIGHT 7. U. Fl. W., 4 sec.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 50 cp. 16 feet high. In 10 feet. 1937–1939 (200 mm e)
Rock Reef Daybeacon 9	Black band and pointer on white pile, yellow top. Green reflector.	In 7 feet.
Rock Reef Daybeacon 11	Black band and pointer on white pile, yellow top. Green reflector.	In 7 feet.
Rock Reef Daybeacon 12	Red band and pointer on white pile, yellow top. Red reflector.	In 7 feet.
ROCK REEF SOUTH LIGHT 14. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on pile.	Flash 0.4 sec. 11 cp. 27 feet high. In 10 feet. 1937–1939 (200 mm e)
Bacom Point Channel Daybeacon 1.	Even-numbered daybeacons are red pointer and red reflector on piles; odd-numbered daybeacons are black pointer and green reflector on pile.	In 5 to 9 feet. 12 feet high. Mark channel from Lake Okeechobee to Rim Canal at Bacom Point.
Bacom Point Channel Daybeacon 2.		
Bacom Point Channel Daybeacon 3.		
Bacom Point Channel Daybeacon 4.		
Bacom Point Channel Daybeacon 5.		
Bacom Point Channel Daybeacon 6.		
Bacom Point Channel Daybeacon 7.		
Bacom Point Channel Daybeacon 8.		

Name; mark on aid Character of light	Description	Remarks
TRANS-STATE WATERWAY		
LAKE OKEECHOBEE		
INTAKE CRIB LIGHT. F. R. U.	Skeleton steel tower on round concrete structure.	11 cp. 36 feet high 3,230 yards 54°40′ from Clewiston Channel Light 2. Maintained by U. S. Sugar Corp., Clewiston, Fla. 1944 (200 mm e)
CLEWISTON CHANNEL LIGHT 2. U. Fl. R., 4 sec.	Red triangular pyramidal pile structure with pointer.	Flash 0.4 sec. 11 cp. 27 feet high. In 8 feet. At entrance to dredged cut. 1937 (200 mm e)
Clewiston Daybeacon 1	Black pointer on pile	In 6 feet.
Clewiston Daybeacon 3	Black pointer on pile	In 4 feet.
Clewiston Daybeacon 4	Red pointer on pile	In 4 feet.
Clewiston Daybeacon 5	Black pointer on pile	In 4 feet.
Clewiston Daybeacon 6	Red pointer on pile	In 4 feet.
Clewiston Daybeacon 7	Black pointer on pile	In 4 feet.
Clewiston Daybeacon 8	Red pointer on pile	In 4 feet.
Clewiston Daybeacon 9	Black pointer on pile	In 4 feet.
Clewiston Daybeacon 10	Red pointer on pile	In 4 feet.
Clewiston Daybeacon 11	Black pointer on pile	In 4 feet.
Clewiston Daybeacon 12	Red pointer on pile	In 4 feet.
CLEWISTON LIGHT 13. Fl. G., 4 sec. U.	Black box and pointer on dolphin.	Flash 0.4 sec. 10 cp. 16 feet high. In 3 feet. (200 mm e) 1937
Clewiston Daybeacon 14	Red pointer on pile	In 4 feet.
Clewiston Daybeacon 15	Black pointer on pile	In 4 feet.
MOORE HAVEN SOUTH CHANNEL LIGHT 15. U. Fl. G., 4 sec.	Black square daymark with yellow border on piles.	Flash 0.4 sec. 10 cp. 27 feet high. In 7 feet. 1937 (200 mm e)
Moore Haven South Channel Daybeacon 16.	Even numbered daybeacons are each a red band and pointer with red reflector on white pile, yellow top; odd numbered daybeacons are each a black band and pointer with green reflector on white pile, yellow top.	In 3 to 6 feet.
Moore Haven South Channel Daybeacon 17.		
Moore Haven South Channel Daybeacon 18.		
Moore Haven South Channel Daybeacon 19.		
Moore Haven South Channel Daybeacon 20.		
Moore Haven South Channel Daybeacon 21.		
Moore Haven South Channel Daybeacon 22.		
Moore Haven South Channel Daybeacon 23.		
Moore Haven South Channel Daybeacon 25.		
MOORE HAVEN SOUTH CHANNEL LIGHT 24. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on white pile dolphin.	Flash 0.4 sec. 11 cp. 16 feet high In 3 feet. 1937 (200 mm e)
MOORE HAVEN NORTH CHANNEL LIGHT 2. U. Fl. R., 4 sec.	Red triangular pyramidal structure on piles.	Flash 0.4 sec. 11 cp. 27 feet high. In 8 feet. 1937 (200 mm e)
NORTH LAKE SHOAL LIGHT. U. Fl. W., 4 sec.	White triangular pyramidal structure on piles.	Flash 0.4 sec. 50 cp. 27 feet high. In 9 feet. Taylor Creek Bar Light 1, 6.4 miles 357°. 1922–1937 (200 mm e)
TAYLOR CREEK BAR LIGHT 1. U. Fl. G., 4 sec.	White box and pointer on pile.	Flash 0.4 sec. 10 cp. 16 feet high. In 8 feet. Large House, 2 miles 400 yards 281½°. 1921–1937 (200 mm e)
Taylor Creek Daybeacon 2	Red pointer on pile	In 6 feet.
Taylor Creek Daybeacon 3	Black pointer on pile	In 6 feet.
Taylor Creek Daybeacon 4	Red pointer on pile	In 6 feet.
Taylor Creek Daybeacon 5	Black pointer on pile	In 6 feet.
Taylor Creek Daybeacon 6	Red pointer on pile	In 6 feet.
KISSIMMEE RIVER LIGHT 1. U. Fl. W., 4 sec.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 7 feet. 1937 (200 mm e)
Kissimmee River Daybeacon 2	Red pointer on pile	In 7 feet.
Kissimmee River Daybeacon 4	Red pointer on pile	In 3 feet.
Kissimmee River Daybeacon 5	Black pointer on pile	In 3 feet.
Kissimmee River Daybeacon 6	Red pointer on pile	In 3 feet.
Kissimmee River Daybeacon 7	Black pointer on pile	In 3 feet.
Kissimmee River Daybeacon 8	Red pointer on pile	In 3 feet.

Name; mark on aid Character of light	Description	Remarks
TRANS-STATE WATERWAY		
LAKE HICPOCHEE TO LOCK NO. 2		
LAKE HICPOCHEE LIGHT 2. U. Fl. R., 4 sec.	Red box and pointer on dolphin.	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. North side of turn in channel. 1937 (200 mm e)
Lake Hicpochee Daybeacon 3	Even numbered daybeacon is a red pointer on pile. Odd numbered daybeacons are each a black pointer on pile.	In 3 feet.
Lake Hicpochee Daybeacon 5		
Lake Hicpochee Daybeacon 6		
LAKE HICPOCHEE LIGHT 8. U. Fl. R., 4 sec.	Red box and pointer on dolphin	Flash 0.4 sec. 11 cp. 16 feet high. In 3 feet. 1937 (200 mm e)
CALOOSAHATCHEE RIVER LOCK NO. 2 TO FORT MYERS		
Caloosahatchee River Daybeacon 4.	Even numbered daybeacons are each a red pointer with red reflector on pile. Odd numbered daybeacons are each a black pointer with green reflector on pile.	In 3 feet.
Caloosahatchee River Daybeacon 6.		
Caloosahatchee River Daybeacon 7.		
Caloosahatchee River Daybeacon 8.		
Caloosahatchee River Daybeacon 9.		
Caloosahatchee River Daybeacon 10.		
Caloosahatchee River Daybeacon 11.		
Caloosahatchee River Daybeacon 12.		
Caloosahatchee River Daybeacon 14.		
Caloosahatchee River Daybeacon 15.		
Caloosahatchee River Daybeacon 16.		
Caloosahatchee River Daybeacon 17.		
Caloosahatchee River Daybeacon 18.		
Caloosahatchee River Daybeacon 19.		
Caloosahatchee River Daybeacon 20.		
Caloosahatchee River Daybeacon 22.		
Caloosahatchee River Daybeacon 24.		
Caloosahatchee River Daybeacon 26.		
Caloosahatchee River Daybeacon 27.		
Caloosahatchee River Daybeacon 28.		
Caloosahatchee River Daybeacon 29.		
Caloosahatchee River Daybeacon 31.		
Caloosahatchee River Daybeacon 32.		
Caloosahatchee River Daybeacon 33.		
Caloosahatchee River Daybeacon 33A.		
Caloosahatchee River Daybeacon 34.		
Caloosahatchee River Daybeacon 35.		
Caloosahatchee River Daybeacon 36.		
Caloosahatchee River Daybeacon 37.		
Caloosahatchee River Daybeacon 38.		
Caloosahatchee River Daybeacon 39.		
Caloosahatchee River Daybeacon 40.		
Caloosahatchee River Daybeacon 41.		
Caloosahatchee River Daybeacon 42.		

Name; mark on aid Character of light	Description	Remarks
TRANS-STATE WATERWAY		
LAKE HICPOCHEE TO LOCK NO. 2		
THOMPSON CUTOFF LIGHT 43. U. Fl. G., 4 sec.	Black box and pointer on dolphin	Flash 0.4 sec. 10 cp. 16 feet high. On south side of channel. In 3 feet. 1937 (200 mm e)
Beautiful Island Daybeacon 44	Even numbered daybeacons are each a red pointer with red reflector on pile; odd numbered daybeacons are each a black pointer with green reflector on pile.	In 3 to 6 feet.
Beautiful Island Daybeacon 45		
Beautiful Island Daybeacon 46		
Beautiful Island Daybeacon 47		
Beautiful Island Daybeacon 48		
Beautiful Island Daybeacon 49		
Beautiful Island Daybeacon 50		
Beautiful Island Daybeacon 52		
BEAUTIFUL ISLAND LIGHT 51. U. Fl. G., 4 sec.	Black box and pointer on dolphin	Flash 0.4 sec. 10 cp. 15 feet high. In 4 feet. 1937 (200 mm e)
Beautiful Island Daybeacon 54	Red pointer on pile	In 3 feet.
BEAUTIFUL ISLAND LIGHT 53. U. Fl. G., 4 sec.	Black box and pointer on pile	Flash 0.4 sec. 10 cp. 15 feet high. In 4 feet. 1937 (200 mm e)
CALOOSAHATCHEE RIVER LOCK NO. 2 TO FORT MYERS.		
Caloosahatchee River Daybeacon 55.	Even numbered daybeacons are each a red pointer with red reflector on pile; odd numbered daybeacons are each a black pointer with green reflector on pile.	In 3 to 6 feet.
Caloosahatchee River Daybeacon 56.		
Caloosahatchee River Daybeacon 57.		
Caloosahatchee River Daybeacon 58.		
Caloosahatchee River Daybeacon 59.		
Caloosahatchee River Daybeacon 60.		
Caloosahatchee River Daybeacon 61.		
Caloosahatchee River Daybeacon 62.		
Caloosahatchee River Daybeacon 63.		
Caloosahatchee River Daybeacon 64.		
Caloosahatchee River Daybeacon 65.		
Caloosahatchee River Daybeacon 66.		
Caloosahatchee River Daybeacon 67.		
Caloosahatchee River Daybeacon 68.		
Caloosahatchee River Daybeacon 70.		
OLD HIGHWAY LIGHT 69 Fl. G., 4 sec. U.	Black box and pointer on dolphin.	Flash 0.4 sec. 10 cp. 15 feet high. In 4 feet. Old Highway Bridge, center, 200 yards, 231°. 1937 (200 mm e)
Caloosahatchee River Daybeacon 71.	Black pointer on pile	In 3 feet.
Caloosahatchee River Daybeacon 72.	Red pointer on pile	In 6 feet.
Caloosahatchee River Daybeacon 73.	Black pointer on pile	In 3 feet.
Caloosahatchee River Daybeacon 74.	Red pointer on pile	In 6 feet.
Caloosahatchee River Daybeacon 75.	Black pointer on pile	In 3 feet.
Caloosahatchee River Daybeacon 76.	Red pointer on pile	In 6 feet.

Name; mark on aid Character of light	Description	Remarks
TRANS-STATE WATERWAY		
FORT MYERS TO SAN CARLOS BAY		
Caloosahatchee River Daybeacon 43.	Black square daymark and pointer on pile.	Marks north side of turning basin. In 7 feet.
Caloosahatchee River Daybeacon 41.	Black square daymark and pointer on pile.	Marks northwest corner of turning basin. In 7 feet.
Caloosahatchee River Daybeacon 39.	Black square daymark and pointer on pile.	Marks entrance to turning basin. In 7 feet.
Cut S Range Front Daybeacon 37.	Black square daymark on pile.	In 8 feet.
Cut S Range Rear Daybeacon	White circular daymark on white tripod.	20 feet high. In 8 feet. 710 yards, 47° from front daybeacon.
CALOOSAHATCHEE RIVER LIGHT 35. U. (Front) Fl. W., 4 sec.	Black box and pointer on dolphin.	Flash 0.4 sec. 50 cp. 15 feet high. In 10 feet. 1928 (200 mm e)
Cut R Range Rear Daybeacon	White circular daymark on white tripod.	20 feet high. 710 yards, 27° from front light. In 10 feet.
CUT Q RANGE FRONT LIGHT 33. U. Fl. G., 1 sec.	Black box and pointer on dolphin.	Flash 0.3 sec. 10 cp. 15 feet high. In 7 feet. 1925 (200 mm e)
CUT Q RANGE REAR LIGHT U. F. W.	White triangular structure on piles.	6,000 cp. 32 feet high. In 9 feet. 775 yards, 14° from front light. 1928 (Rg e)
Caloosahatchee River Daybeacon 31A.	Black square daymark and pointer on pile.	12 feet high. In 8 feet.
Caloosahatchee River Daybeacon 31.	Black square daymark and pointer on pile.	12 feet high. Marks entrance to Cut Q. In 12 feet.
Caloosahatchee River Daybeacon 30.	Red triangular daymark and pointer on pile.	12 feet high. Marks shoal. In 12 feet.
Caloosahatchee River Daybeacon 29.	Black square daymark and pointer on pile.	On east edge of shoal. In 6 feet.
CUT P RANGE FRONT LIGHT 28. U. Fl. R., 1 sec.	Red box and pointer on dolphin.	Flash 0.3 sec. 11 cp. 15 feet high. In 12 feet. 1925 (200 mm e)
CUT P RANGE REAR LIGHT U. F. W.	White triangular structure on piles.	6,000 cp. 32 feet high. In 6 feet. 610 yards, 42° from front light. 1925 (Rg e)
Caloosahatchee River Daybeacon 27A.	Black square daymark and pointer on pile.	In 7 feet.
Caloosahatchee River Daybeacon 27.	Black square daymark and pointer on pile.	12 feet high. Marks entrance to Cut P. In 12 feet.
Caloosahatchee River Daybeacon 26.	Red triangular daymark and pointer on pile.	12 feet high. In 12 feet.
CALOOSATCHEE RIVER LIGHT 25. U. Fl. W., 4 sec.	Black box and pointer on dolphin.	Flash 0.4 sec. 50 cp. 15 feet high. In 14 feet. At north entrance to Cuts M, N, O. 1925 (200 mm e)
Caloosahatchee River Daybeacon 23.	Black square daymark and pointer on pile.	12 feet high. At south entrance to Cuts M, N, O. In 12 feet.
CALOOSAHATCHEE RIVER LIGHT 21. U. Fl. W., 4 sec.	Black box and pointer on dolphin.	Flash 0.4 sec. 50 cp. 15 feet high. In 6 feet. At entrance to Cut K. 1928–1941 (200 mm e)
CUTS H, I, J, RANGE FRONT LIGHT. Fl. R., 1 sec. U.	White box and pointer on dolphin.	Flash 0.3 sec. 11 cp. 15 feet high. In 13 feet. 1912–1928 (200 mm e)
CUTS H, I, J, RANGE REAR LIGHT. F. W. U.	White triangular slatted structure on piles.	6,000 cp. 32 feet high. In 13 feet. 680 yards, 231° from front light. 1925 (Rg e)
Caloosahatchee River Daybeacon 19B.	Black square daymark and pointer on pile.	Marks entrance to Cuts H, I, J. In 12 feet.
Caloosahatchee River Daybeacon 19A.	Black pointer on pile	In 8 feet.
Caloosahatchee River Daybeacon 19.	Black square daymark and pointer on pile.	On north side of dredged cut. In 7 feet.
CUT G RANGE FRONT LIGHT. U. Fl. R., 1 sec.	White box and pointer on dolphin.	Flash 0.3 sec. 11 cp. 15 feet high. In 13 feet. 1912–1928 (200 mm e)
CUT G RANGE REAR LIGHT. U. F. W.	White triangular slatted structure on piles.	6,000 cp. 32 feet high. In 12 feet. 525 yards, 81° from front light. 1912–1925 (Rg e)
Caloosahatchee River Daybeacon 18.	Red triangular daymark and pointer on pile.	14 feet high. In 4 feet.
Caloosahatchee River Daybeacon 16.	Red pointer on pile	12 feet high. In 6 feet.
Caloosahatchee River Daybeacon 17B.	Black pointer on pile	On north side of Cut G. In 6 feet.

Name; mark on aid Character of light	Description	Remarks
TRANS-STATE WATERWAY		
FORT MYERS TO SAN CARLOS BAY		
Caloosahatchee River Daybeacon 14.	Red pointer on pile Red reflector.	In 6 feet.
Caloosahatchee River Daybeacon 17A.	Black pointer on pile	14 feet high. On north side of Cut G. In 6 feet.
Caloosahatchee River Daybeacon 12.	Red pointer on red pile Red reflector.	12 feet high. In 6 feet.
Caloosahatchee River Daybeacon 17.	Black square daymark and pointer on pile. Green reflector.	14 feet high. Marks entrance to Cut G. In 12 feet.
Caloosahatchee River Cut G West Range Front Daybeacon 10.	White rectangular slatted daymark with red vertical stripe, on dolphin.	15 feet high. In 6 feet.
Caloosahatchee River Cut G West Range Rear Daybeacon.	White triangular slatted day mark with red vertical stripe, on piles.	32 feet high. In 5 feet. 800 yards, 260° from front daybeacon.
Caloosahatchee River Daybeacon 15.	Black square daymark and pointer on pile.	In 12 feet.
Caloosahatchee River Daybeacon 13.	Black square daymark and pointer on pile.	12 feet high. Marks end of Cut F. In 4 feet.
Caloosahatchee River Daybeacon 11.	Black square daymark and pointer on pile.	In 3 feet.
CUT F RANGE FRONT LIGHT 9. U. Fl. G., 1 sec.	Black box and pointer on dolphin.	Flash 0.3 sec. 10 cp. 15 feet high. In 4 feet. 1912-1938 (200 mm e)
CUT F RANGE REAR LIGHT. U. Occ. W., 6 sec.	White triangular structure on piles.	Light 3 sec., eclipse 3 sec., 50 cp. 32 feet high. In 3 feet, 395 yards 247° from front light. 1912-1928 (200 mm e)
CUT D RANGE FRONT LIGHT 7. U. Fl. G., 1 sec.	Black box and pointer on dolphin.	Flash 0.3 sec. 10 cp. 15 feet high. In 4 feet. 1912-1925 (200 mm e)
CUT D RANGE REAR LIGHT. U. Occ. W., 6 sec.	White triangular structure on piles.	Light 3 sec., eclipse 3 sec., 50 cp. 32 feet high. In 3 feet, 395 yards 24° from front light. 1912-1928 (200 mm e)
Caloosahatchee River Daybeacon 5.	Black square daymark and pointer on pile.	12 feet high. Marks entrance to Cut D. In 12 feet.
Caloosahatchee River Daybeacon 3.	Black square daymark and pointer on pile.	In 9 feet.
Caloosahatchee River Daybeacon 4.	Red triangular daymark on red pile.	12 feet high. In 7 feet.
PORT OF PALM BEACH		
Port of Palm Beach Junction Buoy.	Red and black horizontal bands. 3d-cl. can(s).	At junction of Port of Palm Beach and Lake Worth Inlet Channels. In 10 feet.
Port of Palm Beach Buoy 1 *Port of Palm Beach Buoy 3* *Port of Palm Beach Buoy 4* *Port of Palm Beach Buoy 8* *Port of Palm Beach Buoy 10*	Even numbered buoys are red; 3d-cl. nun(s). Odd numbered buoys are black; 3d-cl. can (s).	In 10 to 16 feet.
OFF MIAMI BEACH		
Flagler Monument Daybeacon 2.	Red pointer on pile Red reflector.	265 yards, 99° from Flagler Monument. In 6 feet.
BEAR CUT		
Bear Cut Daybeacon 2	Red triangular daymark and pointer on pile.	14 feet high. In 10 feet.
COCONUT GROVE		
DINNER KEY LIGHT 1. Fl. W., 4 sec. U.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 4 feet. 1927 (200 mm e)
Dinner Key Channel Daybeacon 2.	Red pointer on pile	In 4 feet.
Dinner Key Channel Daybeacon 3.	Black pointer on pile	In 4 feet.
Dinner Key Channel Daybeacon 5.	Black pointer on pile	In 4 feet.
Dinner Key Channel Daybeacon 7.	Black pointer on pile	In 4 feet.

Name; mark on aid Character of light	Description	Remarks
COCONUT GROVE		
Dinner Key Channel Daybeacon 9.	Black pointer on pile	12 feet high. In 6 feet.
Dinner Key Channel Daybeacon 11.	Black pointer on pile	In 4 feet.
Dinner Key Channel Daybeacon 13.	Black pointer on pile	In 4 feet.
Dinner Key Channel Daybeacon 4.	Red pointer on pile	In 4 feet.
Dinner Key Channel Buoy 15	Black; can	In 4 feet.
Dinner Key Channel Buoy 17	Black; can	In 4 feet.
Dinner Key Channel Buoy 6	Red; nun	In 4 feet.
Dinner Key Channel Daybeacon 10.	Red pointer on pile	In 4 feet.
Dinner Key Channel Daybeacon 12.	Red pointer on pile	In 4 feet.
Dinner Key Channel Daybeacon 14.	Red pointer on pile	In 4 feet.
DINNER KEY SEAPLANE CHANNEL LIGHTED BUOY 1. Fl. G., 4 sec.	Black	Flash 0.4 sec. 10 cp. 6 feet high. In 6 feet. (200 mm e)
DINNER KEY SEAPLANE CHANNEL LIGHTED BUOY 2. Fl. R., 4 sec.	Red	Flash 0.4 sec. 11 cp. 6 feet high. In 6 feet. (200 mm e)
Dinner Key Seaplane Channel Buoy 3.	Black; can Green reflector.	In 5 feet.
Dinner Key Seaplane Channel Buoy 4.	Red; nun Green reflector.	In 6 feet.
Dinner Key Seaplane Channel Buoy 5.	Black; can Green reflector.	In 5 feet.
Dinner Key Seaplane Channel Buoy 6.	Red; nun Green reflector.	In 6 feet.
Dinner Key Seaplane Channel Buoy 7.	Black; can Green reflector.	In 5 feet.
DINNER KEY SEAPLANE CHANNEL LIGHTED BUOY 8. Fl. R., 4 sec.	Red	Flash 0.4 sec. 11 cp. 6 feet high. In 6 feet. (200 mm e)
DINNER KEY SEAPLANE CHANNEL LIGHTED BUOY 9. Fl. G., 4 sec.	Black	Flash 0.4 sec. 10 cp. 6 feet high. In 5 feet. (200 mm e)
CHAPMAN FIELD		
CHAPMAN FIELD LIGHT 1. Fl. W., 4 sec. U.	Black box and pointer on pile dolphin.	Flash 0.4 sec. 40 cp. 16 feet high. In 4 feet. 1934 (150 mm e)
Chapman Field Daybeacon 2	Red pointer on pile	In 4 feet.
Chapman Field Daybeacon 3	Black pointer on pile	In 4 feet.
COCONUT GROVE		
Four-Way Channel Range Front Daybeacon 1.	White diamond daymark with black vertical stripe on pile.	Maintained by J. Brandt. 14 feet high. In 3 feet.
Four-Way Channel Range Rear Daybeacon.	White circular daymark with black vertical stripe on pile.	22 feet high. In 2 feet. 760 yards 296° from front daybeacon.
Four-Way Channel Daybeacon 3	Black square daymark on pile	14 feet high. In 3 feet.
Four-Way Channel Daybeacon 5	Black square daymark on pile	14 feet high. In 3 feet.
Four-Way Channel Daybeacon 7	Black square daymark on pile	14 feet high. In 3 feet.
BISCAYNE CHANNEL		
BISCAYNE CHANNEL LIGHT 19. Fl. G., 4 sec. U.	Black square daymark facing channel on white triangular structure on piles.	Flash 0.4 sec. 10 cp. 22 feet high. In 7 feet. 1903-1946 (200 mm e)
BISCAYNE CHANNEL LIGHTED BUOY 23. Fl. W., 4 sec.	Black	Flash 0.4 sec. 50 cp. In 15 feet. (200 mm e)
BISCAYNE CHANNEL LIGHTED BUOY 5. Fl. G., 4 sec.	Black	Flash 0.4 sec. 10 cp. 525 yards 257½ from Cape Florida Shoal Light 2. In 9 feet. (200 mm e)
CAPE FLORIDA SHOAL LIGHT 2. Fl. R., 4 sec. U.	Red pointer and battery house on triangular structure on piles.	Flash 0.4 sec. 30 cp. 37 feet high. In 12 feet. 1901-1929 (200 mm e)
Biscayne Channel Daybeacon 4	Red pointer and red reflector on pile.	In 6 feet.

Name; mark on aid Character of light	Description	Remarks
BISCAYNE CHANNEL		
INNER RANGE FRONT LIGHT 8. U. Fl. R., 1 sec.	Red box and pointer on pile dolphin.	Flash 0.3 sec. 11 cp. 15 feet high. In 12 feet. 1927 (200 mm e)
INNER RANGE REAR LIGHT. U. F. W.	White triangular structure on piles.	180 cp. 22 feet high. In 6 feet, 1,090 yards 326° from front light. 1927 (Rg e)
Biscayne Channel Daybeacon 6	Red pointer and reflector on pile.	In 10 feet.
Biscayne Channel Daybeacon 9	Black pointer and green reflector on pile.	In 10 feet.
Biscayne Channel Daybeacon 10	Red pointer and reflector on pile.	In 10 feet.
Biscayne Channel Daybeacon 12	Red pointer and reflector on pile.	In 10 feet.
Biscayne Channel Daybeacon 14	Red pointer and reflector on pile.	In 10 feet.
Biscayne Channel Daybeacon 16	Red pointer and reflector on pile.	In 10 feet.
Biscayne Channel Daybeacon 18	Red pointer and reflector on pile.	In 10 feet.
Biscayne Channel Daybeacon 20	Red pointer on pile. Red reflector.	In 9 feet.
Biscayne Channel Daybeacon 21	Black pointer on pile. Green reflector.	In 6 feet.
HAWK CHANNEL		
BOOT KEY HARBOR TO KEY WEST		
BOOT KEY HARBOR LIGHT 1. U. Fl. W., 4 sec.	Black pointer and battery box on dolphin.	Flash 0.4 sec. 50 cp. In 5 feet. 12 feet high. (200 mm e) 1945.
Boot Key Harbor Daybeacon 3	Even numbered daybeacon is red pointer and red reflector on pile; odd numbered daybeacons are black pointer and green reflector on pile.	12 feet high. In 3 to 5 feet.
Boot Key Harbor Daybeacon 5		
Boot Key Harbor Daybeacon 7		
Boot Key Harbor Daybeacon 9		
Boot Key Harbor Daybeacon 10		
Moser Channel South Buoy 2	Red; 3d-cl. nun(s)	In 12 feet.
Moser Channel South Daybeacon 4.	Even numbered daybeacons are red pointer and red reflector on pile; odd numbered daybeacon is black pointer and black reflector on pile.	In 10 to 12 feet.
Moser Channel South Daybeacon 5.		
Moser Channel South Daybeacon 6.		
Pigeon Key Bank Buoy	Black and white vertical stripes; 2d-cl. can.	In 28 feet.
Bahia Honda Key Buoy	Black and white vertical stripes; 2d. cl. can.	In 26 feet.
Newfound Harbor Keys Buoy	Black and white vertical stripes; 2d.-cl. nun.	In 27 feet.
Newfound Harbor Anchorage Daybeacon 2.	Red pointer on pile	In 6 feet.
Loggerhead Key Buoy 34	Red; 3d.-cl .nun (s)	In 12 feet.
NINE FOOT SHOAL LIGHT. Fl. W., 4 sec. U.	Red pointers and black tankhouse on red and black banded skeleton structure on piles.	Flash 0.4 sec. 250 cp., 33 feet high. In 9 feet. 1911–1926 (300 mm a)
West Washerwoman Buoy 51	Black; 3d-cl. can (s)	In 9 feet.
West Washerwoman Buoy 53	Black; 3d-cl. can (s)	In 9 feet.
Pelican Key Buoy 55	Black; 3d-cl. can (s)	In 11 feet.
Boca Chica Buoy	Black and white vertical stripes; 2d-cl. nun.	In 28 feet.
Hawk Channel Turn Buoy	Black and white vertical stripes; 2d-cl. can.	In 33 feet.
SUGARLOAF CHANNEL		
FROM HAWK CHANNEL		
Pirates Cove Daybeacon 1	Black pointer on pile	In 3 to 4 feet.
Pirates Cove Daybeacon 2	Red pointer on pile	
Pirates Cove Daybeacon 3	Black pointer on pile	
Pitates Cove Daybeacon 2A	Red pointer on pile	
Pirates Cove Daybeacon 5	Black pointer on pile	
Pirates Cove Daybeacon 2B	Red pointer on pile	
Pirates Cove Daybeacon 7	Black pointer on pile	
Pirates Cove Daybeacon 4	Red pointer on pile	

Name; mark on aid Character of light	Description	Remarks
SUGARLOAF CHANNEL		
FROM HAWK CHANNEL		
Pirates Cove Daybeacon 7A	Even numbered daybeacons are red pointer on pile. Odd numbered daybeacons are black pointer on pile.	In 2 to 4 feet.
Pirates Cove Daybeacon 6		
Pirates Cove Daybeacon 9		
Pirates Key Daybeacon 8		
Pirates Cove Daybeacon 9A		
Pirates Key Daybeacon 10		
Pirates Cove Daybeacon 9B		
Pirates Cove Daybeacon 12		
Pirates Cove Daybeacon 14		
Sugarloaf Daybeacon 11		
Sugarloaf Daybeacon 13		
Sugarloaf Daybeacon 16		
Sugarloaf Daybeacon 15		
Sugarloaf Daybeacon 17		
Sugarloaf Daybeacon 18		
Sugarloaf Daybeacon 20		
Sugarloaf Daybeacon 19		
Sugarloaf Daybeacon 21		
SPANISH CHANNEL TO KEY WEST		
Porpoise Key Daybeacon 1		
Porpoise Key Daybeacon 2		
Big Pine Key Daybeacon 4		
Big Pine Key Daybeacon 6		
Big Pine Key Daybeacon 3		
Big Pine Key Daybeacon 5		
Big Pine Key Daybeacon 8		
Big Pine Key Daybeacon 10		
Big Pine Key Daybeacon 7		
Big Pine Key Daybeacon 9		
Big Pine Key Daybeacon 11		
Big Pine Key Daybeacon 13		
Big Pine Key Daybeacon 12		
Big Pine Key Daybeacon 15		
Big Pine Key Daybeacon 17		
Big Pine Key Daybeacon 14		
Big Pine Key Daybeacon 19		
Big Pine Key Daybeacon 16		
Big Pine Key Daybeacon 21		
Big Pine Key Daybeacon 18		
Big Pine Key Daybeacon 23		
Big Pine Key Daybeacon 20		
Howe Key Daybeacon 22		
Howe Key Daybeacon 24		
Howe Key Daybeacon 26		
Howe Key Daybeacon 25		
Howe Key Daybeacon 27		
Howe Key Daybeacon 28		
Howe Key Daybeacon 30		
Howe Key Daybeacon 29		
Howe Key Daybeacon 31		
Water Keys Daybeacon 32		
Water Keys Daybeacon 34		
Water Keys Daybeacon 36		
Water Keys Daybeacon 38		
Water Keys Daybeacon 40		
Water Keys Daybeacon 42		
Water Keys Daybeacon 44		
Raccoon Key Daybeacon 33		
Raccoon Key Daybeacon 46		
Raccoon Key Daybeacon 48		
Raccoon Key Daybeacon 35		
Raccoon Key Daybeacon 50		
Raccoon Key Daybeacon 52		
Budd Key Daybeacon 54		
Budd Key Daybeacon 56		
Tarpon Belly Key Daybeacon 58		
Tarpon Belly Key Daybeacon 37		
Tarpon Belly Key Daybeacon 60		
Tarpon Belly Key Daybeacon 62		
Tarpon Belly Key Daybeacon 64		
Johnson Key Daybeacon 66		
Johnson Key Daybeacon 39		
Johnson Key Daybeacon 41		
Johnson Key Daybeacon 43		
Johnson Key Daybeacon 45		

Name; mark on aid Character of light	Description	Remarks
SPANISH CHANNEL TO KEY WEST		
Johnson Key Daybeacon 68	Even-numbered daybeacons are red pointer on pile. Odd numbered daybeacons are black pointer on pile.	In 2 to 4 feet.
Johnson Key Daybeacon 70		
Johnson Key Daybeacon 47		
Johnson Key Daybeacon 51		
Johnson Key Daybeacon 72		
Johnson Key Daybeacon 74		
Snipe Key Daybeacon 53		
Snipe Key Daybeacon 76		
Snipe Key Daybeacon 55		
Snipe Key Daybeacon 78		
Snipe Key Daybeacon 57		
Snipe Key Daybeacon 80		
Snipe Key Daybeacon 59		
Snipe Key Daybeacon 61		
Snipe Key Daybeacon 82		
Whiting Key Daybeacon 84		
Whiting Key Daybeacon 63		
Waltz Key Daybeacon 65		
Waltz Key Daybeacon 67		
Waltz Key Daybeacon 69		
Waltz Key Daybeacon 86		
Eaglenest Key Daybeacon 71		
Eaglenest Key Daybeacon 88		
Eaglenest Key Daybeacon 73		
Harper Key Daybeacon 90		
Harper Key Daybeacon 92		
Harper Key Daybeacon 94		
Grassy Key Daybeacon 96		
Grassy Key Daybeacon 98		
Grassy Key Daybeacon 75		
Grassy Key Daybeacon 77		
Grassy Key Daybeacon 79		
Salt Pond Key Daybeacon 81		
Salt Pond Key Daybeacon 83		
Salt Pond Key Daybeacon 85		
Barque Channel Daybeacon 105	Black pointer on pile	In 2 to 4 feet.
Barque Channel Daybeacon 106	Red pointer on pile	
Barque Channel Daybeacon 107	Black pointer on pile	
BOCA CHICA CHANNEL FROM HAWK CHANNEL		
Boca Chica Channel Daybeacon 2.	Even-numbered daybeacons are red pointer on pile. Odd numbered daybeacons are black pointer on pile.	In 6 feet.
Boca Chica Channel Daybeacon 3.		
Boca Chica Channel Daybeacon 5.		
Boca Chica Channel Daybeacon 6.		
Boca Chica Channel Daybeacon 7.		
Boca Chica Channel Buoy 8	Red; 3d-cl. can(s)	In 6 feet.
KEY WEST		
SOUTH BEACH CHANNEL		
South Beach Daybeacon 1	Black pointer on pile. Green reflector.	In 8 feet.
South Beach Buoy 2	Red; 3d.cl. nun (s)	In 8 feet.
South Beach Daybeacon 3	Black pointer on pile	In 7 feet.
South Beach Daybeacon 4	Red pointer on pile	In 8 feet.
BOCA GRANDE CHANNEL		
Bar Buoy 1	Black; 3d-cl. can. (s)	In 12 feet.
Halfway Buoy 2	Red; 3d-cl. nun (s)	In 12 feet.
South Buoy	Black and white vertical stripes; 2d-cl. can.	In 35 feet.
ST. MARKS RIVER		
ST. MARKS RANGE FRONT LIGHT. U. Fl. R., 1 sec.	Red square slatted structure on piles.	Flash 0.3 sec. 11 cp. 31 feet high. 4,180 yards 176° from rear light. In 12 feet. 1931 (200 mm e)
ST. MARKS RANGE REAR LIGHT. Occ. W., 5 sec.	White conical tower, dwelling attached.	Light 3 sec., eclipse 2 sec. 2,000 cp. 82 feet high. On north side of Apalachee Bay, east side of entrance to St Marks River. 1831-1867 (4 e)

Name; mark on aid Character of light	Description	Remarks
ST. MARKS RIVER		
Sea Buoy	Black and white vertical stripes. 2d-cl. can(s).	Outside bar. In 11 feet.
East Bank Buoy 2	Red; 2d-cl. nun(s)	Inside bar. In 12 feet.
Middle Ground Buoy 4	Red; 2d-cl. nun(s)	Marks south end of shoal. In 14 feet.
ST. MARKS RIVER LIGHT 1. U. Fl. G., 4 sec.	Black triangular slatted structure on piles.	Flash 0.4 sec. 10 cp. 25 feet high. On west side of channel. In 9 feet. 1931 (200 mm e)
Long Bar Buoy 6	Red; 3d-cl. nun(s)	Marks west end of oyster bar. In 12 feet.
St. Marks River Daybeacon 2	Red pointer on pile	Marks Long Bar. 10 feet high. In 3 feet.
St. Marks River Buoy 3	Black; can (M)	In 10 feet.
ST. MARKS RIVER LIGHT 4. U. Fl. R., 4 sec.	Red pointer and daymark on pile dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. On easterly side of channel at turn. In 9 feet. 1940, 1947. (200 mm e)
St. Marks River Buoy 5	Black; can (M)	In 5 feet.
St. Marks River Daybeacon 6	Red pointer on pile	Marks Red Stake Bar. 10 feet high. In 4 feet.
ST. MARKS RIVER LIGHT 8. U. Fl. R., 4 sec.	Red pointer on daymark on pile dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. On easterly side of channel at turn. In 9 feet. 1940 (200 mm e)
St. Marks River Daybeacon 9	Black pointer on pile	10 feet high. In 9 feet.
ST. MARKS RIVER LIGHT 11. U. Fl. G., 4 sec.	Black pointer and daymark on pile dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. On westerly side of channel at turn. In 10 feet. 1940 (200 mm e)
St. Marks River Daybeacon 12	Red pointer on pile	Marks Folly Bar. 10 feet high. In 4 feet.
St. Marks River Daybeacon 13	Black pointer on pile	Marks Jackson House Bar. 10 feet high. In 6 feet.
St. Marks River Daybeacon 14	Red pointer on pile	Marks bar below Rock Gap. 10 feet high. In 7 feet.
St. Marks River Buoy 15	Black; can (M)	In 11 feet.
St. Marks River Daybeacon 16	Red pointer on pile	10 feet high. In 5 feet.
St. Marks River Buoy 17	Black; can (M)	In 8 feet.
ST. MARKS RIVER LIGHT 18. U. Fl. R., 4 sec.	Red pointer and daymark on pile dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. On easterly side of channel at turn. In 7 feet. 1940 (200 mm e)
St. Marks River Daybeacon 19	Black pointer on pile	On westerly side of channel. 10 feet high. In 7 feet.
St. Marks River Buoy 21	Black; can (M)	In 8 feet.
ST. MARKS RIVER LIGHT 23. U. Fl. G., 4 sec.	Black pointer and daymark on pile dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. On westerly side of channel at turn. In 10 feet. 1940 (200 mm e)
St. Marks River Buoy 24	Red; nun (M)	In 10 feet.
ST. MARKS RIVER LIGHT 25. U. Fl. G., 4 sec.	Black pointer and daymark on pile dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. On westerly side of channel at turn. In 10 feet. 1940 (200 mm e)
St. Marks River Buoy 26	Red; nun (M)	Marks Possum Slough Bar. In 6 feet.
ST. MARKS RIVER LIGHT 28. U. Fl. R., 4 sec.	Red pointer and daymark on pile dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. On easterly side of channel at turn. In 6 feet. 1940 (200 mm e)
ST. MARKS RIVER LIGHT 30. U. Fl. R., 4 sec.	Red pointer and daymark on pile dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. On easterly side of channel at turn. In 6 feet. 1940 (200 mm e)
ST. MARKS RIVER LIGHT 32. U. Fl. R., 4 sec.	Red pointer and daymark on pile dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. On easterly side of channel at turn. In 9 feet. 1940 (200 mm e)
St. Marks River Daybeacon 33	Black pointer on pile	Marks Oliver Bayou Bar. 10 feet high. In 7 feet.
ST. MARKS RIVER LIGHT 35. U. Fl. G., 4 sec.	Black pointer and daymark on pile dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. Near Three Mile Point. In 10 feet. 1940 (200 mm e)
St. Marks River Daybeacon 37	Black pointer on pile	At bend in channel. 10 feet high. In 9 feet.
St. Marks River Buoy 38	Red; nun (M)	At bend in channel. In 9 feet.
St. Marks River Buoy 39	Black; can (M)	At bend in channel. In 9 feet.
St. Marks River Buoy 40	Red; nun (M)	At bend in channel. In 9 feet.

Name; mark on aid Character of light	Description	Remarks
ST. MARKS RIVER		
St. Marks River Buoy 41	Black; can (M)	At bend in channel. In 8 feet.
St. Marks River Buoy 42	Red; nun (M)	At bend in channel. In 8 feet.
St. Marks River Buoy 43	Black; can (M)	At bend in channel. In 8 feet.
St. Marks River Buoy 44	Red; nun(M)	At bend in channel. In 9 feet.
St. Marks River Buoy 45	Black; can (M)	At bend in channel. In 8 feet.
St. Marks River Daybeacon 46	Red pointer on pile	At bend in channel. 10 feet high. In 8 feet.
St. Marks River Buoy 48	Red; nun(M)	At junction with Wakulla River. In 8 feet.
APALACHEE BAY		
SHELL POINT LIGHT Fl. W., 4 sec. U.	Black battery box on a black pile.	Flash 0.4 sec. 50 cp. In 6 feet, on westerly side of entrance to Oyster Bay. 20 feet high. 1940 (200 mm e)
DICKSON BAY LIGHT Fl. W., 4 sec. U.	Black box on a black pile	Flash 0.4 sec. 50 cp. 20 feet high. On the south side of channel at entrance to Dickson Bay. In 6 feet. 1941 (200 mm e)
OCHLOCKNEE SHOALS LIGHTED BELL BUOY 24. Fl. W., 4 sec.	Red	Flash 0.4 sec. 130 cp. 12 feet high. In 25 feet. (200 mm a)
South Shoal Whistle Buoy 26	Red conical buoy	Off southern end of shoal. In 30 feet.
CARRABELLE CHANNEL		
CARRABELLE CHANNEL LIGHTED BUOY 1. Fl. W. 4 sec	Black	Flash 0.4 sec. 50 cp. 10 feet high. Off entrance to East Pass. In 29 feet. (200 mm e)
CARRABELLE CHANNEL ENTRANCE RANGE FRONT LIGHT. U. Fl. W., 1 sec.	White battery box on skeleton tower on pile foundation.	Flash 0.3 sec. 140 cp. 25 feet high. In 25 feet. 1943 (200 mm e)
CARRABELLE CHANNEL ENTRANCE RANGE REAR LIGHT. U. F. W. Fl. R., 4 sec.	White daymark on white skeleton tower on pile foundation.	2,500 cp. 63 feet high. Visible on range line only. Passing light; Flash 0.4 sec. 11 cp. Visible around horizon. 2,000 yards, 333°f rom front light. In 16 feet. (Rg e) 1943 (200 mm e)
Carrobelle Channel Buoy 3	Black; 2d-cl. can(s)	In 29 feet.
CARRABELLE CHANNEL LIGHTED BELL BUOY 5. Fl. G., 4 sec.	Black	Flash 0.4 sec. 13 cp. 10 feet high. Southwest of Dog Island. In 29 feet. (200 mm a)
Carrabelle Channel Buoy 9	Black; 2d-cl. can(s)	In 28 feet.
Carrabelle Channel Buoy 11	Black; 2d-cl. can(s)	In 30 feet.
CARRABELLE CHANNEL INNER RANGE FRONT LIGHT. U. Fl. R., 1 sec.	Red box on dolphin	Flash 0.3 sec. 31 cp. 20 feet high. In 14 feet. 1913–1945 (200 mm e)
CARRABELLE CHANNEL INNER RANGE REAR LIGHT. U. F. W.	White square daymark on skeleton tower on pile foundation.	2,500 cp. Visible on range line only. 57 feet high. 1,000 yards, 22°24′ from front light. 1943 (Rg e)
Carrabelle Channel Buoy 13	Black; 2d-cl. can(s)	In 28 feet.
Carrabelle Channel Buoy 15	Black; 2d-cl. can(s)	In 28 feet.
CARRABELLE CHANNEL LIGHTED BUOY 17. Fl. W., 4 sec.	Black	Flash 0.4 sec. 70 cp. 10 feet high. Northwest of Dog Island. In 19 feet. (200 mm a).
Carrabelle Channel Buoy 19	Black; 2d-cl. can(s)	In 28 feet.
Carrabelle River South Spit Daybeacon.	Black cylindrical daymark on pile.	1 mile southwest of entrance to river. 15 feet high. In 8 feet.
Carrabelle Channel Buoy 20	Red; 3d-cl. nun (s)	In 25 feet.
Carrabelle River Daybeacon	Black rectangular daymark on pile.	Marks rock pile. 15 feet high.
CARRABELLE RIVER RANGE FRONT LIGHT. Fl. G., 1 sec. U.	Black battery box on dolphin.	Flash 0.3 sec. 10 cp. 19 feet high. Off east point of Timber Island. In 5 feet. 1895–1947 (200 mm e)
CARRABELLE RIVER RANGE REAR LIGHT. F. W. U.	White triangular slatted structure on piles.	40 cp. 32 feet high. 250 yards, 324° from front light. 1895–1928 (150 mm e)
Carrabelle River Buoy 1	Black; 3d-cl. can (s)	In 14 feet.
Carrabelle River Buoy 3	Black; 3d-cl. can (s)	In 6 feet.
Carrabelle River Buoy 4	Red; 3d-cl. nun (s)	In 6 feet.
Carrabelle River Buoy 5	Black; 3d-cl. can (s)	In 5 feet.
Carrabelle River Buoy 6	Red; 3d-cl. nun (s)	In 11 feet.
Carrabelle River Buoy 7	Black; 3d-cl. can (s)	In 5 feet.

Name; mark on aid Character of light	Description	Remarks
ST. GEORGE SOUND		
Carrabelle North Dump Daybeacon 1.	Black pointer on pile. Green reflector.	5,220 yards, 91° from Crooked River Light. 12 feet high. In 14 feet.
Carrabelle North Dump Daybeacon 2.	Red pointer on pile. Red reflector.	12 feet high. In 14 feet.
Carrabelle South Dump Buoy 1	Black with yellow top; can (M). Green reflector.	In 14 feet.
Carrabelle South Dump Buoy 2	Red with yellow top; nun (M).	In 13 feet.
ST. GEORGE SOUND LIGHTED BUOY 2. Fl. W., 4 sec.	Red	Flash 0.4 sec. 70 cp. 5,500 yards, 179° from Crooked River Light. In 19 feet. (200 mm a)
ST. GEORGE SOUND LIGHTED BUOY 4. Fl. W., 4 sec.	Red	Flash 0.4 sec. 70 cp. In 18 feet. (200 mm a)
ST. GEORGE SOUND LIGHT 6. Fl. W., 4 sec. U.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 14 feet. 1943. (200 mm e)
ST. GEORGE SOUND LIGHT 8. Fl. W., 4 sec. U.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 14 feet. 1943 (200 mm e)
St. George Sound Buoy 10	Red with yellow top; nun (M).	In 12 feet.
St. George Sound Buoy 12	Red with yellow top; nun (M).	In 12 feet.
St. George Sound Buoy 13	Black with yellow top; 3d-cl can(s).	In 12 feet.
ST. GEORGE SOUND LIGHT 14 Fl. W., 4 sec. U.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 12 feet. 1943 (200 mm e)
St. George Sound Buoy 15	Black with yellow top; 3d-cl. can(s).	In 12 feet. Abreast of Light 14.
St. George Sound Buoy 16	Red with yellow top; nun (M).	In 14 feet.
St. George Sound Buoy 17	Black with yellow top; 3d-cl can(s).	In 12 feet.
St. George Sound Buoy 18	Red with yellow top; nun (M).	In 14 feet.
St. George Sound Buoy 19	Black with yellow top; 3d-cl can(s).	In 12 feet.
ST. GEORGE SOUND LIGHT 20 U. Qk. Fl. W.	Red daymark with yellow border on red square slatted structure on piles.	75 flashes per minute 50 cp, 30 feet high. At turn in channel. In 14 feet. 1943 (200 mm e)
St. George Sound Buoy 21	Black with yellow top; 3d-cl. can(s).	In 12 feet.
St. George Sound Buoy 22	Red with yellow top; nun (M).	In 14 feet.
ST. GEORGE SOUND LIGHT 24 U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 13 feet. 1943 (200 mm e)
St. George Sound Buoy 25	Black with yellow top; 3d-cl. can(s).	In 14 feet.
St. George Sound Buoy 26	Red with yellow top; nun (M).	In 15 feet.
ST. GEORGE SOUND LIGHT 28 U. Qk. Fl. W.	Red daymark with yellow border on white dolphin.	75 flashes per minute. 50 cp. 16 feet high. In 6 feet. At bend in channel. 1943 (200 mm e)
St. George Sound Buoy 29	Black with yellow top; 3d-cl. can(s).	In 22 feet. Abreast of Light 28. At bend in channel.
ST. GEORGE SOUND LIGHT 30 U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 16 feet. 1943 (200 mm e)
St. George Sound Buoy 31	Black with yellow top; 3d-cl. can(s).	In 14 feet. Abreast of Light 30.
St. George Sound Buoy 32	Red with yellow top; nun (M).	In 12 feet.
ST. GEORGE SOUND LIGHT 34. U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 16 feet. 1943 (200 mm e)
Bulkhead Cut Range Front Daybeacon.	Red square structure on piles.	30 feet high. Off Cat Point, 6,400 yards 287° from St. George Sound Light 34. In 10 feet.
Bulkhead Cut Range Rear Daybeacon.	White square structure on piles.	45 feet high. 1,100 yards 293° from front daybeacon In 9 feet.
St. George Sound Buoy 35	Black with yellow top; 3d-cl. can (s).	In 14 feet. Abreast of Light 34.
St George Sound Buoy 36	Red with yellow top; nun (M).	In 13 feet.
St. George Sound Daybeacon 38	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 12 feet.
ST. GEORGE SOUND LIGHT 40. U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 13 feet. 1943 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
ST. GEORGE SOUND		
St. George Sound Buoy 41	Black with yellow top; 3d-cl. can (s)	In 14 feet. Abreast of Light 40.
St. George Sound Buoy 42	Red with yellow top; nun (M)	In 12 feet.
St. George Sound Buoy 44	Red with yellow top; nun (M)	In 10 feet.
St. George Sound Buoy 45	Black with yellow top; 3d-cl. can (s).	In 11 feet.
St. George Sound Buoy 46A	Red with yellow top; nun (M)	In 5 feet. Marks a shoal.
ST. GEORGE SOUND LIGHT 46. U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 6 feet. 1943 (200 mm e)
St. George Sound Buoy 47	Black with yellow top; 3d-cl. can (s).	In 6 feet. Abreast of Light 46.
St. George Sound Buoy 48	Red with yellow top; nun (M)	In 11 feet.
St. George Sound Buoy 49	Black with yellow top; 3d-cl. can (s).	In 11 feet.
St. George Sound Buoy 50	Red with yellow top; nun (M)	In 12 feet.
APALACHICOLA BAY		
APALACHICOLA BAY LIGHT 52. U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 12 feet. 1943 (200 mm e)
Apalachicola Bay Buoy 53	Black with yellow top; 3d-cl. can (s).	In 12 feet. Abreast of Light 52.
Apalachicola Bay Daybeacon 54	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 11 feet.
Apalachicola Bay Daybeacon 56	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 12 feet.
APALACHICOLA BAY LIGHT 58. U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 11 feet. 1943 (200 mm e)
Apalachicola Bay Buoy 59	Black with yellow top; 3d-cl. can (s)	In 12 feet. Abreast of Light 58.
Apalachicola Bay Daybeacon 60	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 12 feet.
Apalachicola Bay Buoy 62	Red with yellow top, nun (M)	In 12 feet.
APALACHICOLA BAY LIGHT 64 U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 9 feet. 1943 (200 mm e)
Apalachicola Bay Buoy 65	Black with yellow top; 3d-cl. can (s).	In 11 feet. Abreast of Light 64.
Apalachicola Bay Buoy 66	Red with yellow top; nun (M)	In 12 feet.
Apalachicola Bay Buoy 68	Red with yellow top; nun (M)	In 12 feet.
APALACHICOLA BAY LIGHT 70 U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 12 feet. 1943 (200 mm e)
Apalachicola Bay Buoy 71	Black with yellow top; 3d-cl. can (s).	In 11 feet. Abreast of Light 70.
Apalachicola Bay Buoy 72	Red with yellow top; nun (M).	In 11 feet.
Apalachicola Bay Daybeacon 74	Red band and pointer on white pile, yellow top. Red reflector.	12 feet high. In 11 feet.
APALACHICOLA BAY LIGHT 76. U. Qk. Fl. W.	Red daymark with yellow border on white dolphin.	75 flashes per minute. 50 cp. 16 feet high. In 13 feet. At bend in channel. 1943 (200 mm e)
Apalachicola Bay Buoy 77	Black with yellow top; 3d-cl. can (s).	In 11 feet. Abreast of Light 76.
Apalachicola River Entrance Buoy 1.	Black with yellow top; 3d-cl. can (s).	In 7 feet. Abreast of Light 2.
APALACHICOLA RIVER ENTRANCE LIGHT 2. U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. At bend in channel. In 12 feet. 1943-1947 (200 mm e)
Apalachicola River Entrance Buoy 3.	Black with yellow top; 3d-cl. can (s).	In 12 feet. Abreast of Light 4.
APALACHICOLA RIVER ENTRANCE LIGHT 4. U. Fl. W., 4 sec.	Red daymark with yellow border on white dolphin.	Flash 0.4 sec. 50 cp. 16 feet high. In 12 feet. 1943-1947 (200 mm e)
Apalachicola River Entrance Buoy 5.	Black with yellow top; 4th-cl. spar.	In 12 feet.
Apalachicola River Entrance Buoy 6.	Red with yellow top; 4th-cl. spar.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
APALACHICOLA BAY		
Apalachicola River Entrance Buoy 7.	Black with yellow top; 4th-cl. spar.	In 12 feet.
Apalachicola River Entrance Buoy 9.		
Apalachicola River Entrance Buoy 11.		
Apalachicola River Entrance Buoy 13.		
Apalachicola River Entrance Buoy 15.		
Apalachicola River Entrance Buoy 17.		
Apalachicola River Entrance Buoy 19.		
Apalachicola River Entrance Buoy 21.		
Apalachicola River Entrance Buoy 24.	Red with yellow top; 4th-cl. spar.	In 12 feet.
APALACHICOLA RIVER ENTRANCE LIGHT 25. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. At northern entrance to dredged channel. In 10 feet. 1944-1945 (200 mm e)
Apalachicola River Entrance Buoy 25.	Black with yellow top; 4th-cl. spar.	Abreast of Light 25, on same side of channel. In 12 feet.
Apalachicola River Entrance Buoy 26.	Red with yellow top; 4th-cl. spar.	In 12 feet.
APALACHICOLA RIVER ENTRANCE RANGE FRONT LIGHT. U. F. G.	Black square slatted structure on piles.	1,400 cp. 30 feet high. Visible on range line only. At north end of channel. In 6 feet. 1888-1934. (Rg e)
APALACHICOLA RIVER ENTRANCE RANGE REAR LIGHT. U. F. W.	White slatted daymark on skeleton tower on piles.	7,000 cp. 69 feet high. Visible on range line only. On east bank of river, 1,240 yards 350° from front light. In 6 feet. 1888-1935. (Rg e)
APALACHICOLA RIVER TO EAST BAY		
APALACHICOLA RIVER LIGHT 2. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. At turn in channel. In 8 feet. 1944 (200 mm e)
Apalachicola River Buoy 2	Red with yellow top; 4th-cl. spar.	Abreast of Light 2, on same side of channel. In 12 feet.
Apalachicola River Buoy 4	Red with yellow top; 4th-cl. spar.	In 12 feet.
Apalachicola River Buoy 5	Black with yellow top; 4th-cl. spar.	In 12 feet.
Apalachicola River Buoy 6	Red with yellow top; 4th-cl. spar.	In 12 feet.
APALACHICOLA RIVER LIGHT 8. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. In 10 feet. 1944. (200 mm e)
Apalachicola River Buoy 8	Red with yellow top; 2d-cl. spar.	Abreast of Light 8, on same side of channel. In 19 feet.
APALACHICOLA RIVER LIGHT 10. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. In 10 feet. 1944. (200 mm e)
Apalachicola River Buoy 11	Black with yellow top; 4th-cl. spar.	In 12 feet.
Apalachicola River Buoy 13		
Apalachicola River Buoy 15		
Apalachicola River Buoy 17		
Apalachicola River Buoy 19		
Apalachicola River Buoy 21		
Apalachicola River Buoy 22	Red with yellow top; 2d-cl. spar.	In 18 feet.
Apalachicola-Northern Bridge East Outer Mooring Buoy.	White; can. White reflector. Maintained by U. S. Engineers.	In 12 to 14 feet.
Apalachicola-Northern Bridge East Inner Mooring Buoy.		
Apalachicola-Northern Bridge West Inner Mooring Buoy.		
Apalachicola-Northern Bridge West Outer Mooring Buoy.		
Apalachicola River Buoy 23	Black with yellow top; 2d-cl. spar.	In 22 feet.
Apalachicola River Buoy 24	Red with yellow top; 2d-cl. spar.	In 17 feet.
Apalachicola River Buoy 25	Black with yellow top; 4th-cl. spar.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
APALACHICOLA RIVER TO EAST BAY		
Apalachicola River Buoy 26	Red with yellow top; 4th-cl. spar.	In 13 feet.
Apalachicola River Buoy 28		
JACKSON RIVER LIGHT 2 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. In 10 feet. 1944 (200 mm e)
Jackson River Buoy 2	Red with yellow top; 4th-cl. spar.	Abreast of Light 2, on same side of channel. In 12 feet.
Jackson River Buoy 3	Black with yellow top; 4th-cl. spar.	In 12 feet.
Jackson River Buoy 4	Red with yellow top; 4th-cl. spar.	In 12 feet.
Jackson River Buoy 6	Red with yellow top; 4th-cl. spar.	In 12 feet.
Jackson River Buoy 7	Black with yellow top; 4th-cl. spar.	In 12 feet.
JACKSON RIVER LIGHT 9 Fl. G., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. In 11 feet. 1944 (200 mm e)
Jackson River Buoy 9	Black with yellow top; 4th-cl. spar.	Abreast of Light 9, on same side of channel. In 12 feet.
Jackson River Buoy 10	Red with yellow top; 4th-cl. spar.	In 12 feet.
LAKE WIMICO LIGHT 1 Fl. W., 4 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 25 cp. 25 feet high. In 8 feet. 1938 (150 mm e)
Lake Wimico Buoy 3	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 5		
Lake Wimico Buoy 7		
Lake Wimico Buoy 8	Red with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 9	Black with yellow top; 4th-cl. spar	In 12 feet.
Lake Wimico Buoy 11		
LAKE WIMICO LIGHT 13 Fl. G., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. In 4 feet. 1944 (200 mm e)
Lake Wimico Buoy 13	Black with yellow top; 4th-cl. spar.	Abreast of Light 13, on same side of channel. In 12 feet.
Lake Wimico Buoy 14	Red with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 15	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 17		
Lake Wimico Buoy 19		
Lake Wimico Buoy 20	Red with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 21	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 23		
LAKE WIMICO LIGHT 25 Fl. G., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. In 6 feet. 1944 (200 mm e)
Lake Wimico Buoy 25	Black with yellow top; 4th-cl. spar.	Abreast of Light 25, on same side of channel. In 12 feet.
Lake Wimico Buoy 26	Red with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 27	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 29		
Lake Wimico Buoy 31		
Lake Wimico Buoy 32	Red with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 33	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 35		
LAKE WIMICO LIGHT 37 Fl. W., 4 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 25 cp. 25 feet high. In 8 feet. 1938 (150 mm e)
Lake Wimico Buoy 38	Red with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 39	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Wimico Buoy 41		
LAKE WIMICO LIGHT 43 Fl. W., 4 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 25 cp. 25 feet high. In 4 feet. 1938 (150 mm e)
Wetappo River Buoy 1	Black with yellow top; 4th-cl. spar.	In 12 feet.
Wetappo River Buoy 3		
Wetappo River Buoy 5		
Wetappo River Buoy 7		
Wetappo River Buoy 9	Black with yellow top; 4th-cl. spar.	At turn in channel. In 12 feet.
WETAPPO RIVER LIGHT 10 Fl. R. 4 sec. U.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. At turn in channel. In 5 feet. 1943–1946 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
APALACHICOLA RIVER TO EAST BAY		
Wetappo River Buoy 11	Black with yellow top; 4th-cl. spar.	At turn in channel. In 12 feet.
Wetappo River Buoy 13	Black with yellow top; 4th-cl. spar.	In 12 feet.
Wetappo River Buoy 14	Red with yellow top; 4th-cl. spar.	In 12 feet.
Wetappo River Buoy 15 *Wetappo River Buoy 17*	Black with yellow top; 4th-cl. spar.	In 12 feet.
Wetappo River Buoy 18	Red with yellow top; 4th-cl. spar.	In 12 feet.
WETAPPO RIVER LIGHT 19. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. In 6 feet. 1943–1944 (200 mm e)
Wetappo River Buoy 19	Black with yellow top; 4th-cl. spar.	Abreast of Light 19, on same side of channel. In 12 feet.
Wetappo River Buoy 21	Black with yellow top; 4th-cl. spar.	In 12 feet.
Wetappo River Buoy 22	Red with yellow top; 4th-cl. spar.	In 12 feet.
Wetappo River Buoy 23 *Wetappo River Buoy 25* *Wetappo River Buoy 27*	Black with yellow top; 4th-cl. spar.	In 12 feet.
WETAPPO RIVER LIGHT 28. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. At turn in channel. In 6 feet. 1943–1944 (200 mm e)
Wetappo River Buoy 29	Black with yellow top; 4th-cl. spar.	At turn in channel. In 12 feet.
Wetappo River Buoy 31	Black with yellow top; 4th-cl. spar.	In 12 feet.
Wetappo River Buoy 32	Red with yellow top; 4th-cl. spar.	In 12 feet.
Wetappo River Buoy 33 *Wetappo River Buoy 35*	Black with yellow top; 4th-cl. spar.	In 12 feet.
WETAPPO RIVER LIGHT 36. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. In 8 feet. 1943–1945 (200 mm e)
Wetappo River Buoy 37 *Wetappo River Buoy 39* *Wetappo River Buoy 41*	Black with yellow top; 4th-cl. spar.	In 12 feet.
WETAPPO RIVER LIGHT 42. Fl.R., 4 sec. U.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. In 9 feet. 1938–1946 (200 mm e)
Wetappo River Buoy 43	Black with yellow top; 4th-cl. spar.	In 12 feet.
Wetappo River Buoy 44	Red with yellow top; 4th-cl. spar.	In 12 feet.
Wetappo River Buoy 44A	Red with yellow top; 4th-cl. spar.	Marks shoal. In 12 feet.
Wetappo River Buoy 46	Red with yellow top; 4th-cl. spar.	At entrance to dredged cut. In 12 feet.
EAST BAY		
EAST BAY LIGHT 1 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. On northerly side of shoal. In 12 feet. 1943 (200 mm e)
EAST BAY LIGHT 2 Fl.R., 4 sec. U.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 11 cp. 25 feet high. In 11 feet. 1938 (200 mm e)
East Bay Buoy 3	Black with yellow top; 4th-cl. spar.	In 12 feet.
East Bay Buoy 4 *East Bay Buoy 6*	Red with yellow top; 4th-cl. spar.	In 12 feet.
East Bay Buoy 7	Black with yellow top; 4th-cl. spar.	In 12 feet.
EAST BAY LIGHT 8 Fl.R., 4 sec. U.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. At westerly end of dredged cut. In 13 feet. 1943 (200 mm e)
East Bay Buoy 9	Black with yellow top; 4th-cl. spar.	On north point of shoal off Baker Point. In 12 feet.
East Bay Buoy 10	Red with yellow top; 4th-cl. spar.	On south point of shoal. In 12 feet.
EAST BAY LIGHT 11 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. On northeast edge of shoal. In 13 feet. 1943 (200 mm e)
East Bay Buoy 12	Red with yellow top; 4th-cl. spar.	On westerly edge of shoal. In 12 feet.
East Bay Buoy 13	Black with yellow top; 4th-cl. spar.	On easterly edge of shoal. In 12 feet.

Name; mark on aid Character of light	Description	Remarks
EAST BAY		
EAST BAY LIGHT 14 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. On westerly edge of shoal. In 13 feet. 1943-1944 (200 mm e)
EAST BAY LIGHT 15 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 11 feet. 1944 (200 mm e)
East Bay Buoy 15	Black with yellow top; 4th-cl. spar.	Abreast of Light 15, on same side of the channel. In 12 feet.
East Bay Buoy 16	Red with yellow top; 4th-cl. spar.	In 14 feet. On westerly edge of shoal.
East Bay Buoy 17	Black with yellow top; 4th-cl. spar.	On easterly edge of shoal. In 12 feet.
East Bay Buoy 18 *East Bay Buoy 20*	Red with yellow top; 4th-cl. spar.	In 12 feet.
East Bay Buoy 22	Red with yellow top; 4th-cl. spar.	Marks westerly edge of 8-foot spot. In 12 feet.
EAST BAY LIGHT 23 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. On easterly point of shoal. 17 feet high. In 13 feet. 1943 (200 mm e)
EAST BAY LIGHT 25 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 6 feet. 1938-1945 (200 mm e)
East Bay Buoy 26	Red with yellow top; 4th-cl. spar.	On westerly edge of shoal. In 12 feet.
EAST BAY LIGHT 28 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. On northwesterly point of shoal. In 13 feet. 1943-1945 (200 mm e)
East Bay Buoy 29 *East Bay Buoy 31* *East Bay Buoy 33*	Black with yellow top; 4th-cl. spar.	On easterly edge of shoal. In 12 feet.
EAST BAY LIGHT 35 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. On northeasterly edge of shoal. In 13 feet. 1943-1945 (200 mm e)
EAST BAY LIGHT 37 Fl. W., 4 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. On northeasterly point of shoal off Goose Point. In 12 feet. 1938-1943 (200 mm e)
East Bay Buoy 38	Red with yellow top; 4th-cl. spar.	Marks shoal south of Didi Point. In 12 feet.
EAST BAY LIGHT 40 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. On southwesterly point of shoal. In 13 feet. 1943 (200 mm e)
East Bay Buoy 41	Black with yellow top; 4th-cl. spar.	Northeasterly point of shoal. In 12 feet.
EAST BAY LIGHT 43 Fl. W., 4 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. Marks northerly point of shoal off Cedar Point. 25 feet high. In 14 feet. 1938-1943 (200 mm e)
EAST BAY LIGHT 45 Fl. W., 4 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. Marks northerly point of shoal off Shoal Point. In 13 feet. 1943-1944 (200 mm e)
SHOAL BAYOU CHANNEL LIGHT 1. U. Fl. W., 4 sec.	Black battery box on pile	Flash 0.4 sec. 50 cp. 20 feet high. Easterly side of entrance to dredged channel. In 12 feet. 1942-1944 (200 mm e)
(For Shoal Bayou Channel see page 212.)		
East Bay Buoy 46	Red with yellow top; 4th-cl. spar.	Marks spit off Long Point. In 6 feet.
Dupont Bridge South Mooring Buoy.	White; can White reflector. Maintained by U. S. Engineers.	In 21 feet.
Long Point Buoy 1	Black with yellow top; 2d-cl. can.	In 38 feet.
Long Point Buoy 2	Red with yellow top; 2d-cl. nun.	In 47 feet.
ST. ANDREW BAY		
Long Point Buoy 3	Black with yellow top; 2d-cl. can.	In 43 feet.
Long Point Buoy 4	Red with yellow top; 2d-cl. nun.	In 40 feet.
Dupont Bridge North Mooring Buoy.	White: can White reflector. Maintained by U. S. Engineers.	In 21 feet.

Name; mark on aid Character of light	Description	Remarks
ST. ANDREW BAY		
PEARL BAYOU LIGHT 2 Fl. R., 4 sec. U.	Red box on pile	Flash 0.4 sec. 20 cp. 20 feet high. Marks entrance to bayou. In 12 feet. 1943 (200 mm e)
PEARL BAYOU LIGHT 3 Fl. W., 4 sec. U.	Black box on pile	Flash 0.4 sec. 30 cp. 20 feet high. In 12 feet. 1943 (200 mm e)
Military Point Buoy 16	Red; 2d-cl. nun (s)	Off Military Point. In 22 feet.
Bay Harbor Shoal Buoy 15	Black; 2d-cl. can(s) White reflector.	In 29 feet.
BAY HARBOR SHOAL LIGHT. U. Fl. W., 4 sec.	Black triangular slatted structure with yellow triangle on piles.	Flash 0.4 sec. 25 feet high. 90 cp. East side of entrance to Watson Bayou. In 9 feet. 1934–1943 (200 mm e)
Watson Bayou Daybeacon 1	Black pointer on pile White reflector.	10 feet high. On westerly side of entrance to bayou. In 6 feet.
Watson Bayou Daybeacon 2	Red pointer on pile Red reflector.	10 feet high. On easterly side of entrance to bayou. In 6 feet.
Army Mooring Buoy A	White; concrete	In 18 feet. Maintained by Army Air Forces.
TOWN POINT LIGHT Fl. W., 4 sec. U.	Black triangular slatted structure with yellow triangle on piles.	Flash 0.4 sec. 90 cp. 25 feet high. On shoal south of Town Point. In 5 feet. 1934 (200 mm e)
Town Point Buoy 13	Black; 2d-cl. can(s)	Town Point Light, 300 yards, 87°. In 25 feet.
ST. ANDREW BAY LIGHTED BUOY 12. Fl. R., 4 sec.	Red	Flash 0.4 sec. 33 cp. 12 feet high. Redfish Point Light, 1,225 yards, 300½°. In 27 feet. (200 mm a)
Harmon Point Daybeacon	Black arm on topmast on pile	15 feet high. At south end of shoal. In 7 feet.
St. Andrew Bay Buoy 11	Black; 2d-cl. can(s) White reflector.	Redfish Point Light, 225 yards, 227°. In 26 feet.
REDFISH POINT LIGHT Fl. R., 4 sec. U.	White triangular slatted structure with yellow square on piles.	Flash 0.4 sec. 20 cp. 25 feet high. On northeast end of shoal. In 12 feet. 1912–1945 (200 mm e)
Massalena Bayou Daybeacon 1	Black rectangular daymark, on pile.	12 feet high. On west side of entrance to bayou. In 8 feet.
St. Andrew Bay Buoy 9	Black; 2d-cl. can(s)	Redfish Point Light, 1,250 yards, 133°. In 27 feet.
COURTNEY POINT SHOAL LIGHT. U. Fl. W., 4 sec.	Black triangular slatted structure with yellow square, on piles.	Flash 0.4 sec. 90 cp. 23 feet high. On east end of shoal. In 11 feet. 1912–1943 (200 mm e)
Courtney Point Shoal Buoy 3 *Courtney Point Shoal Buoy 5*	Black with yellow square; 2d-cl. spar.	In 21 feet.
BUENA VISTA SHOAL LIGHT. U. Fl. R., 4 sec.	Red box, with yellow triangle, on dolphin.	Flash 0.4 sec. 20 cp. 17 feet high. Southerly side of shoal. In 12 feet. 1944 (200 mm e)
Buena Vista Shoal Buoy 6	Red; 3d-cl. nun	In 22 feet.
BEAR POINT SHOAL LIGHT. U. Fl. G., 4 sec.	Black box, with yellow square, on dolphin.	Flash 0.4 sec. 18 cp. 17 feet high. Northerly side of shoal. In 11 feet. 1944 (200 mm e)
Bear Point Shoal Buoy 7	Black; 3d-cl. can	In 22 feet.
Mooring Buoy	White can	In 44 feet.
DYERS POINT SHOAL LIGHT. U. Fl. R., 4 sec.	White box with yellow triangle on dolphin.	Flash 0.4 sec. 20 cp. 17 feet high. On southwest edge of shoal. In 9 feet. 1912–1943 (200 mm e)
SECTION BASE CHANNEL LIGHT 1. U. Fl. G., 4 sec.	Black pile with yellow top	Flash 0.4 sec. 16 cp. 20 feet high. On southerly side of and at entrance to channel. In 17 feet. 1943–1944 (200 mm e)
(For Section Base Channel, see page 212.)		
WEST BAY		
Hathaway Bridge South Mooring Buoy.	White; can White reflector. Maintained by U. S. Engineers.	In 18 feet.
Sulphur Point Buoy 1	Black with yellow top; 2d-cl. can.	In 48 feet.
Sulphur Point Buoy 2	Red with yellow top; 2d-cl. nun.	In 47 feet.
Sulphur Point Buoy 3	Black with yellow top; 2d-cl. can.	In 36 feet.
Sulphur Point Buoy 4	Red with yellow top; 2d-cl. nun.	In 41 feet.
Hathaway Bridge North Mooring Buoy.	White; can White reflector. Maintained by U. S. Engineers.	In 18 feet.

Name; mark on aid Character of light	Description	Remarks
WEST BAY		
SHELL POINT LIGHT Fl. W., 4 sec. U.	Black square daymark with yellow border on slatted pile structure.	Flash 0.4 sec. 30 cp. 27 feet high. In 6 feet. 1938 (200 mm e)
(For North Bay, see page 212.)		
SHELL POINT NORTH LIGHT. U. Fl. W., 4 sec.	Black square daymark with yellow border on slatted pile structure.	Flash 0.4 sec. 30 cp. 27 feet high. In 7 feet. 1938 (200 mm e)
LONG POINT LIGHT Fl. W., 4 sec. U.	Black square daymark with yellow border on slatted pile structure.	Flash 0.4 sec. 30 cp. 27 feet high. In 6 feet. 1938 (200 mm e)
BREAKFAST POINT LIGHT. U. Fl. W., 4 sec.	Black square daymark with yellow border on slatted pile structure.	Flash 0.4 sec. 30 cp. 27 feet high. In 8 feet. 1938 (200 mm e)
West Bay Buoy 2	Red with yellow top; 4th-cl. spar.	On southern point of shoal. In 12 feet.
West Bay Buoy 3	Black with yellow top; 4th-cl. spar.	On northern point of shoal. In 12 feet.
West Bay Buoy 5	Black with yellow top; 4th-cl. spar.	On northern edge of shoal. In 12 feet.
West Bay Buoy 6	Red with yellow top; 4th-cl. spar.	In 12 feet.
WEST BAY LIGHT 7 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. At eastern end of dredged cut. In 12 feet. 1944-1945 (200 mm e)
West Bay Buoy 7	Black with yellow top; 4th-cl. spar.	Abreast of Light 7, on same side of channel. In 12 feet.
West Bay Buoy 8	Red with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 9	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 10	Red with yellow top; 4th cl. spar.	In 12 feet.
West Bay Buoy 11	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 12	Red with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 13	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 14	Red with yellow top; 4th-cl. spar.	In 12 feet.
WEST BAY LIGHT 15 Fl. W.. 4 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. In 7 feet. At turn. 1938-1945 (200 mm e)
West Bay Buoy 15	Black with yellow top; 4th-cl. spar.	Abreast of Light 15, on same side of channel. In 12 feet.
West Bay Buoy 16	Red with yellow top; 4th cl. spar.	In 12 feet. At turn.
West Bay Buoy 17	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 18	Red with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 19	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 20	Red with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 21	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 22	Red with yellow top; 4th cl. spar.	In 12 feet.
West Bay Buoy 23	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 24	Red with yellow top; 4th-cl. spar.	In 12 feet. At turn.
WEST BAY LIGHT 25 Fl. W., 4 sec. U.	Black square daymark with yellow border on triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. At turn in channel. In 4 feet. 1938-1944 (200 mm e)
West Bay Buoy 25	Black with yellow top; 4th-cl. spar.	Abreast of Light 25, on same side of channel. In 12 feet.
West Bay Buoy 26	Red with yellow top; 4th-cl. spar.	In 12 feet. At turn.
West Bay Buoy 27	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 28	Red with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 29	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 30	Red with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 31	Black with yellow top; 4th-cl. spar.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
WEST BAY		
West Bay Buoy 32	Red with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 33	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 34	Red with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 35	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 36	Red with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 37	Black with yellow top; 4th-cl. spar.	In 12 feet.
West Bay Buoy 38	Red with yellow top; 4th-cl. spar.	In 12 feet.
CHOCTAWHATCHEE BAY		
CHOCTAWHATCHEE BAY LIGHT 1. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular structure on piles.	Flash 0.4 sec. 25 cp. 25 feet high. At entrance to land cut. In 4 feet. 1938–1944 (150 mm e)
Choctawhatchee Bay Buoy 2	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 3	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 4	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 5 *Choctawhatchee Bay Buoy 7*	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 8	Red with yellow top; 4th-cl. spar.	In 12 feet.
CHOCTAWHATCHEE BAY LIGHT 9. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet h gh. In 8 feet. 1944 (200 mm e)
Choctawhatchee Bay Buoy 9	Black with yellow top; 4th-cl. spar.	Abreast of Light 9, on same side of channel. In 12 feet.
Choctawhatchee Bay Buoy 11	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 12	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 13 *Choctawhatchee Bay Buoy 15*	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 16	Red with yellow top; 4th-cl. spar.	In 12 feet.
CHOCTAWHATCHEE BAY LIGHT 17. U. Fl. W., 4 sec.	Black square daymark with yellow border on black square structure on piles.	Flash 0.4 sec. 30 cp. 26 feet high. In 9 feet. 1938 (200 mm e)
Choctawhatchee Bay Buoy 18	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 19	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 20	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 21	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 22	Red with yellow top; 4th-cl. spar.	In 12 feet.
CHOCTAWHATCHEE BAY LIGHT 23. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. At turn in channel. In 11 feet. 1944–1946 (200 mm e)
Choctawhatchee Bay Buoy 23	Black with yellow top; 4th-cl. spar.	Abreast of Light 23, on same side of channel. In 12 feet.
Choctawhatchee Bay Buoy 25	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 26	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 27	Black with yellow top; 4th-cl. spar.	In 12 feet.
CHOCTAWHATCHEE BAY LIGHT 28. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 20 cp. 17 feet high. At turn in channel. In 10 feet. 1944–1945 (200 mm e)
Choctawhatchee Bay Buoy 28	Red with yellow top; 4th-cl. spar.	Abreast of Light 28, on same side of channel. In 12 feet.
Choctawhatchee Bay Buoy 29	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 30	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 31	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 32	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 33	Black with yellow top; 4th-cl. spar.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
CHOCTAWHATCHEE BAY		
CHOCTAWHATCHEE BAY LIGHT 34. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 20 cp. 17 feet high. In 10 feet. 1944 (200 mm e)
Choctawhatchee Bay Buoy 34	Red with yellow top; 4th-cl. spar.	Abreast of Light 34, on same side of channel. In 12 feet.
Choctawhatchee Bay Buoy 35	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 36	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 37	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 38	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 39	Black with yellow top; 4th-cl. spar	In 12 feet.
CHOCTAWHATCHEE BAY LIGHT 40. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 20 cp. 17 feet high. In 11 feet. 1944 (200 mm e)
Choctawhatchee Bay Buoy 40	Red with yellow top; 4th-cl. spar.	Abreast of Light 40, on same side of channel. In 12 feet.
Choctawhatchee Bay Buoy 41	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 42	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 43	Black with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 44	Red with yellow top; 4th-cl. spar.	In 12 feet.
Choctawhatchee Bay Buoy 45	Black with yellow top; 4th-cl. spar.	In 12 feet.
CHOCTAWHATCHEE BAY LIGHT 46. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. At west end of dredged channel. In 11 feet. 1944 (200 mm e)
Choctawhatchee Bay Buoy 46	Red with yellow top; 4th-cl. spar.	Abreast of Light 46, on same side of channel. In 12 feet.
LIVE OAK POINT LIGHT Fl.W., 4 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 90 cp. 25 feet high. Off point. In 9 feet. 1944 (200 mm e)
CHOCTAWHATCHEE RIVER LIGHT. F.W. U.	White pile with topmast	40 cp. 30 feet high. On outer end of jetty. South side of entrance to Cypress River. In 5 feet. 1910–1913 (200 mm o)
LA GRANGE BAYOU LIGHT 1. F.W. U. (For La Grange Bayou see page 212.)	Black square slatted structure on piles.	160 cp. 32 feet high. On west side of entrance. In 9 feet. 1937 (300 mm o)
FOURMILE POINT LIGHT Fl.W., 4 sec. U.	Black square daymark with yellow border on black square pyramidal slatted structure on piles.	Flash 0.4 sec. 90 cp. 26 feet high. In 5 feet. 1915–1931 (200 mm e)
PINEY POINT LIGHT Fl. W., 4 sec. U.	Black square daymark with yellow border on a black triangular slatted structure on piles.	Flash 0.4 sec. 90 cp. 25 feet high. Off Piney Point. In 10 feet. 1945. (200 mm e)
BOGGY BAYOU ENTRANCE LIGHT 1. U. Fl. W., 4 sec. (For Boggy Bayou see page 213).	Black box on dolphin	Flash 0.4 sec. 90 cp. 17 feet high. On west side of entrance to bayou. In 15 feet. 1946 (200 mm e)
COBBS POINT LIGHT Fl. W., 4 sec. U.	Black square daymark with yellow border on black square pyramidal slatted structure on piles.	Flash 0.4 sec. 90 cp. 26 feet high. Off point. In 7 feet. 1914–1931 (200 mm e)
CHOCTAWHATCHEE CHANNEL LIGHT 1. U. Fl. G., 4 sec.	Black square pyramidal slatted structure on piles.	Flash 0.4 sec. 18 cp. 45 feet high. Marks north end of inlet channel. In 6 feet. 1931 (200 mm e)
Choctawhatchee Channel Daybeacon 1A.	Black pointer on pile. White reflector.	10 feet high. Marks point of shoal In 6 feet.
CHOCTAWHATCHEE CHANNEL RANGE FRONT LIGHT. U. F. R. F. R.	Red square slatted structure on piles.	550 cp. 25 feet high, visible on range line only. (Rg e) Passing light 7 cp. 27 feet high, visible around the horizon. In 13 feet. 1939 (150 mm e)
CHOCTAWHATCHEE CHANNEL RANGE REAR LIGHT. U. Fl. W., 4 sec.	Box on bridge rail with black rectangular daymark.	Flash 0.4 sec. 1,800 cp. 39 feet high. 540 yards, 312½° from front light, visible on range line only. Moved to conform to changes in channel. 1939 (Rg e)

Name; mark on aid Character of light	Description	Remarks
SANTA ROSA SOUND		
SANTA ROSA SOUND ENTRANCE LIGHT 2. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. At entrance to dredged channel. In 12 feet. 1943 (200 mm e)
Santa Rosa Sound Entrance Buoy 1.	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Entrance Buoy 2.	Red with yellow top; 4th-cl. spar.	In 12 feet. Abreast of Light 2, on same side of channel.
Santa Rosa Sound Entrance Buoy 3.	Even-numbered buoys are red with yellow top; odd-numbered buoys are black with yellow top; 4th-cl spars.	In 12 feet.
Santa Rosa Sound Entrance Buoy 4.		
Santa Rosa Sound Entrance Buoy 5.		
Santa Rosa Sound Entrance Buoy 6.		
Santa Rosa Sound Entrance Buoy 7.		
Santa Rosa Sound Entrance Buoy 8.		
Santa Rosa Sound Entrance Buoy 9.		
Santa Rosa Sound Entrance Buoy 10.		
Santa Rosa Sound Entrance Buoy 11.		
Santa Rosa Sound Entrance Buoy 12.		
Santa Rosa Sound Entrance Buoy 13.		
Santa Rosa Sound Entrance Buoy 14.		
Santa Rosa Sound Entrance Buoy 15.		
Santa Rosa Sound Entrance Buoy 16.		
SANTA ROSA SOUND LEADING LIGHT 5. F. G. U. Fl. W., 4 sec.	Black circular daymark with yellow border on black square slatted structure on piles.	1,700 cp. 53 feet high. Visible on leading side only. In 4 feet. Passing light: Flash 0.4 sec. 30 cp. 21 feet high. Visible around horizon. 1901–1919 (Rg e) (200 mm e)
Santa Rosa Sound Buoy 3	Black with yellow top; 4th-cl. spar.	In 13 feet.
Santa Rosa Sound Buoy 4	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 5	Black with yellow top; 4th-cl. spar.	Abreast of Light 5, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 6	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 7	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 8	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 9	Black with yellow top; 4th-cl. spar.	In 15 feet.
SANTA ROSA SOUND LIGHT 10. U. Fl. R. 4 sec.	Red triangular daymark, yellow border on dolphin.	Flash 0.4 sec. 11 cp. 18 feet high. At bend in channel. In 3 feet. 1943 (200 mm e)
Santa Rosa Sound Buoy 10	Red with yellow top; 4th-cl. spar.	Abreast of Light 10, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 12	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 14		
Santa Rosa Sound Buoy 16		
SANTA ROSA SOUND LIGHT 17. U. Fl. G., 4 sec.	Black square daymark with yellow border on braced post.	Flash 0.4 sec. 10 cp. 18 feet high. On shore. 1943 (200 mm e)
Santa Rosa Sound Buoy 19	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 21. U. Fl. G., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. At bend in channel. In 6 feet. 1943 (200 mm e)
Santa Rosa Sound Buoy 21	Black with yellow top; 4th-cl. spar.	Abreast of Light 21, on same side of channel. In 13 feet.
Santa Rosa Sound Buoy 22	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 23	Black with yellow top; 4th-cl. spar.	In 6 feet.
Santa Rosa Sound Buoy 24	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 26		
Santa Rosa Sound Buoy 28		
Santa Rosa Sound Buoy 29	Black with yellow top; 4th-cl. spar.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
SANTA ROSA SOUND		
SANTA ROSA SOUND LIGHT 30. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular structure on piles.	Flash 0.4 sec. 7 cp. 25 feet high. In 6 feet. 1937 (200 mm e)
Santa Rosa Sound Buoy 30	Red with yellow top; 4th-cl. spar.	In 12 feet. Abreast of Light 30, on same side of channel.
Santa Rosa Sound Buoy 31	Black with yellow top; 4th-cl. spar.	In 10 feet.
SANTA ROSA SOUND LIGHT 32. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular structure on piles.	Flash 0.4 sec. 7 cp. 25 feet high. In 6 feet. 1937-1944 (200 mm e)
Santa Rosa Sound Buoy 32	Red with yellow top; 4th-cl. spar.	Abreast of Light 32, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 34	Red with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 35. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. In 6 feet. 1937-1945 (200 mm e)
Santa Rosa Sound Buoy 35	Black with yellow top; 4th-cl. spar.	Abreast of Light 35, on same side of channel. In 12 feet.
SANTA ROSA SOUND LIGHT 37. U. Fl. G., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. At turn. In 12 feet. 1943-1945 (200 mm e)
Santa Rosa Sound Buoy 37	Black with yellow top; 4th-cl. spar.	Abreast of Light 37. on same side of channel. In 10 feet.
Santa Rosa Sound Buoy 39	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 40	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 41	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 42	Red with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 43. U. Fl. G., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. At turn. In 8 feet. 1943 (200 mm e)
Santa Rosa Sound Buoy 43	Black with yellow top; 4th-cl. spar.	Abreast of Light 43, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 44	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 46 *Santa Rosa Sound Buoy 47*	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 48	Red with yellow top; 4th cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 49	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 50. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. 200 feet east of turn. In 12 feet. 1943-1945. (200 mm e)
Santa Rosa Sound Buoy 50	Red with yellow top; 4th-cl. spar.	70 yards beyond Light 50, on same side of channel at turn. In 12 feet.
Santa Rosa Sound Buoy 51	Black with yellow top; 4th-cl. spar.	In 12 feet. At turn in channel.
Santa Rosa Sound Buoy 52	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 53	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 54	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 55	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 56. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. At turn. In 6 feet. 1943-1946 (200 mm e)
Santa Rosa Sound Buoy 56	Red with yellow top; 4th-cl. spar.	Abreast of Light 56, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 57	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 58	Red with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 59. U. Fl. G., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. Northerly edge of shoal. In 12 feet. 1944 (200 mm e)
Santa Rosa Sound Buoy 59	Black with yellow top; 4th-cl. spar.	Abreast of Light 59, on same side of channel. In 12 feet.
SANTA ROSA SOUND LIGHT 60. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. At turn. In 12 feet. 1943 (200 mm e)
Santa Rosa Sound Buoy 60	Red with yellow top; 4th-cl. spar.	Abreast of Light 60, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 61	Black with yellow top; 4th-cl. spar.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
SANTA ROSA SOUND		
Santa Rosa Sound Buoy 62	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 63	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 64	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 65	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 66. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. At turn. In 12 feet. 1943-1944 (200 mm e)
Santa Rosa Sound Buoy 66	Red with yellow top; 4th-cl. spar.	Abreast of Light 66, on same side of channel. In 12 feet.
SANTA ROSA SOUND LIGHT 67. U. Fl. G., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. At turn. In 12 feet. 1943 (200 mm e)
Santa Rosa Sound Buoy 67	Black with yellow top; 4th-cl. spar.	Abreast of Light 67, on same side of channel. In 16 feet.
Santa Rosa Sound Buoy 68	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 69	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 69A	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 70	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 70A	Red with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 71. U. Fl. G., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. At western edge of dredged cut. In 12 feet. 1943-1945 (200 mm e)
Santa Rosa Sound Buoy 71	Black with yellow top; 4th-cl. spar.	Abreast of Light 71, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 72	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 73	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 74. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. At turn. In 12 feet. 1943-1945 (200 mm e)
Santa Rosa Sound Buoy 74	Red with yellow top; 4th-cl. spar.	Abreast of Light 74, on same side of channel. In 13 feet.
Santa Rosa Sound Buoy 74A	Red with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 75. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. Off Manatee Point. In 6 feet. 1937-1945 (200 mm e)
Santa Rosa Sound Buoy 75	Black with yellow top; 4th-cl. spar.	Abreast of Light 75, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 75A	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 76	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 77	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 78. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. In 13 feet. 1943 (200 mm e)
Santa Rosa Sound Buoy 78	Red with yellow top; 4th-cl. spar.	Abreast of Light 78, on same side of channel In 12 feet.
Santa Rosa Sound Buoy 79	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 80. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 7 cp. 25 feet high. Off Upper Pritchard Long Point. In 4 feet. 1914 (200 mm e)
Santa Rosa Sound Buoy 80	Red with yellow top; 4th-cl. spar.	Abreast of Light 80, on same side of channel. In 12 feet.
SANTA ROSA SOUND LIGHT 81. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. Marks northerly point of shoal. In 11 feet. 1943-1945 (200 mm e)
Santa Rosa Sound Buoy 81	Black with yellow top; 4th-cl. spar.	Abreast of Light 81, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 81A	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 82. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 7 cp. 25 feet high. Off Lower Pritchard Long Point. In 4 feet. 1914 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
SANTA ROSA SOUND		
Santa Rosa Sound Buoy 82	Red with yellow top; 4th-cl. spar.	Abreast of Light 82, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 83	Black with yellow top; 4th-cl. spar.	In 13 feet.
Santa Rosa Sound Buoy 84	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 85	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 87. U. Fl. G., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. In 9 feet. 1943–1945 (200 mm e)
Santa Rosa Sound Buoy 87	Black with yellow top; 4th-cl. spar.	Abreast of Light 87, on same side of channel. In 12 feet.
SANTA ROSA SOUND LIGHT 88. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. In 10 feet. 1943-1944 (200 mm e)
Santa Rosa Sound Buoy 88	Red with yellow top; 4th-cl. spar.	Abreast of Light 88, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 89	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 88A	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 89A	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 90. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. In 13 feet. At entrance to dredged cut. 1943 (200 mm e)
Santa Rosa Sound Buoy 90	Red with yellow top; 4th-cl. spar.	Abreast of Light 90, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 91	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 92	Red with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 93. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. In 6 feet. 1937 (200 mm e)
Santa Rosa Sound Buoy 93	Black with yellow top; 4th-cl. spar.	Abreast of Light 93, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 95	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 96	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 97 *Santa Rosa Sound Buoy 99* *Santa Rosa Sound Buoy 101*	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 102. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular structure on piles.	Flash 0.4 sec. 7 cp. 25 feet high. In 7 feet. 1915–1945 (200 mm e)
Santa Rosa Sound Buoy 102	Red with yellow top; 4th-cl. spar.	Abreast of Light 102, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 103	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 104	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 105	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 106	Red with yellow top; 4th-cl. spar.	In 12 feet
Santa Rosa Sound Buoy 107	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 108. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. In 12 feet. 1943–1945 (200 mm e)
Santa Rosa Sound Buoy 108	Red with yellow top; 4th-cl. spar.	Abreast of Light 108, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 110	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 111	Black with yellow top; 4th-cl. spar.	In 13 feet.
Santa Rosa Sound Buoy 112	Red with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 113	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 114. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular structure on piles.	Flash 0.4 sec. 7 cp. 25 feet high. In 8 feet. 1933–1945 (200 mm e)
Santa Rosa Sound Buoy 114	Red with yellow top; 4th-cl. spar.	Abreast of Light 114, on same side of channel. In 12 feet.

Name; mark on ald Character of light	Description	Remarks
SANTA ROSA SOUND		
Santa Rosa Sound Buoy 115 *Santa Rosa Sound Buoy 117* *Santa Rosa Sound Buoy 119*	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 121. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. In 12 feet. 1943–1945 (200 mm e)
Santa Rosa Sound Buoy 121	Black with yellow top; 4th-cl. spar.	Abreast of Light 121, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 122	Red with yellow top; 4th-cl spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 123. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. In 12 feet. 1943–1947 (200 mm e)
Santa Rosa Sound Buoy 123	Black with yellow top; 4th-cl. spar.	Abreast of Light 123, on same side of channel. In 12 feet.
SANTA ROSA SOUND LIGHT 125. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. In 8 feet. 1943–1945 (200 mm e)
Santa Rosa Sound Buoy 125	Black with yellow top; 4th-cl. spar.	Abreast of Light 125, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 127	Black with yellow top; 4th-cl. spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 129. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. In 12 feet. 1943–1947 (200 mm e)
Santa Rosa Sound Buoy 129	Black with yellow top; 4th-cl. spar.	Abreast of Light 129, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 130	Red with yellow top; 4th-cl.spar.	In 12 feet.
SANTA ROSA SOUND LIGHT 131. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. In 13 feet. Marks northern point of shoal. 1943 (200 mm e)
Santa Rosa Sound Buoy 131	Black with yellow top; 4th-cl. spar.	Abreast of Light 131, on same side of channel. In 12 feet.
Pensacola Beach Bridge East Outer Mooring Buoy.	White; can White reflector.	In 18 feet. Maintained by U. S. Engineers.
Pensacola Beach Bridge East Inner Mooring Buoy.	White; can White reflector.	In 14 feet. Maintained by U. S. Engineers.
SANTA ROSA SOUND LIGHT 133. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. In 8 feet. Marks northern edge of shoal. 1943 (200 mm e)
Santa Rosa Sound Bouy 133	Black with yellow top; 4th-cl. spar.	Abreast of Light 133, on same side of channel. In 12 feet.
Santa Rosa Sound Buoy 135	Black with yellow top; 4th-cl. spar.	In 12 feet.
Santa Rosa Sound Buoy 137	Black with yellow top; 2d-cl. spar.	In 20 feet.
Santa Rosa Sound Buoy 138	Red with yellow top; 2d-cl. spar.	In 19 feet.
Santa Rosa Sound Buoy 139	Black with yellow top; 2d-cl. spar.	In 20 feet.
Santa Rosa Sound Buoy 140	Red with yellow top; 2d cl.spar.	In 18 feet.
Pensacola Beach Bridge West Inner Mooring Buoy.	White; can White reflector.	In 14 feet. Maintained by U. S. Engineers.
Pensacola Beach Bridge West Outer Mooring Buoy.	White; can White reflector.	In 15 feet. Maintained by U. S. Engineers.
SANTA ROSA SOUND LIGHT 142. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. On southern point of shoal. In 13 feet. 1943–1945 (200 mm e)
Santa Rosa Sound Buoy 142	Red with yellow top; 4th-cl. spar.	Abreast of Light 142, on same side of channel. In 12 feet.
DEER POINT LIGHT 144 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 30 feet high. North side of entrance to Santa Rosa Sound. In 10 feet. 1901–1932 (200 mm e)
PENSACOLA BAY		
SOUTH FLATS LIGHTED BUOY 2. Fl. R., 2.5 sec.	Red with yellow square	Flash 0.5 sec. 10 cp. 6 feet high. In 18 feet. At entrance to Santa Rosa Sound from Pensacola Bay.
PENSACOLA BAY LIGHTED BUOY 22. Fl. R., 2.5 sec.	Red with yellow triangle	Flash 0.5 sec. 30 cp. 10 feet high. In 29 feet. (200 mm e)
RESTRICTED AREA LIGHTED BUOY 21. Qk. Fl. W.	Black with yellow triangle	120 flashes per minute. 140 cp. 10 feet high. In 47 feet. (200 mm e)

Name; mark on aid Character of light	Description	Remarks
PENSACOLA BAY		
OUTER BANK LIGHTED BELL BUOY 19. Qk. Fl. W.	Black with yellow triangle. BELL, on buoy.	120 flashes per minute. 140 cp. 10 feet high. In 30 feet. (200 mm e)
RESTRICTED AREA LIGHTED BUOY 17. Qk. Fl. W.	Black with yellow triangle.	120 flashes per minute. 140 cp. 10 feet high. In 34 feet. (200 mm e)
PENSACOLA BAY RANGE FRONT LIGHT. U. F. W. Qk. Fl. R.	White square slatted structure, on piles.	6,500 cp. 35 feet high. Visible on range line only. 120 flashes per minute. 18 cp. 37 feet high. Visible around horizon. In 6 feet. 1902–1918 (Rf e) (200 mm e)
PENSACOLA BAY RANGE REAR LIGHT. U. F. W.	White square slatted structure on piles.	6,500 cp. 67 feet high. Visible on range line only. 520 yards, 282° from front light. On beach. 1900–1904 (Rg e)
PENSACOLA BAY—MOBILE BAY		
PENSACOLA-MOBILE LIGHT 1. Qk. Fl. W. U.	Black square daymark with yellow border on black house on pipe, on concrete block.	75 flashes per minute. 90 cp. 22 feet high. Obscured from 335° to 25°. On end of dike, south side of entrance to cut leading to Big Lagoon 1933 (200 mm e)
Pensacola-Mobile Buoy 3	Black with yellow top; 4th-cl. spar.	Marks 10 foot shoal on edge of channel. In 12 feet.
Pensacola-Mobile Buoy 5 *Pensacola-Mobile Buoy 7* *Pensacola-Mobile Buoy 9*	Black with yellow top; 4th-cl. spar.	In 12 feet.
PENSACOLA-MOBILE LIGHT 11. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. On south side of channel, at west end of cut between Pensacola Bay and Big Lagoon. In 11 feet. 1934–1945. (200 mm e)
Pensacola-Mobile Buoy 11	Black with yellow top; 4th-cl. spar.	Abreast of Light 11, on same side of channel. In 12 feet.
PENSACOLA-MOBILE LIGHT 12. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. Marks shoal off Trout Point. In 7 feet. 1943 (200 mm e)
Pensacola-Mobile Buoy 12	Red with yellow top; 4th-cl. spar.	Abreast of Light 12, on same side of channel. In 12 feet.
Big Lagoon Buoy 1	Black; 3d-cl. can(s)	Marks submerged piles. In 9 feet.
PENSACOLA-MOBILE LIGHTED BUOY 14. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 9 cp. 5 feet high. On northern side of turn. In 19 feet. (150 mm e)
PENSACOLA-MOBILE LIGHT 15. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. At entrance to dredged cut. In 10 feet. 1934–1946 (200 mm e)
Pensacola-Mobile Buoy 15	Black with yellow top; 4th-cl. spar.	Abreast of Light 15, on same side of channel. In 12 feet.
PENSACOLA-MOBILE LIGHT 17. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. In 8 feet. 1934–1943 (200 mm e)
Pensacola-Mobile Buoy 17	Black with yellow top; 4th-cl. spar.	Abreast of Light 17, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 18 *Pensacola-Mobile Buoy 19* *Pensacola-Mobile Buoy 20* *Pensacola-Mobile Buoy 21* *Pensacola-Mobile Buoy 22* *Pensacola-Mobile Buoy 23* *Pensacola-Mobile Buoy 24*	Even-numbered buoys are red with yellow top, odd numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 25. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. At westerly end of Big Lagoon, marks west end of cut. In 8 feet. 1934–1945 (200 mm e)
Pensacola-Mobile Buoy 25	Black with yellow top; 4th-cl. spar.	Abreast of Light 25, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 26	Red with yellow top; 4th-cl. spar.	In 12 feet.
PENSACOLA-MOBILE LIGHT 27. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. In 8 feet. 1934–1945 (200 mm e)
Pensacola-Mobile Buoy 27	Black with yellow top; 4th-cl. spar.	Abreast of Light 27, on same side of channel. In 12 feet.

Name; mark on aid Character of light	Description	Remarks
PENSACOLA BAY—MOBILE BAY		
Pensacola-Mobile Buoy 28	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 29	Black with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 30	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 31	Black with yellow top; 4th-cl. spar.	In 12 feet.
PENSACOLA-MOBILE LIGHT 32. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on braced post.	Flash 0.4 sec. 11 cp. 21 feet high. At turn. On shore. 1943 (200 mm e)
Pensacola-Mobile Buoy 33	Black with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 36	Red with yellow top; 4th-cl. spar.	In 12 feet.
PENSACOLA-MOBILE LIGHT 37. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. At northeasterly end of Old River. In 8 feet. 1936–1943 (200 mm e)
Pensacola-Mobile Buoy 37	Black with yellow top; 4th-cl. spar.	Abreast of Light 37, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 39 *Pensacola-Mobile Buoy 40* *Pensacola-Mobile Buoy 41* *Pensacola-Mobile Buoy 42*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 43. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. In 8 feet. At turn. 1934 (200 mm e)
Pensacola-Mobile Buoy 43	Black with yellow top; 4th-cl. spar.	Abreast of Light 43, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 44 *Pensacola-Mobile Buoy 45* *Pensacola-Mobile Buoy 46* *Pensacola-Mobile Buoy 47* *Pensacola-Mobile Buoy 48* *Pensacola-Mobile Buoy 49*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 50. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 20 cp. 17 feet high. In 8 feet. At turn. 1945 (200 mm e)
Pensacola-Mobile Buoy 50 *Pensacola-Mobile Buoy 51* *Pensacola-Mobile Buoy 52* *Pensacola-Mobile Buoy 53* *Pensacola-Mobile Buoy 54* *Pensacola-Mobile Buoy 55* *Pensacola-Mobile Buoy 56* *Pensacola-Mobile Buoy 57* *Pensacola-Mobile Buoy 58* *Pensacola-Mobile Buoy 59* *Pensacola-Mobile Buoy 60* *Pensacola-Mobile Buoy 61* *Pensacola-Mobile Buoy 62* *Pensacola-Mobile Buoy 63* *Pensacola-Mobile Buoy 64* *Pensacola-Mobile Buoy 65* *Pensacola-Mobile Buoy 66*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 67. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 15 feet. 1943 (200 mm e)
Pensacola-Mobile Buoy 67	Black with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 68	Red with yellow top; 4th-cl. spar.	In 12 feet.
PENSACOLA-MOBILE LIGHT 69. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. At junction with Bayou St. John. In 12 feet. 1943–1945 (200 mm e)
Pensacola-Mobile Buoy 69	Black with yellow top; 4th-cl. spar.	Abreast of Light 69, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 72	Red with yellow top; 4th-cl. spar.	Off Inerarity Point. In 12 feet.
(For Perdido Entrance see page 172.)		

Name; mark on aid Character of light	Description	Remarks
PENSACOLA BAY—MOBILE BAY		
PENSACOLA-MOBILE LIGHT 73. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 9 feet. Marks northeastern point of shoal off Mill Point. 1943 (200 mm e)
Pensacola-Mobile Buoy 73	Black with yellow top; 4th-cl. spar.	Abreast of Light 73, on same side of channel. In 12 feet.
PENSACOLA-MOBILE LIGHT 74. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. Marks shoal off Ross Point in Perdido Bay. In 7 feet. 1934–1943 (200 mm e)
Pensacola-Mobile Buoy 75	Black with yellow top; 4th-cl. spar.	At turn. In 14 feet.
Pensacola-Mobile Buoy 76 *Pensacola-Mobile Buoy 77* *Pensacola-Mobile Buoy 79* *Pensacola-Mobile Buoy 80* *Pensacola-Mobile Buoy 81* *Pensacola-Mobile Buoy 82* *Pensacola-Mobile Buoy 83* *Pensacola-Mobile Buoy 84* *Pensacola-Mobile Buoy 85* *Pensacola-Mobile Buoy 86*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 88. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles	Flash 0.4 sec. 11 cp. 25 feet high. Marks shoal off Hatchet Point, east end of Bay La Launch. In 7 feet. 1934 (200 mm e)
Pensacola-Mobile Buoy 88	Red with yellow top; 4th-cl. spar.	Abreast of Light 88, on same side of channel. In 13 feet.
Pensacola-Mobile Buoy 89	Black with yellow top; 4th-cl. spar.	In 12 feet.
PENSACOLA-MOBILE LIGHT 90. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. Off Hatchet Point. In 14 feet. 1943 (200 mm e)
Pensacola-Mobile Buoy 90	Red with yellow top; 4th-cl. spar.	Abreast of Light 90, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 91 *Pensacola-Mobile Buoy 92* *Pensacola-Mobile Buoy 93* *Pensacola-Mobile Buoy 94* *Pensacola-Mobile Buoy 95* *Pensacola-Mobile Buoy 96* *Pensacola-Mobile Buoy 97* *Pensacola-Mobile Buoy 98* *Pensacola-Mobile Buoy 99*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 100. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 11 cp. 25 feet high. At turn. In 8 feet. 1934–1943 (200 mm e)
Pensacola-Mobile Buoy 100	Red with yellow top; 4th-cl. spar.	Abreast of Light 100, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 101 *Pensacola-Mobile Buoy 102* *Pensacola-Mobile Buoy 103* *Pensacola-Mobile Buoy 104*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 105. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. At turn. In 8 feet. 1934–1946 (200 mm e)
Pensacola-Mobile Buoy 105	Black with yellow top; 4th-cl. spar.	Abreast of Light 105, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 106 *Pensacola-Mobile Buoy 107* *Pensacola-Mobile Buoy 108* *Pensacola-Mobile Buoy 109*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 111. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. In 9 feet. 1934 (200 mm e)
Pensacola-Mobile Buoy 111	Black with yellow top; 4th-cl. spar.	Abreast of Light 111, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 112 *Pensacola-Mobile Buoy 113* *Pensacola-Mobile Buoy 115* *Pensacola-Mobile Buoy 116* *Pensacola-Mobile Buoy 117* *Pensacola-Mobile Buoy 119* *Pensacola-Mobile Buoy 120* *Pensacola-Mobile Buoy 121*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 123. U. Fl.W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. In 8 feet. 1943 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
PENSACOLA BAY—MOBILE BAY		
Pensacola-Mobile Buoy 123	Black with yellow top; 4th-cl. spar.	Abreast of Light 123, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 124	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 125 *Pensacola-Mobile Buoy 127* *Pensacola-Mobile Buoy 129* *Pensacola-Mobile Buoy 131* *Pensacola-Mobile Buoy 133*	Black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 136. U. Fl.R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 11 cp. 17 feet high. At turn in channel. In 1 foot. 1943-1947. (200 mm e)
Pensacola-Mobile Buoy 136	Red with yellow top; 4th-cl. spar.	Abreast of Light 136, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 137	Black with yellow top; 4th-cl. spar.	In 12 feet.
PENSACOLA-MOBILE LIGHT 139. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. At east end of cut through Oyster Bay. In 2 feet. 1934 (200 mm e)
Pensacola-Mobile Buoy 139	Black with yellow top; 4th-cl. spar.	Abreast of Light 139, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 140	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 141	Black with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 142	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 143	Black with yellop top; 4th-cl. spar.	In 12 feet.
PENSACOLA-MOBILE LIGHT 145. U. Fl. W., 4 sec.	Black square daymark with yellow border on braced post.	Flash 0.4 sec. 30 cp. 18 feet high. On shore. At west end of cut through Oyster Bay. 1943 (200 mm e)
PENSACOLA-MOBILE LIGHT 147. U. Fl. W., 4 sec.	Black square daymark with yellow border on braced post.	Flash 0.4 sec. 30 cp. 18 feet high. On shore. At east end of cut through Bon Secour Bay. 1943 (200 mm e)
Pensacola-Mobile-Buoy 149	Black with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 150	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pensacola-Mobile Buoy 151	Black with yellow top; 4th-cl. spar.	In 12 feet.
PENSACOLA-MOBILE LIGHT 152. U. Qk. Fl. R.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	75 flashes per minute. 20 cp. 25 feet high. At turn in channel. In 6 feet. 1943 (200 mm e)
Pensacola-Mobile Buoy 152	Red with yellow top; 4th-cl. spar.	Abreast of Light 152, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 153 *Pensacola-Mobile Buoy 155* *Pensacola-Mobile Buoy 156* *Pensacola-Mobile Buoy 157* *Pensacola-Mobile Buoy 159* *Pensacola-Mobile Buoy 160* *Pensacola-Mobile Buoy 161*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 163. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 7 feet. 1943–1944 (200 mm e)
Pensacola-Mobile Buoy 163	Black with yellow top; 4th-cl. spar.	Abreast of Light 163, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 164 *Pensacola-Mobile Buoy 165* *Pensacola-Mobile Buoy 167* *Pensacola-Mobile Buoy 168* *Pensacola-Mobile Buoy 169* *Pensacola-Mobiel Buoy 171* *Pensacola-Mobile Buoy 172* *Pensacola-Mobile Buoy 173*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
PENSACOLA-MOBILE LIGHT 175. U. Fl. W., 4 sec.	Black square daymark with yellow border on black pyramidal slatted structure on piles.	Flash 0.4 sec. 50 cp. 32 feet high. feet. 1936 (200 mm e)
Pensacola-Mobile Buoy 175	Black with yellow top; 4th-cl. spar.	Abreast of Light 175, on same side of channel. In 12 feet.

Name; mark on aid Character of light	Description	Remarks
PENSACOLA BAY—MOBILE BAY		
Pensacola-Mobile Buoy 176	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Pensacola-Mobile Buoy 177		
Pensacola-Mobile Buoy 179		
Pensacola-Mobile Buoy 180		
Pensacola-Mobile Buoy 181		
Pensacola-Mobile Buoy 183		
Pensacola-Mobile Buoy 185		
Pensacola-Mobile Buoy 186		
Pensacola-Mobile Buoy 187		
PENSACOLA-MOBILE LIGHT 189. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 8 feet. 1943 (200 mm e)
Pensacola-Mobile Buoy 189	Black with yellow top; 4th-cl. spar.	Abreast of Light 189, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 190	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Pensacola-Mobile Buoy 191		
Pensacola-Mobile Buoy 193		
Pensacola-Mobile Buoy 194		
Pensacola-Mobile Buoy 195		
Pensacola-Mobile Buoy 197		
Pensacola-Mobile Buoy 198		
Pensacola-Mobile Buoy 199		
PENSACOLA-MOBILE LIGHT 201. U. Fl. W., 4 sec.	Black square daymark with yellow border on black pyramidal slatted structure on piles.	Flash 0.4 sec. 50 cp. 32 feet high. In 6 feet. 1936 (200 mm e)
Pensacola-Mobile Buoy 201	Black with yellow top; 4th-cl. spar.	Abreast of Light 201, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 202	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Pensacola-Mobile Buoy 203		
Pensacola-Mobile Buoy 205		
Pensacola-Mobile Buoy 206		
Pensacola-Mobile Buoy 207		
Pensacola-Mobile Buoy 209		
Pensacola-Mobile Buoy 210		
Pensacola-Mobile Buoy 211		
PENSACOLA-MOBILE LIGHT 213 U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. In 7 feet. 17 feet high. 1943–1945 (200 mm e)
Pensacola-Mobile Buoy 213	Black with yellow top; 4th-cl. spar.	Abreast of Light 213, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 214	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top, 4th-cl. spars.	In 12 feet.
Pensacola-Mobile Buoy 215		
Pensacola-Mobile Buoy 217		
Pensacola-Mobile Buoy 218		
Pensacola-Mobile Buoy 219		
Pensacola-Mobile Buoy 221		
Pensacola-Mobile Buoy 222		
Pensacola-Mobile Buoy 223		
Pensacola-Mobile Buoy 225		
PENSACOLA-MOBILE LIGHT 227. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 10 feet. 1936–1947 (200 mm e)
Pensacola-Mobile Buoy 227	Black with yellow top; 4th-cl. spar.	Abreast of Light 227, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 228	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Pensacola-Mobile Buoy 229		
Pensacola-Mobile Buoy 231		
Pensacola-Mobile Buoy 233		
Pensacola-Mobile Buoy 234		
Pensacola-Mobile Buoy 235		
PENSACOLA-MOBILE LIGHT 237. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. In 8 feet. 17 feet high. 1943–1945 (200 mm e)
Pensacola-Mobile Buoy 237	Black with yellow top; 4th-cl. spar.	Abreast of Light 237, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 238	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Pensacola-Mobile Buoy 239		
Pensacola-Mobile Buoy 241		
Pensacola-Mobile Buoy 242		
Pensacola-Mobile Buoy 243		
Pensacola-Mobile Buoy 245		
PENSACOLA-MOBILE LIGHT 247. U. Qk. Fl. W.	Black square daymark with yellow border on black square slatted structure on piles.	75 flashes per minute. 50 cp. 32 feet high. At turn in channel. In 10 feet. 1934 (200 mm e)
Pensacola-Mobile Buoy 247	Black with yellow top; 4th-cl. spar.	Abreast of Light 247, on same side of channel. In 12 feet.

Name; mark on aid Character of light	Description	Remarks
PENSACOLA BAY—MOBILE BAY		
Pensacola-Mobile Buoy 248	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Pensacola-Mobile Buoy 249		
Pensacola-Mobile Buoy 250		
Pensacola-Mobile Buoy 251		
Pensacola-Mobile Buoy 253		
Pensacola-Mobile Buoy 254		
Pensacola-Mobile Buoy 255		
PENSACOLA-MOBILE LIGHT 257. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 11 feet. 1943 (200 mm e)
Pensacola-Mobile Buoy 257	Black with yellow top; 4th-cl. spar.	Abreast of Light 257, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 258	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Pensacola-Mobile Buoy 259		
Pensacola-Mobile Buoy 261		
Pensacola-Mobile Buoy 262		
Pensacola-Mobile Buoy 263		
Pensacola-Mobile Buoy 265		
Pensacola-Mobile Buoy 266		
PENSACOLA-MOBILE LIGHT 267. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 11 feet. 1943 (200 mm e)
Pensacola-Mobile Buoy 267	Black with yellow top; 4th-cl. spar.	Abreast of Light 267, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 268	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Pensacola-Mobile Buoy 269		
Pensacola-Mobile Buoy 271		
Pensacola-Mobile Buoy 272		
Pensacola-Mobile Buoy 273		
Pensacola-Mobile Buoy 275		
Pensacola-Mobile Buoy 276		
PENSACOLA-MOBILE LIGHT 277. U. Qk. Fl. W.	Black square daymark with yellow border on black triangular slatted structure on piles.	75 flashes per minute. 90 cp. 25 feet high. At western entrance to dredged channel. In 12 feet. 1943 (200 mm e)
Pensacola-Mobile Buoy 277	Black with yellow top; 4th-cl. spar.	Abreast of Light 277, on same side of channel. In 12 feet.
Pensacola-Mobile Buoy 278	Red with yellow top; 4th-cl. spar.	In 12 feet.
PERDIDO ENTRANCE		
Perdido Entrance Buoy	Black and white vertical stripes; 2d-cl. nun. White reflector.	In 24 feet.
Perdido Pass Range Front Daybeacon.	Red triangular daymark on post.	16 feet high. On shore, west side of pass.
Perdido Pass Range Rear Daybeacon.	White circular daymark on post.	21 feet high. 145 yards 344° from front daybeacon.
Perdido Entrance Buoy 2	Red; 2d-cl. nun	In 10 feet.
BAYOU ST. JOHN ENTRANCE LIGHT. U. Fl. W., 4 sec.	White triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. Off Alabama Point, west side of entrance to Perdido Bay. In 4 feet. 1938 (200 mm e)
Bayou St. John Daybeacon 2	Even-numbered daybeacons are red pointer on pile. Odd numbered daybeacons are black pointer on pile.	9 feet high. In 5 feet.
Bayou St. John Daybeacon 3		
Bayou St. John Daybeacon 4		
Bayou St. John Daybeacon 5		
Bayou St. John Daybeacon 7		
Bayou St. John West Daybeacon 2.		
Bayou St. John West Daybeacon 3.		
MOBILE BAY		
MOBILE CHANNEL LIGHT 3. U. Fl. G., 4 sec.	Black box on dolphin	Flash 0.4 sec. 18 cp. 17 feet high. In 12 feet. (200 mm e) 1946.
MOBILE CHANNEL LIGHT 4. U. Occ.R., 3 sec. Fl. W., 4 sec.	Red square slatted structure on piles.	Light 1.5 sec. Eclipse 1.5 sec. 42 cp. 34 feet high. In 22 feet. Flash 0.4 sec. 50 cp. 36 feet high. 1902–1945 (200 mm e) (200 mm e)
Mobile Channel Buoy 5	Black; 2d-cl. spar	In 24 feet.
MOBILE CHANNEL LIGHT 6. U. F. R.	Red square slatted structure on piles.	42 cp. 34 feet high. In 21 feet. 1897–1946 (200 mm e)
Pass aux Herons Buoy 1	Black with yellow top; 3d cl. can (s). Green reflector.	In 13 feet.
PASS AUX HERONS LIGHT 2. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. At eastern end of dredged cut. In 12 feet. 1943–1946 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
MOBILE BAY		
PASS AUX HERONS RANGE A FRONT LIGHT. U F. R.	Red diamond daymark with yellow border on piles.	1,800 cp. 15 feet high. Visible on range line only. 185 yards 271° from Pass Aux Herons Light 18. In 9 feet. 1944 (Rg e)
PASS AUX HERONS RANGE A REAR LIGHT. F. R. U.	Red circular daymark with yellow border on a red square pyramidal slatted structure on piles.	1,800 cp. 35 feet high. Visible on range line only. 1,000 yards 286° from the front light. In 11 feet. 1945 (Rg e)
Pass aux Herons Buoy 2	Red with yellow top; 4th-cl. spar.	Abreast of Light 2, on same side of channel. In 13 feet.
Pass aux Herons Buoy 4	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 13 feet.
Pass aux Herons Buoy 5	Black with yellow top; 3d-cl. can(s). Green reflector.	In 12 feet.
Pass aux Herons Buoy 6	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 13 feet.
Pass aux Herons Buoy 8	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 13 feet.
Pass aux Herons Buoy 9	Black with yellow top; 3d-cl. can (s). Green reflector.	In 12 feet.
Pass aux Herons Buoy 10	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 13 feet.
Pass aux Herons Buoy 12	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 12 feet.
Pass aux Herons Buoy 13	Black with yellow top; 3d-cl. can(s). Green reflector.	In 12 feet.
Pass aux Herons Buoy 14 *Pass aux Herons Buoy 16*	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 12 feet.
Pass aux Herons Buoy 16A	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 17	Black with yellow top; 3d-cl. can (s). Green reflector.	In 12 feet.
PASS AUX HERONS LIGHT 18. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on a red pyramidal slatted structure on piles.	Flash 0.4 sec. 20 cp. 34 feet high. North of North Point. In 9 feet. 1914–1945 (200 mm e)
PASS AUX HERONS RANGE B FRONT LIGHT F. R. U. F. R.	Red diamond daymark with yellow border on piles.	1,800 cp. 15 feet high. Visible on range line only. On eastern prolongation of centerline of channel. Passing light: 7 cp. 17 feet high. Visible around horizon. In 10 feet. 1944–1945 (Rg e) (200 mm e)
PASS AUX HERONS RANGE B REAR LIGHT. F. R. U. Fl. W., 4 sec.	Red circular daymark with yellow border on a red square pyramidal slatted structure on piles.	1,800 cp. 57 feet high. Visible on range line only. 2,670 yards 67° from Range B Front Light. Passing light: flash 0.4 sec. 30 cp. 59 feet high. Visible around the horizon. In 11 feet. (Rg e) 1944 (200 mm e)
Pass aux Herons Buoy 18	Red with yellow top; 4th-cl. spar.	Abreast of Light 18, on same side of channel. In 12 feet.
Pass aux Herone Buoy 18A	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 19	Black with yellow top; 3d-cl. can (s). Green reflector.	In 12 feet.
Pass aux Herons Buoy 20	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 12 feet.
Pass aux Herons Buoy 21	Black with yellow top; 3d-cl. can (s). Green reflector.	In 12 feet.
Pass aux Herons Buoy 22	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 12 feet.
Pass aux Herons Buoy 23	Black with yellow top; 3d-cl. can (s). Green reflector.	In 12 feet.
Pass aux Herons Buoy 24	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
MOBILE BAY		
Pass aux Herons Buoy 25	Black with yellow top; 3d-cl. can(s). Green reflector.	In 14 feet.
MISSISSIPPI SOUND		
PASS AUX HERONS LIGHT 26. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red pyramidal slatted structure on piles.	Flash 0.4 sec. 20 cp. 30 feet high. In 7 feet. 1914–1917 (200 mm e)
PASS AUX HERONS RANGE C FRONT LIGHT. F. G. U.	Black diamond daymark with yellow border on piles.	1,700 cp. 15 feet high. Visible on range line only. In 9 feet. On western prolongation of centerline of channel. 1944–1945 (Rg e)
PASS AUX HERONS RANGE C REAR LIGHT. F. G. U.	Black circular daymark with yellow border on a black square pyramidal slatted structure on piles.	1,700 cp. 57 feet high. Visible on range line only. 2,670 yards 247° from the front light. In 10 feet. 1944–1945 (Rg e)
Pass aux Herons Buoy 26	Red with yellow top; 4th-cl. spar.	Abreast of light 26, on same side of channel. In 12 feet.
Pass aux Herons Buoy 27	Black with yellow top; 3d-cl. can(s). Green reflector.	In 12 feet.
Pass aux Herons Buoy 29	Black with yellow top; 3d-cl. can(s).	In 9 feet.
Pass aux Heron Buoy 30	Red with yellow top; 3d-cl. nun(s). Red reflector.	In 16 feet.
Pass aux Herons Buoy 31 *Pass aux Herons Buoy 33*	Black with yellow top; 3d-cl. can (s). Green reflector.	In 12 feet.
Pass aux Herons Buoy 34	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 12 feet.
Pass aux Herons Buoy 36	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 37	Black with yellow top; 3d-cl. can(s). Green reflector.	In 9 feet.
Pass aux Herons Buoy 38 *Pass aux Herons Buoy 40*	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 41	Black with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 42 *Pass aux Herons Buoy 44*	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 45	Black with yellow top; 3d-cl. can(s). Green reflector.	In 9 feet.
Pass aux Herons Buoy 46	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 47	Black with yellow top; 4th-cl spar.	In 12 feet.
Pass aux Herons Buoy 48	Red with yellow top; 4th-cl spar.	In 12 feet.
Pass aux Herons Buoy 49	Black with yellow top; 4th-cl. spar.	In 13 feet.
Pass aux Herons Buoy 50	Red with yellow top; 4th-cl. spar.	In 12 feet.
PASS AUX HERONS RANGE D FRONT LIGHT. F. G. U.	Black diamond daymark with yellow border on piles.	1,700 cp. 15 feet high. Visible on range line only. On eastern prolongation of centerline of channel. In 10 feet. 1944 (Rg e)
PASS AUX HERONS RANGE D REAR LIGHT. F. G. U	Black circular daymark with yellow border on a black square pyramidal slatted structure on piles.	1,700 cp. 65 feet high. Visible on range line only. 3,330 yards 84° from the front light. In 9 feet. 1944 (Rg e)
Pass aux Herons Buoy 51	Black with yellow top; 4th-cl spar.	In 12 feet.
Pass aux Herons Buoy 52	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 53	Black with yellow top; 3d-cl. can(s). Green reflector.	In 9 feet.
Pass aux Herons Buoy 54 *Pass aux Herons Buoy 56*	Red with yellow top; 4th-cl. spar.	In 13 feet.
Pass aux Herons Buoy 57	Black with yellow top; 4th-cl. spar.	In 13 feet.
Pass aux Herons Buoy 58 *Pass aux Herons Buoy 60*	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 61	Black with yellow top; 3d-cl. can(s). Green reflector.	In 11 feet.

Name; mark on aid Character of light	Description	Remarks
MISSISSIPPI SOUND		
Pass aux Herons Buoy 62	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 64		
Pass aux Herons Buoy 65	Black with yellow top; 4th-cl. spar.	In 13 feet.
Pass aux Herons Buoy 66	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 68		
Pass aux Herons Buoy 69	Black with yellow top; 3d-cl. can(s). Green reflector.	In 11 feet.
Pass aux Herons Buoy 70	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 72		
Pass aux Herons Buoy 73	Black with yellow top; 4th-cl. spar.	In 12 feet
Pass aux Herons Buoy 74	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 76		
Pass aux Herons Buoy 77	Black with yellow top; 3d-cl. can(s). Green reflector.	In 11 feet.
Pass aux Herons Buoy 78	Red with yellow top; 4th-cl. spar.	In 13 to 14 feet.
Pass aux Herons Buoy 80		
Pass aux Herons Buoy 81	Black with yellow top; 4th-cl. spar.	In 12 feet.
PASS AUX HERONS LIGHT 82. U. Fl. R., 4 sec.	Red triangular daymark wtih yellow border on dolphin.	Flash 0.4 sec. 20 cp. 17 feet high. In 11 feet. 1943–1946 (200 mm e)
Pass aux Herons Buoy 82	Red with yellow top; 4th-cl. spar.	Abreast of Light 82, on same side of channel. In 14 feet.
Pass aux Herons Buoy 84	Red with yellow top; 4th-cl. spar.	In 13 feet.
Pass aux Herons Buoy 85	Black with yellow top; 3d-cl. can(s). Green reflector.	In 11 feet.
Pass aux Herons Buoy 86	Red with yellow top; 4th-cl. spar.	In 12 feet.
Pass aux Herons Buoy 88		
Pass aux Herons Buoy 89	Black with yellow top; 4th-cl. spar.	In 13 feet.
PASS AUX HERONS LIGHT 90. U. Fl. R., 4 sec.	Red triangular daymark on yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. At western end of dredged cut. In 12 feet. 1943 (200 mm e)
Pass aux Herons Buoy 90	Red with yellow top; 4th-cl. spar.	Abreast of Light 90, on same side of channel. In 13 feet.
GRANTS PASS		
Grants Pass Daybeacon 2	Red pile structure	Maintained by Maury & Unruh, agents, Mobile, Ala. In 3 to 8 feet.
Grants Pass Daybeacon 6		
Grants Pass Daybeacon 8		
Grants Pass Daybeacon 10		
Grants Pass Daybeacon 12		
Grants Pass Daybeacon 14		
MISSISSIPPI SOUND		
ISLE AUX HERBES LIGHT. F.R. U.	Red pyramidal slatted structure on piles.	48 cp. 32 feet high. Off entrance to Bayou Labatre. In 6 feet. 1930 (300 mm o)
GRAND BATTURE ISLAND SHOAL LIGHTED BUOY. S-L.Fl.W.	Black and white vertical stripes with yellow top.	A short flash and a long flash. 130 cp. 12 feet high. Off south end of shoal. In 15 feet. (200 mm a)
HORN ISLAND LIGHT. Fl. W., 20 sec. U.	White wooden dwelling on piles.	Flash 2 sec., eclipse 18 sec. 670 cp. 47 feet high. 0.8 mile northeast of west point of Petit Bois Island In 13 feet. 1874–1908 (5 a)
PASCAGOULA CHANNEL DUMP LIGHTED BUOY 1. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 40 cp. 10 feet high. On south side of opening through spoil bank. In 17 feet. (150 mm e)
Pascagoula Channel Dump Buoy 2.	Red with yellow top; 2d-cl. spar.	On north side of opening through spoil bank. In 17 feet.
Round Island Daybeacon	White conical tower	50 feet high. On south end of island.
ROUND ISLAND SOUTH SPIT LIGHT 2. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on a red triangular slatted structure on piles.	Flash 0.4 sec. 31 cp. 25 feet high. Marks southerly side of shoal. In 12 feet. 1945 (200 mm e)
ROUND ISLAND SOUTH CHANNEL LIGHTED BUOY 3. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 130 cp. 12 feet high. At turn in channel. In 16 feet. (200 mm a).
Round Island South Spit Daybeacon.	White square slatted pyramidal structure on piles.	37 feet high. In 10 feet.
Round Island South Channel Buoy 4.	Red with yellow top; 4th-cl. spar.	On westerly edge of shoal. In 12 feet
ROUND ISLAND SOUTH CHANNEL LIGHTED BUOY 5. Fl. G., 4 sec.	Black with yellow top	Flash 0.4 sec. 28 cp. 6 feet high. At south end of dredged cut. In 12 feet. (200 mm e)

Name; mark on aid Character of light	Description	Remarks
MISSISSIPPI SOUND		
Round Island South Channel Buoy 6.	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Round Island South Channel Buoy 7.		
Round Island South Channel Buoy 8.		
Round Island South Channel Buoy 9.		
Round Island South Channel Buoy 10.		
ROUND ISLAND SOUTH CHANNEL LIGHTED BUOY 11. Fl. G., 4 sec.	Black with yellow top	Flash 0.4 sec. 28 cp. 10 feet high. At north end of dredged cut. In 13 feet. (200 mm e)
Round Island South Channel Buoy 12.	Red with yellow top; 4th-cl. spar.	At north end of dredged cut. In 12 feet.
ROUND ISLAND SOUTH CHANNEL LIGHTED BUOY 13. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 130 cp. 12 feet high. In 12 feet. (200 mm a)
BELLE FONTAINE LIGHTED BUOY. S-L. Fl. W.	Black and white vertical stripes with yellow top.	A short flash and a long flash. 130 cp. 12 feet high. In 15 feet. (200 mm a)
Inner Bar Buoy 1	Black; 3d cl. can	Dog Keys Pass. In 21 feet.
SHIP ISLAND NORTH LIGHTED BUOY. Fl. W., 4 sec.	Black and white vertical stripes with yellow top.	Flash 0.4 sec. 130 cp. 12 feet high. In 18 feet. (200 mm a)
SHIP ISLAND LIGHT Occ. R., 10 sec.	White square pyramidal tower	Light 5 sec., eclipse 5 sec. 1,800 cp. 73 feet high. On west end of island. 1853–1886 (4 e)
GULFPORT CHANNEL LIGHT 52. U. F. R.	Red square pyramidal slatted structure with yellow triangle on piles.	40 cp. 30 feet high. In 21 feet. 1905–1945 (200 mm e)
Gulfport Channel Buoy 54	Red; 2d-cl. nun(s)	In 18 feet.
MARIANNE CHANNEL LIGHTED BUOY 1. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 40 cp. 6 feet high. At turn. In 13 feet. (150 mm e)
Cat Island Shoal Daybeacon	Black square slatted structure on piles.	37 feet high. In 13 feet.
MARIANNE CHANNEL LIGHTED BUOY 3. Fl. W., 4 sec. (For Pass Marianne, see p. 178.)	Black with yellow top	Flash 0.4 sec. 40 cp. 6 feet high. On edge of Cat Island Shoal. In 15 feet. (150 mm e)
CAT ISLAND WEST END CHANNEL LIGHT. U. Fl. W., 4 sec.	Black square slatted structure on piles.	Flash 0.4 sec. 450 cp. 35 feet high. Marks northeast end of shell bank. In 5 feet. 1937 (300 mm a)
Cat Island Daybeacon	White square house on piles	48 feet high. Off west end of Cat Island. In 3 feet.
MARIANNE CHANNEL LIGHTED BUOY 4 Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 17 cp. 6 feet high. On southeastern edge of shoal. In 14 feet. (150 mm e)
Marianne Channel Buoy 6	Red with yellow top; 4th-cl. spar.	On southeastern edge of shoal. In 13 feet.
MARIANNE CHANNEL LIGHTED BUOY 7 Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 40 cp. 6 feet high. On northwestern edge of shoal. In 16 feet. (150 mm e)
MARIANNE CHANNEL LIGHT 8. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. On southeastern edge of shoal, at eastern end of dredged channel. In 13 feet. 1943–1945 (200 mm e)
Marianne Channel Buoy 8	Red with yellow top; 4th-cl. spar.	Abreast of Light 8, on same side of channel. In 13 feet.
Marianne Channel Buoy 9	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Marianne Channel Buoy 10		
Marianne Channel Buoy 11		
Marianne Channel Buoy 12		
Marianne Channel Buoy 14		
Marianne Channel Buoy 15		
Marianne Channel Buoy 16		
Marianne Channel Buoy 18		
Marianne Channel Buoy 19		
MARIANNE CHANNEL LIGHT 20. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on dolphin.	Flash 0.4 sec. 20 cp. 17 feet high. In 11 feet. 1943–1945 (200 mm e)
Marianne Channel Buoy 20	Red with yellow top; 4th-cl. spar.	Abreast of Light 20, on same side of channel. In 12 feet.

Name; mark on aid Character of light	Description	Remarks
MISSISSIPPI SOUND		
Marianne Channel Buoy 22	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Marianne Channel Buoy 23		
Marianne Channel Buoy 24		
Marianne Channel Buoy 26		
Marianne Channel Buoy 27		
Marianne Channel Buoy 28		
Marianne Channel Buoy 30		
Marianne Channel Buoy 31		
MARIANNE CHANNEL LIGHT 32. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 25 feet high. In 12 feet. 1943–1944 (200 mm e)
Marianne Channel Buoy 32	Red with yellow top; 4th-cl. spar.	Abreast of Light 32, on same side of channel. In 12 feet.
Marianne Channel Buoy 34	Even numbered buoys are red with yellow top, odd numbered buoys are black with yellow top; 4th-cl. spars.	In 13 feet.
Marianne Channel Buoy 35		
Marianne Channel Buoy 36		
Marianne Channel Buoy 38		
Marianne Channel Buoy 39		
Marianne Channel Buoy 40		
Marianne Channel Buoy 42		
GRAND ISLAND CHANNEL LIGHT 1. U. Fl. W., 4 sec.	Black square daymark with with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. At turn. In 13 feet. 1943–1946 (200 mm e)
Grand Island Channel Buoy 1	Black with yellow top; 4th-cl. spar.	Abreast of Light 1, on same side of channel. In 12 feet
Grand Island Channel Buoy 2	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Grand Island Channel Buoy 3		
Grand Island Channel Buoy 5		
Grand Island Channel Buoy 6		
Grnad Island Channel Buoy 7		
Grand Island Channel Buoy 9		
Grand Island Channel Buoy 10		
Grand Island Channel Buoy 11		
GRAND ISLAND CHANNEL LIGHT 13. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high In 11 feet. 1943–1945 (200 mm e)
Grand Island Channel Buoy 13	Black with yellow top; 4th-cl. spar.	Abreast of Light 13, on same side of channel. In 12 feet.
Grand Island Channel Buoy 14	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Grand Island Channel Buoy 15		
Grand Island Channel Buoy 17		
Grand Island Channel Buoy 18		
Grand Island Channel Buoy 19		
Grand Island Channel Buoy 21		
Grand Island Channel Buoy 22		
Grand Island Channel Buoy 23		
GRAND ISLAND CHANNEL LIGHT 25. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. In 12 feet. 1943 (200 mm e)
Grand Island Channel Buoy 25	Black with yellow top; 4th-cl. spar.	Abreast of Light 25, on same side of channel. In 12 feet.
Grand Island Channel Buoy 26	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Grand Island Channel Buoy 27		
Grand Island Channel Buoy 29		
Grand Island Channel Buoy 30		
Grand Island Channel Buoy 31		
Grand Island Channel Buoy 33		
Grand Island Channel Buoy 34		
Grand Island Channel Buoy 35		
GRAND ISLAND CHANNEL LIGHT 37. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 12 feet. 1943 (200 mm e)
Grand Island Channel Buoy 37	Black with yellow top; 4th-cl. spar.	Abreast of Light 37, on same side of channel. In 12 feet.
Grand Island Channel Buoy 38	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Grand Island Channel Buoy 39		
Grand Island Channel Buoy 41		
Grand Island Channel Buoy 42		
Grand Island Channel Buoy 43		
Grand Island Channel Buoy 45		
Grand Island Channel Buoy 46		
Grand Island Channel Buoy 47		
GRAND ISLAND CHANNEL LIGHT 49. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. In 12 feet. 1943 (200 mm e)
Grand Island Channel Buoy 49	Black with yellow top; 4th-cl. spar.	Abreast of Light 49, on same side channel. In 12 feet.

Name; mark on aid Character of light	Description	Remarks
MISSISSIPPI SOUND		
Grand Island Channel Buoy 50	Even numbered buoys are red with yellow top, odd numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Grand Island Channel Buoy 51		
Grand Island Channel Buoy 53		
Grand Island Channel Buoy 54		
Grand Island Channel Buoy 55		
Grand Island Channel Buoy 57		
Grand Island Channel Buoy 58		
Grand Island Channel Buoy 59		
GRAND ISLAND CHANNEL LIGHT 61. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. At western end of dredged channel. In 13 feet. 1943-1945 (200 mm e)
Grand Island Channel Buoy 61	Black with yellow top; 4th-cl. spar.	Abreast of Light 61, on same side of channel. In 12 feet.
Grand Island Channel Buoy 62	Red with yellow top; 4th-cl. spar.	In 12 feet.
PASS MARIANNE		
(Continued from p. 176.)		
Pass Marianne Buoy 2	Red; 2d-cl. nun (s)	Merrill Shell Bank Light 2.5 miles 248°. In 10 feet.
PASS MARIANNE LIGHTED BUOY 4. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 18 cp. 12 feet high. On south side of shoal. In 12 feet. (200 mm a)
Pass Marianne Buoy 5	Black; 2d-cl. can (s)	In 13 feet.
Pass Marianne Buoy 6	Red· 4th-cl spar	In 12 feet.
Pass Marianne Buoy 7	Black; 2d-cl. can (s)	Merrill Shell Bank Light 630 yards 271°. In 12 feet.
Pass Marianne Buoy 8	Red; 4th-cl spar	In 12 feet.
Pass Marianne Buoy 9	Black; 2d-cl. can (s)	Merrill Shell Bank Light 490 yards 305°. In 12 feet.
Pass Marianne Buoy 10	Red; 3d-cl. nun (s)	In 12 feet.
MERRILL SHELL BANK LIGHT. U. Fl. W., 5 sec.	Red skeleton tower on piles	Flash 1 sec. 190 cp. 43 feet high. On south end of Tail of the Square Handkerchief. In 6 feet. 1847-1945 (200 mm e)
Pass Marianne Buoy 11	Black; 2d-cl. can (s)	In 14 feet.
Pass Marianne Buoy 13	Black; 2d-cl. can (s)	In 14 feet.
MERRILL COQUILLE LIGHT. U. Fl. W., 3 sec.	Black square structure on piles.	Flash 0.3 sec. 70 cp. 37 feet high. On northernmost point of reef. In 8 feet 1929 (200 mm a)
LAKE BORGNE		
ST. JOSEPH ISLAND LIGHT Fl. R., 3 sec. U.	Red triangular slatted structure on piles.	Flash 0.3 sec. 18 cp. 25 feet high. East of Lower Point Clear. In 10 feet. 1927-1944 (200 mm a)
St. Joseph Istand Buoy 2	Red; 3d-cl. nun (s)	8 yards south of submerged obstruction. In 9 feet.
Grand Island Pass Buoy 1	Black with yellow top; 3d-cl. can(s). Green reflector.	In 12 feet.
Grand Island Pass Buoy 2	Red with yellow top; 3d-cl. nun(s). Red reflector.	In 12 feet.
GRASSY ISLAND LIGHT Fl. W., 5 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.5 sec. 50 cp. 25 feet high. In 7 feet. Marks northerly end of shoal off island. 1938-1944 (200 mm e)
Grassy Island Buoy 1	Black with yellow top; 3d-cl. can (s).	Abreast of Grassy Island Light, on south side of waterway. In 10 feet.
Lake Borgne Buoy 1	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 3	Black with yellow top; 3d-cl. can(s). Green reflector.	In 12 feet.
Lake Borgne Buoy 5	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 5A	Black with yellow top; 4th-cl. spar.	Marks 6 foot shoal. In 6 feet.
Lake Borgne Buoy 6	Red with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 8		
Lake Borgne Buoy 10		
LAKE BORGNE LIGHTED BUOY 11. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 75 cp. 6 feet high. In 12 feet. (150 mm c)
Lake Borgne Buoy 12	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet.
Lake Borgne Buoy 14		
Lake Borgne Buoy 15	Black with yellow top; 4th-cl. spar.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
LAKE BORGNE		
Lake Borgne Buoy 16	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet.
Lake Borgne Buoy 17	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 18 *Lake Borgne Buoy 20*	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet.
LAKE BORGNE LIGHT 21 Fl. W., 3 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.3 sec. 70 cp. 25 feet high. In 8 feet. 1932–1943 (200 mm a)
Lake Borgne Buoy 21	Black with yellow top; 4th-cl. spar.	Abreast of Light 21, on same side of channel. In 12 feet.
Lake Borgne Buoy 22	Red with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 24	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet.
Lake Borgne Buoy 25	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 26	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet.
Lake Borgne Buoy 27	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 28 *Lake Borgne Buoy 30*	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet.
Lake Borgne Buoy 31	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 32	Red with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 34	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet.
Lake Borgne Buoy 35	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 36	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet.
Lake Borgne Buoy 37	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Buoy 38 *Lake Borgne Buoy 40*	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet.
LAKE BORGNE LIGHTED BUOY 41. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 75 cp. 6 feet high. In 12 feet. At turn in channel. (150 mm e)
Lake Borgne Buoy 42	Red with yellow top; 3d-cl. nun (s). Red reflector.	In 11 feet
Long Point Daybeacon	Red square pyramidal structure on piles.	Off point, Pearl River Island. 32 feet high. In 3 feet
Lake Borgne Buoy 43 *Lake Borgne Buoy 45*	Black with yellow top; 4th-cl. spar.	In 12 feet.
Lake Borgne Spoil Dump Buoy 2	Red; 3d-cl. nun (s)	680 yards, 239° from Long Point Daybeacon. Marks westerly end of spoil dump. In 12 feet.
LAKE BORGNE LIGHTED BUOY 47. Fl. W., 4 sec.	Black with yellow top	Flash 0.4 sec. 40 cp. 6 feet high. At western entrance to dredged cut. In 13 feet. (150 mm e)
Lake Borgne Buoy 48	Red with yellow top; 3d-cl. nun (s).	In 12 feet.
(For Lake Pontchartrain see page 181.)		
RIGOLETS-NEW ORLEANS		
RIGOLETS LIGHTED BUOY 2. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 9 cp. 6 feet high. Marks easterly entrance to dredged cut. In 12 feet. (150 mm e)
Rigolets Buoy 3	Black with yellow top; 4th-cl. spar.	In 12 feet.
Rigolets Buoy 4	Red with yellow top; 4th-cl. spar.	In 12 feet.
RIGOLETS RANGE FRONT LIGHT. F. R. U.	Red diamond daymark with yellow border on white post.	2,600 cp. Visible on range line only. 15 feet high. On shore of Rabbit Island. 1943 (Rg e)
RIGOLETS RANGE REAR LIGHT. F. R. U.	Red circular daymark with yellow border on white post.	2,600 cp. Visible on range line only. 30 feet high. On shore. 475 yards, 277° 42′ from front light. 1943 (Rg e)

Name; mark on aid Character of light	Description	Remarks
RIGOLETS-NEW ORLEANS		
Rigolets Daybeacon 5	Black band and pointer on white post, with yellow top. Green reflector.	On shore, on eastern side of junction with Little Rigolets. 10 feet high.
Rigolets Daybeacon 8	Red band and pointer on white post with yellow top. Red reflector.	On shore, on western side of junction with Little Rigolets. 10 feet high.
CHEF MENTEUR CROSS-OVER LIGHT 2. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on braced post.	Flash 0.4 sec. 11 cp. 17 feet high. On shore, on eastern side of junction with Chef Menteur Pass. 1943 (200 mm e)
CHEF MENTEUR CROSS-OVER LIGHT 3. U. Fl. W., 4 sec.	Black square daymark with yellow border on braced post.	Flash 0.4 sec. 30 cp. 18 feet high. On shore, on western side of junction with Chef Menteur Pass. 1943 (200 mm e)
Micheaud Shoal Buoy 2	Red with yellow top; 4th-cl. spar.	At junction with Micheaud Canal. In 13 feet.
Micheaud Shoal Buoy 4	Red with yellow top; 4th-cl. spar.	In 33 feet.
Micheaud Shoal Buoy 6 *Micheaud Shoal Buoy 8*	Red with yellow top; 4th-cl. spar.	In 13 feet.
RIGOLETS—NEW ORLEANS CUT JUNCTION LIGHT. U. I. Qk. Fl. R.	Red and black horizontally banded triangular daymark with yellow border on tower on mud sills.	Flashes interrupted by eclipse. 20 cp. 22 feet high. On shore, on northern point of junction of Rigolets—New Orleans Cut and Inner Harbor Navigation Canal (Industrial Canal). 1945 (200 mm e)
INNER HARBOR NAVIGATION CANAL RANGE FRONT LIGHT. U. F. G.	White diamond daymark with yellow triangle on post.	120 cp. 18 feet high. 1925 (155 mm e)
INNER HARBOR NAVIGATION CANAL RANGE REAR FRONT. U. F. G.	White diamond daymark with yellow triangle on post.	120 cp. 38 feet high. On west bank. 100 yards 333° from front light. 1925 (155 mm e)
Inner Harbor Navigation Canal Buoy 4.	Red with yellow square; 3d-cl nun(s).	In 27 feet.
INNER HARBOR NAVIGATION CANAL LIGHT 1. Fl. G., 2 sec. U.	Black rectangular daymark with yellow triangle on post.	15 cp. 26 feet high. On west side of entrance to canal. 1925 (150 mm e)
INNER HARBOR NAVIGATION CANAL LIGHT 2. F. R. U.	Red rectangular daymark with yellow square on post.	120 cp. 45 feet high. On east side of entrance to canal. 1925 (150 mm e)
Inner Harbor Navigation Canal Buoy 1.	Black with yellow triangle; 2d-cl can (s).	Marks point of shoal, west side of entrance to canal. In 20 feet.
(For continuation Intracoastal Waterway, see page 184.)		
LAKE BORGNE		
BAYOU ST. MALO LIGHT 1. Fl. W., 4 sec. U.	Black triangular slatted structure on piles.	Flash 0.4 sec. 70 cp. 30 feet high. In 6 feet. 1936–1940 (200 mm a)
Bayou St. Malo Daybeacon 3 Bayou St. Malo Daybeacon 5	Black pointer on pile. White reflector.	10 feet high. On north side of channel. In 5 feet.
BAYOU YSCLOSKEY LIGHT 2. U. Fl. R., 4 sec.	Red triangular structure on piles.	Flash 0.4 sec. 7 cp. 25 feet high. At entrance to bayou. In 5 feet. 1940 (200 mm e)
Bayou Yscloskey Daybeacon 4 Bayou Yscloskey Daybeacon 6	Red pointer on pile. Red reflector.	10 feet high. On westerly side of channel. In 5 feet.
ALLIGATOR POINT LIGHT. Fl. W., 3 sec. U.	Black and white triangular slatted structure on piles.	Flash 0.3 sec. 70 cp. 18 feet high. 2.2 miles south of point. In 8 feet. 1922 (200 mm a)
CHEF MENTEUR LIGHT. Fl. W., 4 sec. U.	Red triangular slatted structure on piles.	Flash 0.4 sec. 130 cp. 30 feet high. On easterly side of channel off entrance. In 7 feet. 1938 (200 mm a)
BAYOU DUPRE LIGHT 1. Fl. W., 3 sec. U.	White square slatted structure on piles.	Flash 0.3 sec. 70 cp. 30 feet high. At entrance to cut. In 7 feet. 1903–1940 (200 mm a)
Bayou Dupre Daybeacon 3 Bayou Dupre Daybeacon 5 Bayou Dupre Daybeacon 7 Bayou Dupre Daybeacon 9	Black pointer on pile. White reflector.	10 feet high. On southeast side of cut. In 5 feet.
BAYOU DUPRE LIGHT 11. Fl. W., 4 sec. U.	White box on pile dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. At entrance to Lake Borgne Canal. In 6 feet. 1940 (200 mm e)
PEARL RIVER LIGHT. Fl. G., 3 sec. U.	Black triangular slatted structure on piles.	Flash 0.3 sec. 23 cp. 25 feet high. On west side of entrance to channel. In 10 feet. 1904–1943 (200 mm a)
Pearl River Buoy 1 *Pearl River Buoy 3* *Pearl River Buoy 5*	Black; 3d-cl. spar.	In 8 feet.

Name; mark on aid Character of light	Description	Remarks
LAKE BORGNE		
Pearl River Daybeacon B	Black rectangular daymark on pile.	On west side of north end of dredged channel 15 feet high. In 10 feet.
Pearl River Buoy 7	Black; 4th-cl. spar	In 11 feet.
Pearl River Buoy 9		
Little Lake Pass Buoy 1	Black; 3d-cl. can(s)	In 8 feet.
Little Lake Pass Buoy 3		
Little Lake Pass Buoy 5		
Little Lake Pass Buoy 7		
LAKE PONTCHARTRAIN		
Chef Menteur Daybeacon	Black rectangular slatted daymark on post on mud sills.	15 feet high. On southwesterly side of entrance to Chef Menteur Pass from Lake Pontchartrain
Rigolets Range A Front Daybeacon.	Unpainted pole	15 feet high. On shore, on north side of turn in channel. Maintained by Higgins, Inc., New Orleans, La.
Rigolets Range A Rear Daybeacon.	Unpainted pole	25 feet high. On shore. 40 yards 298° from front daybeacon.
Rigolets Range B Front Daybeacon.	Unpainted pole	15 feet high. On shore, on north side of turn in channel. Maintained by Higgins, Inc., New Orleans, La.
Rigolets Range B Rear Daybeacon.	Unpainted pole	25 feet high. On shore. 40 yards 56° from front Daybeacon.
WEST RIGOLETS LIGHT. Fl. W., 4 sec. U.	Black box with yellow top on pile.	Flash 0.4 sec. 30 cp. 20 feet high. Off point of south side of west end of the Rigolets. In 6 feet. 1855–1943 (200 mm e)
West Rigolets Daybeacon	White square house on piles	On point. 29 feet high.
NORTHSHORE CHANNEL CUT A RANGE FRONT LIGHT. U. F. R.	White triangular slatted structure on piles.	2,600 cp. 20 feet high. In 8 feet. 1928–1929 (Rf e)
NORTHSHORE CHANNEL CUT A RANGE REAR LIGHT. U. F. W.	Black square, pyramidal slatted structure on piles.	12,000 cp. 30 ft. high. 300 yards, 322° from front light. In 5 feet. 1928 (Rf e)
North Shore Channel Buoy 1	Black; 3d-cl. can(s)	In 12 feet.
RIGOLETS ENTRANCE LIGHT 2. Fl. R., 4 sec. U.	Red box on pile	Flash 0.4 sec. 20 cp. 20 feet high. In 6 feet. Marks point at entrance to channel. 1945 (200 mm e)
North Shore Channel Buoy 3	Black; 3d-cl. can (s)	On southwest side of channel. In 8 to 10 feet.
North Shore Channel Buoy 5		
North Shore Channel Buoy 7		
North Shore Channel Buoy 9		
North Shore Channel Buoy 11		
North Shore Channel Buoy 13		
North Shore Channel Buoy 15		
NORTH SHORE CHANNEL CUT B RANGE FRONT LIGHT. U. F. R.	White triangular, slatted structure on piles.	2,600 cp. 20 feet high. At east end of cut. In 8 feet. 1928 (Rf e)
NORTH SHORE CHANNEL CUT B RANGE REAR LIGHT. U. F. W.	Black square pyramidal slatted structure on piles.	12,000 cp. 30 feet high. 335 yards, 90° from front light. In 5 feet. 1928 (Rf e)
North Shore Channel Buoy 17	Black; 3d-cl. can (s)	On south side of channel. In 7 to 9 feet.
North Shore Channel Buoy 19		
North Shore Channel Buoy 21		
North Shore Channel Buoy 23		
North Shore Channel Buoy 25		
North Shore Channel Buoy 27	Black; 3d-cl. can (s) Green reflector.	On south side of channel. In 9 feet.
INDUSTRIAL CANAL LIGHT. U. Fl. G., 3 sec.	White slatted skeleton tower on piles.	Flash 0.3 sec. 29 cp. 49 feet high. On east side entrance to canal. In 12 feet. 1923 (200 mm a)
Industrial Canal Buoy 1	Black; 3d-cl. can (s)	In 13 feet.
Industrial Canal Buoy 3	Black; 3d-cl. can (s)	In 10 feet.
Industrial Canal Buoy 5	Black; 3d-cl. can (s)	In 9 feet.
CRASH BOAT SLIP LIGHT 1. U. F. W.		100 cp. 10 feet high. On top of end fender pile at north end of Inner Harbor Navigation Canal. Privately maintained. 1943 (130 mm e)
NEW CANAL WEST JETTY LIGHT. U. F. R.	Unpainted post	10 cp. 26 feet high. On east end of breakwater, north side of entrance to yacht harbor. Maintained by Board of Control, New Basin Canal and Shell Road. 1910–1940 (e)

Name; mark on aid Character of light	Description	Remarks
LAKE PONTCHARTRAIN		
NEW CANAL LIGHT. Occ. W., 5 sec.	White square tower on square dwelling; pyramidal bell tower alongside. BELL, electric, 1 stroke every 10 sec.; 1 stroke every 30 sec. if above is disabled.	Light 3 sec., eclipse 2 sec., 6,000 cp. 52 feet high. At entrance to canal. 1838-1890 (5e)
Bayou Bonfouca Entrance Buoy 2. *Bayou Bonfouca Entrance Buoy 4.* *Bayou Bonfouca Entrance Buoy 6.* *Bayou Bonfouca Entrance Buoy 8.* *Bayou Bonfouca Entrance Buoy 10.* *Bayou Bonfouca Entrance Buoy 12.* *Bayou Bonfouca Entrance Buoy 14.* *Bayou Bonfouca Entrance Buoy 16.*	Red; 3d-cl. nun (s). Red reflector.	In 9 feet.
BAYOU BONFOUCA LIGHT. U. Occ. W., 2 sec.	White, square, pyramidal, slatted structure on piles.	Light 1 sec., eclipse 1 sec., 70 cp. 30 feet high. West side of entrance to bayou. In 4 feet. 1900-1927 (200 mm a)
LACOMBE BAYOU LIGHT. F. W. U.	Black, square, pyramidal, slatted structure on piles.	160 cp. 30 feet high. West side of entrance to bayou. In 4 feet. 1900-1927 (300 mm o)
Lacombe Bayou Daybeacon 1	Black rectangular daymark on pile. White reflector.	10 feet high. West side of entrance to channel. In 8 feet.
Bayou Lacombe Entrance Buoy 1.	Black drum.	475 yards 206° from Lacombe Bayou Light. In 5 feet. Maintained by Atlantic Refining Co., Franklin, La.
Bayou Lacombe Entrance Buoy 2.	Red drum.	475 yards 171° from Lacombe Bayou Light. In 5 feet. Maintained by Atlantic Refining Co., Franklin, La.
Oil Well Buoy A. *Oil Well Buoy B.* *Oil Well Buoy C.* *Oil Well Buoy D.* *Oil Well Buoy E.* *Oil Well Buoy F.*	White drum.	Buoy A is located in Lat. 30°13′44″ N., Long. 89°57′15″W. Buoys B through F are spaced 445 yards apart, 0° from Buoy A. Maintained by Atlantic Refining Co., Franklin, La.
PIPE LINE LIGHTED BUOY A. Fl. R., 4 sec.	Black and white vertical stripes.	Flash 0.4 sec. 10 cp. 5 feet high. 10.2 miles 284° from New Canal Lighthouse. In 10 feet. Maintained by United Gas Pipe Line Company. (90 mm e)
PIPE LINE LIGHTED BUOY B. Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY C.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY D.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY E.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY F.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY G.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY H.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY I.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY J.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY K.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY L.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY M.* Fl. R., 4 sec. *PIPE LINE LIGHTED BUOY N.* Fl. R., 4 sec.	Black and white vertical stripes.	Flash 0.4 sec. 10 cp. 5 ft. high. Spaced about 1,760 yards apart on a line bearing 38° from Pipe Line Lighted Buoy A. In 10 to 15 feet. Maintained by United Gas Pipe Line Company. (90 mm e)

Name; mark on aid Character of light	Description	Remarks
LAKE PONTCHARTRAIN		
PIPE LINE LIGHTED BUOY O. Fl. R., 4 sec.	Black and white vertical stripes.	Flash 0.4 sec. 10 cp. 5 feet high. Spaced about 1,760 yards apart on a line bearing 38° from Pipe Line Lighted Buoy A. In 10 to 15 feet. Maintained by United Gas Pipe Line Company. (90 mm e)
PIPE LINE LIGHTED BUOY P. Fl. R., 4 sec.		
PIPE LINE LIGHTED BUOY Q. Fl. R., 4 sec.		
PIPE LINE LIGHTED BUOY R. Fl. R., 4 sec.		
PIPE LINE LIGHTED BUOY S. Fl. R., 4 sec.		
PIPE LINE LIGHTED BUOY T. Fl. R., 4 sec.		
PIPE LINE LIGHTED BUOY U. Fl. R., 4 sec.		
PIPE LINE LIGHTED BUOY V. Fl. R., 4 sec.		
PIPE LINE LIGHTED BUOY W. Fl. R., 4 sec.		
PIPE LINE LIGHTED BUOY X. Fl. R., 4 sec.		
Mandeville Daybeacon	White rectangular slatted daymark on pile.	25 feet high. In 11 feet.
DREDGE WRECK LIGHTED BUOY 2. Qk. Fl. R.	Red	60 flashes per minute. 10 cp. 10 feet high. 8 miles south by east of Tchefuncta River. 40 yards west of wreck. In 14 feet. (200 mm e)
TCHEFUNCTA RIVER RANGE FRONT LIGHT. Occ W., 4 sec. U.	White square slatted structure on piles.	Light 2 sec., eclipse 2 sec. 250 cp. 34 feet high. On north side of lake. In 5 feet. 1940 (300 mm e)
TCHEFUNCTA RIVER RANGE REAR LIGHT. U. Occ. W., 4 sec.	White conical tower	Light 2 sec., eclipse 2 sec. 1,300 cp. 49 feet high. At west side of mouth of river, 200 yards 18° from front light. 1839–1910 (375 mm e)
Tchefuncta River Daybeacon 2	Red rectangular daymark on pile. Red reflector.	In 8 feet, easterly side of entrance to dredged cut.
Tchefuncta River Daybeacon 4	Red elliptical daymark on pile. Red reflector.	In 6 feet.
Tchefuncta River Daybeacon 6	Red pile. Red reflector.	10 feet high. In 6 feet. Marks turn in channel.
Tchefuncta River Daybeacon 8	Red pile with pointer. Red reflector.	10 feet high. On south side of channel. In 7 feet.
Tchefuncta River Daybeacon 10	Red pile with pointer. Red reflector.	10 feet high. On south side of channel. In 7 feet.
TANGIPAHOA RIVER LIGHT. U. Fl. W., 4 sec.	Black and white, triangular, pyramidal, slatted structure on piles.	Flash 0.4 sec. 140 cp. 20 feet high. On northeast side of entrance to river. In 9 feet. 1908–1916 (200 mm e)
TANGIPAHOA RIVER LIGHT 2. U. Fl. R., 4 sec.	Red box on a red pile	Flash 0.4 sec. 11 cp. 18 feet high. On northerly side of entrance to river. In 2 feet. 1939–1941 (200 mm e)
EAST CHANNEL LIGHT. Fl. W., 4 sec. U.	White, square, pyramidal, slatted structure on piles.	Flash 0.4 sec. 140 cp. 34 feet high. On east side of entrance to East Channel to Pass Manchac. In 8 feet. 1909–1916 (200 mm e)
PASS MANCHAC LIGHT. Fl. W., 6 sec. U	White, cylindrical, brick tower, attached to dwelling.	Flash 1 sec. 600 cp. 31 feet high. On north side of mouth of pass. 1839–1859 (5 e)
SOUTH CHANNEL LIGHT. Fl. R., 4 sec. U.	White, triangular, pyramidal slatted structure on piles.	Flash 0.4 sec. 31 cp. 27 feet high. On east side of entrance to South Channel to Pass Manchac. In 8 feet. 1909–1928 (200 mm e)
LAKE MAUREPAS		
TICKFAW RIVER LIGHT Fl. W., 4 sec. U.	White triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. On west side of entrance to river. In 5 feet. 1908–1941 (200 mm e)
Tickfaw River Daybeacon	White rectangular slatted daymark on pile.	25 feet high. In 3 feet. On point of west side of mouth of river.
AMITE RIVER LIGHT. Fl. W., 4 sec. U	White triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. On south side of mouth of river, northwest side of Lake Maurepas. In 5 feet. 1882–1941 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
NEW ORLEANS TO SABINE		
(For Rigolets—New Orleans Cut, see p. 179.)		
BAYOU VILLARS LIGHT 2. Fl. R., 2 sec. U.	Red skeleton tower.	Flash 0.4 sec. 11 cp. 25 feet high. On shore. 1937-1943 (200 mm e)
BAYOU PEROT LIGHT 1. Fl. W., 4 sec. U.	Black square daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 50 cp. 20 feet high. On southeastern side of intersection of Intracoastal Waterway with Bayou Perot. On shore. 1945 (200 mm e)
BAYOU PEROT LIGHT 2. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 11 cp. 20 feet high. On northwestern side of intersection of Intracoastal Waterway with Bayou Perot. On shore. 1945 (200 mm e)
(For Bayou Perot, see page 220.) (For Lake Salvador, see page 219.)		
BAYOU COCODRIE LIGHT 2 U. Fl. R., 4 sec.	Red triangular daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 11 cp. 20 feet high. On northeast side of channel. On shore. 1944 (200 mm e)
Bayou Cocodrie Buoy 3	Black with yellow top; 4th-cl. spar.	In 8 feet.
Bayou Cocodrie Buoy 4 *Bayou Cocodrie Buoy 5* *Bayou Cocodrie Buoy 6* *Bayou Cocodrie Buoy 7* *Bayou Cocodrie Buoy 8* *Bayou Cocodrie Buoy 10* *Bayou Cocodrie Buoy 11*	Even numbered buoys are red with yellow top, odd numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
BAYOU COCODRIE LIGHT 14. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on skeleton tower.	Flash 0.4 sec. 11 cp. 20 feet high. On northeast side of channel. On shore. 1944 (200 mm e)
Bayou Cocodrie Buoy 12 *Bayou Cocodrie Buoy 13* *Bayou Cocodrie Buoy 15* *Bayou Cocodrie Buoy 16* *Bayou Cocodrie Buoy 17* *Bayou Cocodrie Buoy 18* *Bayou Cocodrie Buoy 20*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top, 4th-cl. spars.	In 12 feet.
BAYOU COCODRIE RANGE A REAR LIGHT. F. R. U.	Red circular daymark with yellow border on white post.	1,800 cp. 35 feet high. Visible on range line only. 535 yards, 334° from common front light. On shore. 1944 (Rg e)
BAYOU COCODRIE RANGES A AND B FRONT LIGHTS. U. F. R. F. R. Fl. R., 4 sec.	Red diamond daymark with yellow border on pile structure.	Range lights: 1,800 cp. 15 feet high. Visible on range lines only. Passing light: Flash 0.4 sec. 11 cp. 12 feet high. Visible around horizon. On eastern side of channel at turn. In 7 feet. 1944-1946 (Rg e) (200 mm e)
BAYOU COCODRIE RANGE B REAR LIGHT. F. R. U.	Red circular daymark with yellow border on white post.	1,800 cp. 30 feet high. Visible on range line only. 365 yards, 123½° from common front light. On shore. 1944 (Rg e)
Bayou Cocodrie Buoy 21 *Bayou Cocodrie Buoy 22* *Bayou Cocodrie Buoy 24* *Bayou Cocodrie Buoy 25* *Bayou Cocodrie Buoy 26* *Bayou Cocodrie Buoy 28* *Bayou Cocodrie Buoy 29* *Bayou Cocodrie Buoy 30* *Bayou Cocodrie Buoy 31* *Bayou Cocodrie Buoy 32* *Bayou Cocodrie Buoy 34* *Bayou Cocodrie Buoy 35* *Bayou Cocodrie Buoy 36* *Bayou Cocodrie Buoy 37*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top. 4th-cl. spars.	In 12 feet.
BAYOU COCODRIE LEADING LIGHT 38. U. F. R.	Red diamond daymark with yellow border on white post on mud sills.	1,800 cp. 20 feet high. Visible on ax of dredged cut only. On shore. 1944-1945 (Rg e)
Bayou Cocodrie Buoy 38	Red with yellow top; 4th-cl. spar.	In 12 feet.
BAYOU BOEUF LIGHT 1. Fl. W., 4 sec. U.	Black square daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 50 cp. 20 feet high. On southeastern side of intersection of Bayou Boeuf and Bayou Shaffer. On shore. 1945 (200 mm e)
Bayou Boeuf Buoy 2	Red with yellow top; 4th-cl spar.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
NEW ORLEANS TO SABINE		
BAYOU BOEUF LIGHT 4 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 11 cp. 20 feet high. On northwestern side of intersection of Bayou Boeuf and Berwick Bay. On shore. 1945 (200 mm e)
BAYOU BOEUF LIGHT 5 Fl. W., 4 sec. U.	Black square daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 50 cp. 20 feet high. On southeastern side of intersection of Bayou Boeuf and Berwick Bay. On shore. 1945 (200 mm e)
WAX BAYOU LIGHT 2 F. W. U.	Red triangular daymark with yellow border on post.	40 cp. 25 feet high. On small island on west side of Atchafalaya River at junction with Intracoastal Waterway. 1934-1943 (200 mm o)
Possum Point Bayou Daybeacon 2. Possum Point Bayou Daybeacon 4. Possum Point Bayou Daybeacon 6. Possum Point Bayou Daybeacon 8.	Red band and pointer on white pile with yellow top. Red reflector.	On shore. 14 feet high. Mark crossings of Wax Lake Outlet.
POSSUM POINT BAYOU LIGHT 10. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 11 cp. 20 feet high. On northern shore at junction with Wax Lake Outlet Channel. 1944 (200 mm e)
Big Oaks Bayou Daybeacon 1 Big Oaks Bayou Daybeacon 4 Big Oaks Bayou Daybeacon 6 Big Oaks Bayou Daybeacon 8 Big Oaks Bayou Daybeacon 10 Big Oaks Bayou Daybeacon 12 Floodway Crossing North Channel Daybeacon 2. Floodway Crossing North Channel Daybeacon 4. Floodway Crossing North Channel Daybeacon 6.	Even-numbered daybeacons are red band and pointer on white pile with yellow top, red reflector. Odd-numbered daybeacon is black band and pointer on white pile with yellow-top, green reflector.	On shore. 14 feet high. Mark crossings of Wax Lake Outlet.
FLOODWAY CROSSING NORTH CHANNEL LIGHT 8. Fl. R., 4 sec. U.	Red triangular daymark with yellow border on wooden tower on mud sills.	Flash 0.4 sec. 11 cp. 20 feet high. On north side of North Channel crossing at junction with Wax Lake Outlet Channel. On shore. 1944 (200 mm e)
Floodway Crossing North Channel Daybeacon 10. Floodway Crossing North Channel Daybeacon 12. Floodway Crossing North Channel Daybeacon 14. Floodway Crossing North Channel Daybeacon 16. Floodway Crossing North Channel Daybeacon 18. Floodway Crossing North Channel Daybeacon 20. Floodway Crossing North Channel Daybeacon 22. Floodway Crossing South Channel Daybeacon 1. Floodway Crossing South Channel Daybeacon 3. Floodway Crossing South Channel Daybeacon 5. Floodway Crossing South Channel Daybeacon 6. Floodway Crossing South Channel Daybeacon 8. Floodway Crossing South Channel Daybeacon 10. Floodway Crossing South Channel Daybeacon 12. Floodway Crossing South Channel Daybeacon 14. Floodway Crossing South Channel Daybeacon 16. Floodway Crossing South Channel Daybeacon 18. Floodway Crossing South Channel Daybeacon 20.	Even-numbered daybeacons are red band and pointer on white pile with yellow top, red reflector. Odd-numbered daybeacons are black band and pointer on white pile with yellow top, green reflector.	On shore, 14 feet high. Mark crossings of Wax Lake Outlet.

Name; mark on aid Character of light	Description	Remarks
NEW ORLEANS TO SABINE		
Mud Lake Daybeacon 3 Mud Lake Daybeacon 3A	Black band and pointer on white pile, yellow top. Green reflector.	10 feet high. On shore.
Mud Lake Buoy 5 *Mud Lake Buoy 5A*	Black with yellow top; 4th-cl. spar.	In 12 feet.
Mud Lake Buoy 6	Red with yellow top; 4th-cl spar.	In 13 feet.
MUD LAKE LIGHT 10 Fl. R., 2 sec. U.	Red skeleton tower	Flash 0.4 sec. 11 cp. 25 feet high. On shore at junction with canal. 1938-1939 (200 mm e)
Bayou Petit Anse Buoy 1	Black with yellow top; 4th-cl. spar.	In 8 feet.
(For Bayou Petit Anse, see p. 221) *Bayou Petit Anse Buoy 3* *Bayou Petit Anse Buoy 5*	Black with yellow top; 4th-cl. spar.	In 8 feet.
MERMENTAU RIVER LIGHT 4. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 11 cp. 32 feet high. On shore. 1937-1945 (200 mm e)
MERMENTAU RIVER LIGHT 6. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 11 cp. 20 feet high. On point of land in Mermentau River where crossed by Intracoastal Waterway. 1945 (200 mm e)
MERMENTAU RIVER LIGHT 8. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on post.	Flash 0.4 sec. 7 cp. 25 feet high. On shore, at east end of cutoff, on north side of channel. 1941 (200 mm e)
CALCASIEU RIVER LIGHT 8. U. Fl. W., 4 sec.	Red box with yellow square on red pile.	Flash 0.4 sec. 90 cp. 20 feet high. At junction with Calcasieu River. In 3 feet. 1942-1945 (200 mm e)
CALCASIEU RIVER LIGHT 10. U. Fl. R., 4 sec.	Red box with yellow triangle on red pile.	Flash 0.4 sec. 20 cp. 20 feet high. On northeast side of channel, at turn. In 4 feet. 1942-1944 (200 mm e)
CALCASIEU RIVER LIGHT 12 U. Fl. R., 4 sec.	Red box with yellow triangle on dolphin.	Flash 0.4 sec. 18 cp. 17 feet high. In 4 feet. 1945 (200 mm e)
CALCASIEU CHANNEL LIGHT 96. U. Fl. R., W. sector, 4 sec.	Skeleton tower	Flash 0.4 sec. White from 180° to 270°. Red 20 cp.; white 90 cp. 30 feet high. On shore, east side of Calcasieu Channel at junction with Intracoastal Waterway. 1941 (200 mm e)
Choupique Cut-off Daybeacon 2	Red rectangular slatted daymark and pointer on pile.	10 feet high. In 1 foot.
CALCASIEU-SABINE WEST LIGHT 1. U. Fl. W., 4 sec.	Black skeleton tower	Flash 0.4 sec. 30 cp. 33 feet high. On north side of west end of canal connecting Calcasieu and Sabine Rivers. 1934-1939 (200 mm e)
Dredge Wreck Buoy 1	Black with yellow triangle; 3d-cl. can(s).	Marks wreck 300 yards 240° from Calcasieu-Sabine West Light 1.
SABINE RIVER LIGHT 6 Fl. R., 4 sec. U.	Red skeleton tower	Flash 0.4 sec. 20 cp. 34 feet high. On southeast bank of river. 1925-1939 (200 mm e)
Sabine River Buoy 39	Black; 2d-cl. spar	Marks bend in river. In 18 feet.
Sabine River Buoy 37	Black; 2d-cl. spar	In 18 feet.
Sabine River Buoy 36	Red; 3d-cl. nun(s)	In 18 feet.
Sabine River Buoy 35	Black; 2d-cl. spar	Marks bend in river. In 18 feet.
Sabine River Buoy 34	Red; 2d-cl. spar	Marks bend in river. In 18 feet.
SABINE RIVER LIGHT 5 Fl. W., 4 sec. U.	Black skeleton tower	Flash 0.4 sec. 90 cp. 30 feet high. On northwest bank of river. 1925-1942. (200 mm e)
Sabine River Buoy 32	Red; 2d-cl. spar	Marks bend in river. In 18 feet.
Sabine River Buoy 30	Red; 2d-cl. spar	Marks bend in river. In 18 feet.
Sabine River Buoy 29	Black; 3d-cl. can(s)	In 18 feet.
Sabine River Buoy 28	Red; 2d-cl. spar	In 18 feet.
Sabine River Buoy 26	Red; 2d-cl. spar	In 18 feet.
Sabine River Buoy 25	Black; 2d-cl. spar	In 18 feet.
Sabine River Buoy 23	Black; 2d-cl. spar	In 18 feet.
SABINE RIVER LIGHT 4 Fl. R., 4 sec. U.	Red skeleton tower	Flash 0.4 sec. 20 cp. 30 feet high. On southeast bank of river. 1925-1939 (200 mm e)
Sabine River Buoy 21	Black; 2d-cl. spar	In 18 feet.
Sabine River Buoy 19	Black; 2d-cl. spar	In 18 feet.
Sabine River Buoy 17	Black; 2d-cl. spar	In 18 feet.
Sabine River Buoy 15	Black; 2d-cl. spar	In 18 feet.
Sabine River Buoy 14	Red; 2d-cl. spar	In 18 feet.
Sabine River Buoy 13	Black; 2d-cl. spar	In 18 feet.
SABINE RIVER LIGHT 3 Fl. W., 4 sec. U.	Black skeleton tower	Flash 0.4 sec. 90 cp. 30 feet high. On shore, at upper side of entrance to Shell Canal. 1925-1942 (200 mm e)

Name, mark on aid Character of light	Description	Remarks
NEW ORLEANS TO SABINE		
Sabine River Buoy 12	Red; 2d-cl. spar	In 18 feet.
Sabine River Buoy 11	Black; 3d-cl. can(s)	In 18 feet.
Sabine River Buoy 10	Red; 2d-cl. spar	In 18 feet.
Sabine River Buoy 8	Red; 2d-cl. spar	In 18 feet.
Sabine River Buoy 6	Red; 2d-cl. spar	In 18 feet.
Sabine River Buoy 5	Black; 3d-cl. can(s)	In 18 feet.
Sabine River Buoy 4	Red; 2d-cl. spar	In 18 feet.
Sabine River Buoy 2	Red; 2d-cl. spar	Marks bend in river. In 18 feet.
SABINE RIVER LIGHT 2 Fl. R., 4 sec. U.	Red skeleton tower	Flash 0.4 sec. 20 cp. 31 feet high. On east side of river, at head of East Pass. 1925–1939 (200 mm e)
Sabine River Buoy 1	Black; 2d-cl. spar	In 18 feet.
SABINE-NECHES CANAL RANGE FRONT LIGHT 46. U. F. R. F. R.	Red triangular slatted structure on mud sills.	1,800 cp. visible on range line only. 25 feet high. Passing light 9 cp. 27 feet high. Visible around horizon. On south side of channel, on shore. (Rg e) 1934–1946 (150 mm e)
SABINE-NECHES CANAL RANGE REAR LIGHT 46. U. F. R.	White slatted structure on piles.	1,800 cp. 52 feet high. Visible on range line only. On shore. 946 yards 70°18′ from the Front Light. 1944 (Rg e)
Sabine-Neches Canal Buoy 44	Red with yellow square; 3d-cl. nun(s).	In 9 feet.
Sabine-Neches Canal Buoy 43	Black with yellow triangle; 2d-cl. can(s). Green reflector.	In 8 feet.
Sabine-Neches Canal Buoy 42	Red with yellow square; 2d-cl. nun(s). Red reflector.	In 8 feet.
Sabine-Neches Canal Buoy 41	Black with yellow triangle; 3d-cl. can(s).	In 9 feet.
Sabine-Neches Canal Buoy 40	Red with yellow square; 3d-cl. nun(s).	In 12 feet.
Sabine-Neches Canal Buoy 39	Black with yellow triangle; 2d-cl. can(s). Green reflector.	In 10 feet.
Sabine-Neches Canal Buoy 38	Red with yellow square; 2d-cl. nun(s). Red reflector.	In 9 feet.
Sabine-Neches Canal Buoy 37	Black with yellow triangle; 3d-cl. can(s).	In 8 feet.
Sabine-Neches Canal Buoy 36	Red with yellow square; 3d-cl. nun(s).	In 8 feet.
Sabine-Neches Canal Buoy 35	Black with yellow triangle; 2d-cl. can(s). Green reflector.	In 8 feet.
Sabine-Neches Canal Buoy 34	Red with yellow square; 2d-cl. nun(s). Red reflector.	In 8 feet.
Sabine-Neches Canal Buoy 33	Black with yellow triangle; 3d-cl. can(s).	In 8 feet.
Sabine-Neches Canal Buoy 32	Red with yellow square; 3d-cl. nun(s).	In 12 feet.
Sabine-Neches Canal Buoy 31	Black with yellow triangle; 2d-cl. can(s). Green reflector.	In 8 feet.
SABINE-NECHES CANAL LIGHT 29. U. Fl. W., 4 sec.	Black box with yellow triangle on tower on mud sills.	Flash 0.4 sec. 50 cp. 20 feet high. On shore on north side of channel. 1941–1943 (200 mm e)
SABINE-NECHES CANAL RANGE FRONT LIGHT 27. U. F. G. F. G.	Black rectangular slatted daymark on skeleton tower, on concrete block.	1,700 cp. 24 feet high. Visible on range line only. Passing light: 8 cp. 26 feet high. Visible around horizon. On west bank of Neches River. (Rg e) 1915–1944 (150 mm e)
SABINE-NECHES CANAL RANGE REAR LIGHT 27. U. F. G.	Black and white vertically striped slatted structure on piles.	1,700 cp. 52 feet high. Visible on range line only. 1,335 yards 250°18′ from front light. On shore. 1944 (Rg e)
SABINE-NECHES CANAL LIGHT 25. U. F. G.	Skeleton tower on concrete block.	5 cp. 46 feet high. On west bank of canal. 1939 (150 mm e)
SABINE-NECHES CANAL RANGE FRONT LIGHT 24 F. R. U.	Black triangular daymark on skeleton tower on concrete block.	1,500 cp. 44 feet high. Visible on range line only. On east bank of canal. 1939–1943 (Rg e)
SABINE-NECHES CANAL RANGE REAR LIGHT 24. F. R. U.	Black rectangular daymark on skeleton tower on concrete block.	1,500 cp. 60 feet high. Visible on range line only. 285 yards. 184° from front light. 1939–1943 (Rg e)

Name; mark on aid Character of light	Description	Remarks
NEW ORLEANS TO SABINE		
SABINE-NECHES CANAL LIGHT 22. U. F. R.	Skeleton tower on concrete block.	6 cp. 60 feet high. On east bank of canal 1939-1943 (150 mm e)
OLD GUARD LOCK LIGHT 3. U. Fl. G., 4 sec.	On post	Flash 0.4 sec. 5 cp. 18 feet high. On upper end of lock. 1939-1943 (150 mm e)
OLD GUARD LOCK LIGHT 1. U. Fl. G., 4 sec.	On post	Flash 0.4 sec. 5 cp. 18 feet high. On lower end of lock. 1939 (150 mm e)
SABINE-NECHES CANAL LIGHT 20. U. F. R.	Skeleton tower on concrete block.	6 cp. 61 feet high. On southeast bank of canal. 1939-1943 (150 mm e)
SABINE-NECHES CANAL LIGHT 18 U. F. R.	Skeleton tower on concrete block.	6 cp. 60 feet high. On southeast bank of canal. 1939-1943 (150 mm e)
SABINE-NECHES CANAL LIGHT 16. U. F. R.	Skeleton tower on concrete block.	6 cp. 60 feet high. On southeast bank of canal. 1939-1943 (150 mm e)
SABINE-NECHES CANAL LIGHT 14. U. F. R.	Skeleton tower on concrete block.	6 cp. 59 feet high. On southeast bank of canal. 1939-1943 (150 mm e)
SABINE-NECHES CANAL LIGHT 12. U. F. R.	Skeleton tower on concrete block.	6 cp. 59 feet high. On southeast bank of canal. 1939-1943 (150 mm e)
SABINE-NECHES CANAL RANGE FRONT LIGHT 10. F. R. U.	Black triangular daymark on skeleton tower on concrete block.	1,500 cp. Visible on range line only. 38 feet high. On east bank of canal. 1939 (Rg e)
SABINE-NECHES CANAL RANGE REAR LIGHT 10. F. R. U.	Black rectangular daymark on skeleton tower on concrete block.	1,500 cp. Visible on range line only. 52 feet high. 200 yards 207° from front light. 1939 (Rg e)
SABINE-NECHES CANAL RANGE FRONT LIGHT 8. F. R. U.	Black triangular daymark on skeleton tower on concrete block	1,500 cp. Visible on range line only. 41 feet high. On southeast bank of canal 1939-1943 (Rg e)
SABINE-NECHES CANAL RANGE REAR LIGHT 8. F. R. U.	Black rectangular daymark on skeleton tower on concrete block.	1,500 cp. Visible on range line only. 55 feet high. 290 yards 40° from front light. 1939-1943 (Rg e)
SABINE-NECHES CANAL LIGHT 6 U. F. R.	Skeleton tower on concrete block.	6 cp. 60 feet high. On east bank of canal. 1939-1943 (150 mm e)
SABINE-NECHES CANAL LIGHT 4 U. F. R.	Skeleton tower on concrete block.	6 cp. 44 feet high. On east bank of canal. 1939-1943 (150 mm e)
SABINE-NECHES CANAL LIGHT 2. U. F. R.	Skeleton tower on mud sills	6 cp. 46 feet high. On southeast bank of canal. 1939-1943 (150 mm e)
PORT ARTHUR CANAL RANGE D FRONT LIGHT F. G. U.	Black triangular daymark on skeleton tower on mud sills.	2,400 cp. Visible on range line only. 36 feet high. On west side of canal at intersection with Intracoastal Waterway. 1939-1943 (Rg e)
Johnsons Bayou Daybeacon	Unpainted post on piles	At entrance to dredged channel; 10 feet high. Maintained by War Department. In 5 feet
PORT ARTHUR TO GALVESTON		
Salt Bayou Daybeacon 1 Salt Bayou Daybeacon 3 Salt Bayou Daybeacon 4 Salt Bayou Daybeacon 5 Salt Bayou Daybeacon 7 Salt Bayou Daybeacon 8 Salt Bayou Daybeacon 10 Salt Bayou Daybeacon 12	Odd numbered daybeacons are black band and pointer on black post, yellow top and green reflector. Even numbered daybeacons are red band and pointer on black post, yellow top and red reflector.	10 feet high. On shore.
Salt Bayou Buoy 14 *Salt Bayou Buoy 16* *Salt Bayou Buoy 18*	Red; 4th-cl. spar with yellow top.	In 6 feet.
EAST BAY LIGHT 1 Fl. W., 4 sec. U.	Black battery box, yellow border, on black pile.	Flash 0.4 sec. 30 cp. 17 feet high. On shore southeast side of channel. 1942 (200 mm e)
East Bay Buoy 3 *East Bay Buoy 5* *East Bay Buoy 7*	Black; 4th-cl. spar with yellow top.	In 4 feet.
EAST BAY LIGHT 8 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on red box on wooden tower.	Flash 0.4 sec. 11 cp. 23 feet high. On shore, northwest side of channel. 1942-1944 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
PORT ARTHUR TO GALVESTON		
EAST BAY RANGE FRONT LIGHT. U. F. G.	Black diamond daymark with yellow border on black post.	10 cp. 17 feet high. On shore, on projection of center line of channel. 1942–1943 (200 mm e)
EAST BAY RANGE REAR LIGHT. U. F. G.	Black circular daymark with yellow border on black post on mud sills.	2,400 cp. Visible on range line only. 32 feet high. On shore, 500 yards 67° from front light. 1944 (Rg e)
East Bay Buoy 11	Black; 4th-cl. spar with yellow top.	In 4 feet.
East Bay Buoy 12	Red; 4th-cl. spar with yellow top.	In 4 feet.
East Bay Buoy 13	Black; 4th-cl. spar with yellow top.	In 4 feet.
East Bay Buoy 14	Red; 4th-cl. spar with yellow top.	In 4 feet.
East Bay Buoy 15	Black; 4th-cl. spar with yellow top.	In 4 feet.
East Bay Buoy 16	Red; 4th-cl. spar with yellow top.	In 6 feet.
EAST BAY LIGHT 18 F. R. U.	Red triangular daymark with yellow border on post.	6 cp. 25 feet high. On point on north side of channel. 1934–1943 (150 mm e)
BOLIVAR PENINSULA RANGE FRONT LIGHT. F. G. U. Fl. G., 4 sec.	Black diamond daymark with yellow border on white post.	2,400 cp. Visible on range line only. 15 feet high. Passing light: Flash 0.4 sec. 10 cp. Visible around horizon. 17 feet high. On southerly side of waterway. On shore. Range does not mark centerline of channel. 1944 (Rg e) (200 mm e)
BOLIVAR PENINSULA RANGE REAR LIGHT. U. F. G.	Black circular daymark with yellow border on white post.	2,400 cp. Visible on range line only 30 feet high. On southerly side of waterway. On shore. 1944 (Rg e)
BOLIVAR PENINSULA LIGHT 2. U. Fl. R. 4 sec.	Red battery box yellow border, on pile.	Flash 0.4 sec. 20 cp. 20 feet high. On northwesterly side of waterway. On shore. 1942 (200 mm e)
Bolivar Peninsula Buoy 1 *Bolivar Peninsula Buoy 3* *Bolivar Peninsula Buoy 5* *Bolivar Peninsula Buoy 7* *Bolivar Peninsula Buoy 9* *Bolivar Peninsula Buoy 11*	Black; 4th-cl. spar with yellow top.	In 4 feet.
BOLIVAR PENINSULA LIGHT 12. U. Fl. R., 2 sec.	Red square slatted structure on piles.	Flash 0.3 sec. 11 cp. 30 feet high. On northwest side of entrance to waterway from Galveston Bay. In 4 feet. 1935–1939 (200 mm e)
Bolivar Peninsula Buoy 13	Black; 4th-cl. spar with yellow top.	In 6 feet.
BOLIVAR PENINSULA LIGHTED BUOY 15. Fl. G., 4 sec.	Black with yellow top	Flash 0.4 sec. 15 cp. 6 feet high. On southeast side of entrance to channel from Galveston Bay. In 14 feet. (150 mm e)
PORT BOLIVAR LEADING LIGHT. U. F.W. Fl. W., 4 sec.	Red triangular slatted structure on piles.	8,000 cp. 30 feet high. Passing light: Flash 0.4 sec. 50 cp. Visible around horizon. 33 feet high. In 10 feet. 1912–1947 (Rg e) (200 mm e)
Bolivar Point Channel Buoy 2	Red; 2d-cl. nun	In 23 feet.
BOLIVAR ROADS LIGHTED BELL BUOY 4. Fl. R., 4 sec.	Red BELL, on buoy.	Flash 0.4 sec. 33 cp. 12 feet high. In 28 feet. (200 mm a)
BOLIVAR ROADS LIGHTED BUOY 2. Fl. R., 4 sec.	Red	Flash 0.4 sec. 33 cp. 12 feet high. In 32 feet. (200 mm a)
PELICAN SPIT SHOAL LIGHTED BUOY. I. Qk. Fl. W.	Red and black horizontal bands.	Flashes interrupted by eclipse. 130 cp. 12 feet high. On point of shoal. In 29 feet. (200 mm a)
FORT POINT LIGHTED BELL BUOY 11. Fl. W., 4 sec.	Black BELL, on buoy.	Flash 0.4 sec. 70 cp. 12 feet high. In 33 feet, off point. (200 mm a)
GALVESTON FERRY FOG SIGNAL.	HORN, electric; blast 1 sec. silent 5 sec.; on pile cluster.	At outer end of ferry slip north bulkhead. Maintained by Texas State Highway Dept. 1912.
HITCHCOCK REEF LIGHT. Fl. R., 3 sec. U.	Red pyramidal structure on piles.	Flash 0.3 sec. 18 cp. 30 feet high. On reef off east end of Pelican Spit. In 2 feet. 1907–1944 (200 mm a)
EAST BANK LIGHT. Fl. W., 3 sec. U.	Black pyramidal structure on piles	Flash 0.3 sec 70 cp. 34 feet high In 3 feet. 1907–1916 (200 mm a)

Name; mark on aid Character of light	Description	Remarks
GALVESTON TO FREEPORT		
Pier C Shoal Buoy 1	Black; 3d-cl. can	In 8 feet.
GALVESTON-FREEPORT RANGE A FRONT LIGHT. F. G. U.	Black diamond daymark with yellow border on a pile structure.	1,600 cp. 15 feet high. Visible on range line only. On western prolongation of center line of channel. In 14 feet. 1944 (Rg e)
GALVESTON-FREEPORT RANGE A REAR LIGHT. F. G. U.	Black circular daymark with yellow border on a black slatted structure on piles.	1,600 cp. 28 feet high. Visible on range line only. 600 yards 257° 45′ from front light. In 14 feet. 1944 (Rg e)
Galveston-Freeport Buoy 1	Black with yellow top; 3d-cl. spar.	In 18 feet. At eastern end of dredged channel.
GALVESTON-FREEPORT LIGHTED BUOY 2. Fl. R., 4 sec.	Red with yellow top	Flash 0.4 sec. 9 cp. 6 feet high. Marks north side and eastern entrance of dredged channel. In 12 feet. (150 mm e)
Galveston-Freeport Buoy 3 *Galveston-Freeport Buoy 4* *Galveston-Freeport Buoy 5* *Galveston-Freeport Buoy 6* *Galveston-Freeport Buoy 7* *Galveston-Freeport Buoy 8* *Galveston-Freeport Buoy 9* *Galveston-Freeport Buoy 10* *Galveston-Freeport Buoy 11* *Galveston-Freeport Buoy 12*	Even-numbered buoys are red with yellow top; 3d-cl. spar. Odd-numbered buoys are black with yellow top; 3d-cl. spar.	In 18 feet.
GALVESTON-FREEPORT RANGE B FRONT LIGHT. F. R. U.	Red diamond daymark with yellow border on a pile structure.	1,800 cp. 15 feet high. Visible on range line only. On western prolongation of centerline of channel. In 7 feet. 1944 (Rg e)
GALVESTON-FREEPORT RANGE B REAR LIGHT. F. R. U.	Red circular daymark with yellow border on a red slatted structure on piles.	1,800 cp. 32 feet high. Visible on range line only. 835 yards 273° from front light. In 8 feet. 1944 (Rg e)
Galveston-Freeport Buoy 13 *Galveston-Freeport Buoy 14* *Galveston-Freeport Buoy 15* *Galveston-Freeport Buoy 16* *Galveston-Freeport Buoy 17* *Galveston-Freeport Buoy 18* *Galveston-Freeport Buoy 19* *Galveston-Freeport Buoy 20* *Galveston-Freeport Buoy 21* *Galveston-Freeport Buoy 22* *Galveston-Freeport Buoy 23* *Galveston-Freeport Buoy 24* *Galveston-Freeport Buoy 25* *Galveston-Freeport Buoy 26* *Galveston-Freeport Buoy 27* *Galveston-Freeport Buoy 28* *Galveston-Freeport Buoy 29* *Galveston-Freeport Buoy 30* *Galveston-Freeport Buoy 31* *Galveston-Freeport Buoy 32* *Galveston-Freeport Buoy 33* *Galveston-Freeport Buoy 34* *Galveston-Freeport Buoy 35* *Galveston-Freeport Buoy 36* *Galveston-Freeport Buoy 37* *Galveston-Freeport Buoy 38* *Galveston-Freeport Buoy 39* *Galveston-Freeport Buoy 40* *Galveston-Freeport Buoy 41* *Galveston-Freeport Buoy 42*	Even-numbered buoys are red with yellow top; 3d-cl. spar. Odd-numbered buoys are black with yellow top; 3d-cl. spar.	In 18 feet.
GALVESTON-FREEPORT RANGE C FRONT LIGHT. F. R. U.	On same structure as Galveston-Freeport Range B Front Light.	1,800 cp. 15 feet high. Visible on range line only. In 7 feet. 1944 (Rg e)
GALVESTON-FREEPORT RANGE C REAR LIGHT. F. R. U.	Red circular daymark with yellow border on a red slatted structure on piles.	1,800 cp. 30 feet high. Visible on range line only. 835 yards 29°15′ from front light. In 8 feet. 1944 (Rg e)
Galveston-Freeport Buoy 43 *Galveston-Freeport Buoy 44* *Galveston-Freeport Buoy 45* *Galveston-Freeport Buoy 46* *Galveston-Freeport Buoy 47* *Galveston-Freeport Buoy 48*	Even-numbered buoys are red with yellow top; 3d-cl. spar. Odd-numbered buoys are black with yellow top; 3d-cl. spar.	In 18 feet.

Name; mark on aid Character of light	Description	Remarks
GALVESTON TO FREEPORT		
GALVESTON-FREEPORT RANGE D FRONT LIGHT. U. F. G.	Black diamond daymark with yellow border on a pile structure.	1,600 cp. 15 feet high. Visible on range line only On southern prolongation of center-line of channel. In 3 feet. 1944 (Rg e)
GALVESTON-FREEPORT RANGE D REAR LIGHT. F. G. U.	Black circular daymark with yellow border on a black slatted structure on piles.	1,600 cp. 30 feet high. Visible on range line only. 835 yards 209°15′ from front light. In 3 feet. 1944 (Rg e)
West Bay East Dump Daybeacon 1.	Black band and pointer on pile. Green reflector.	10 feet high. On eastern side of opening in spoil dump.
West Bay East Dump Daybeacon 2.	Red band and pointer on pile Red reflector.	10 feet high. On western side of opening in spoil dump.
Galveston-Freeport Buoy 49	Even-numbered buoys are red with yellow top; 3d-cl. spar. Odd-numbered buoys are black with yellow top; 3d-cl. spar.	In 18 feet.
Galveston-Freeport Buoy 50		
Galveston-Freeport Buoy 51		
Galveston-Freeport Buoy 52		
Galveston-Freeport Buoy 53		
Galveston-Freeport Buoy 54		
Galveston-Freeport Buoy 55		
Galveston-Freeport Buoy 56		
Galveston-Freeport Buoy 57		
Galveston-Freeport Buoy 58		
Galveston-Freeport Buoy 59		
Galveston-Freeport Buoy 60		
Galveston-Freeport Buoy 61		
Galveston-Freeport Buoy 62		
Galveston-Freeport Buoy 63		
Galveston-Freeport Buoy 64		
Galveston-Freeport Buoy 65		
Galveston-Freeport Buoy 66		
Galveston-Freeport Buoy 67		
Galveston-Freeport Buoy 68		
Galveston-Freeport Buoy 69		
Galveston-Freeport Buoy 70		
Deer Island Dump Daybeacon 1	Black band and pointer on pile. Green reflector.	10 feet high. On southern side of channel. Marks eastern side of opening in spoil dump.
Deer Island Dump Daybeacon 2	Red band and pointer on pile. Red reflector.	10 feet high. On southern side of channel. Marks western side of opening in spoil dump.
Galveston-Freeport Buoy 71	Black with yellow top; 3d-cl. spar.	In 18 feet.
Galveston-Freeport Buoy 72	Red with yellow top; 3d-cl. spar.	In 18 feet.
GALVESTON-FREEPORT RANGE E FRONT LIGHT. U. F. G.	On same structure as Galveston-Freeport Range D Front Light.	1,600 cp. 23 feet high. Visible on range line only. In 3 feet. 1944 (Rg e)
GALVESTON-FREEPORT RANGE E REAR LIGHT F. G. U.	Black circular daymark with yellow border on a black slatted structure on piles.	1,600 cp. 38 feet high. Visible on range line only. 835 yards 106°15′ from front light. In 3 feet. 1944 (Rg e)
Galveston-Freeport Buoy 73	Even-numbered buoys are red with yellow top; 3d-cl. spar. Odd-numbered buoys are black with yellow top; 3d-cl. spar.	In 18 feet.
Galveston-Freeport Buoy 74		
Galveston-Freeport Buoy 75		
Galveston-Freeport Buoy 76		
Galveston-Freeport Buoy 77		
Galveston-Freeport Buoy 78		
Galveston-Freeport Buoy 79		
Galveston-Freeport Buoy 80		
GALVESTON-FREEPORT LIGHT 81. U. Fl. G., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 10 cp. 17 feet high. On southern side of channel. In 1 foot. 1944 (200 mm e)
Galveston-Freeport Buoy 81	Black with yellow top; 3d-cl. spar.	Abreast of Light 81 on same side of channel. In 18 feet.
Galveston-Freeport Buoy 82	Even-numbered buoys are red with yellow top; 3d-cl. spar. Odd-numbered buoys are black with yellow top; 3d-cl. spar.	In 18 feet.
Galveston-Freeport Buoy 83		
Galveston-Freeport Buoy 84		
Galveston-Freeport Buoy 85		
Galveston-Freeport Buoy 86		
Galveston-Freeport Buoy 87		
GALVESTON-FREEPORT LIGHT 88. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash, 0.4 sec. 11 cp. 25 feet high. On northern side of channel. In 1 foot 1935 (200 m

Name; mark on aid Character of light	Description	Remarks
GALVESTON TO FREEPORT		
GALVESTON-FREEPORT RANGE F FRONT LIGHT. F. W. U.	Red diamond daymark with yellow border on a pile structure.	8,000 cp. 15 feet high. Visible on range line only. On eastern prolongation of centerline of channel. In 14 feet. 1944 (Rg e)
GALVESTON-FREEPORT RANGE F REAR LIGHT. F. W. U.	Red circular daymark with yellow border on a red slatted structure on piles.	8,000 cp. 35 feet high. Visible on range line only. 935 yards 80° from front light. In 14 feet. 1944 (Rg e)
Galveston-Freeport Buoy 89	Even-numbered buoys are red with yellow top; 3d-cl. spar. Odd-numbered buoys are black with yellow top; 3d-cl. spar.	In 18 feet.
Galveston-Freeport Buoy 90		
Galveston-Freeport Buoy 91		
Galveston-Freeport Buoy 92		
Galveston-Freeport Buoy 93		
Galveston-Freeport Buoy 94		
Galveston-Freeport Buoy 95		
Galveston-Freeport Buoy 96		
Galveston-Freeport Buoy 97		
Galveston-Freeport Buoy 98		
Galveston-Freeport Buoy 99		
Galveston-Freeport Buoy 100		
Galveston-Freeport Buoy 101		
Galveston-Freeport Buoy 102		
Galveston-Freeport Buoy 103		
Galveston-Freeport Buoy 104		
Galveston-Freeport Buoy 105		
Galveston-Freeport Buoy 106		
Galveston-Freeport Buoy 107		
Galveston-Freeport Buoy 108		
Galveston-Freeport Buoy 109		
Galveston-Freeport Buoy 110		
GALVESTON-FREEPORT RANGE G FRONT LIGHT. F. W. U.	Red diamond daymark with yellow border on a slatted structure on mud sills.	8,000 cp. 15 feet high. Visible on range line only. On western prolongation of centerline of channel. On shore. 1944 (Rg e)
GALVESTON-FREEPORT RANGE G REAR LIGHT. F. W. U.	Red circular daymark with yellow border on a slatted structure on mud sills.	8,000 cp. 35 feet high. Visible on range line only. On shore. 935 yards 260° from front light 1944 (Rg e)
GALVESTON - FREEPORT LIGHT 112. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 11 cp. 25 feet high. On northern side of channel, at turn. In 1 foot. 1935 (200 mm e)
WEST BAY		
Galveston Airport Channel Daybeacon 2.	Red pointer on black pile. Red reflector.	10 feet high. On westerly side of channel. In 3 to 8 feet.
Galveston Airport Channel Daybeacon 4.		
Galveston Airport Channel Daybeacon 6.		
Galveston Airport Channel Daybeacon 8.		
Galveston Airport Channel Daybeacon 10.		
Galveston Airport Channel Daybeacon 12.		
Galveston Airport Channel Daybeacon 14.		
Offatts Bayou Daybeacon 1	Odd numbered daybeacon is black pointer on pile with green reflector. Even numbered daybeacons are red pointer on pile with red reflector except daybeacon 2 which has white reflector.	10 feet high. In 3 to 7 feet.
Offatts Bayou Daybeacon 2		
Offatts Bayou Daybeacon 4		
Offatts Bayou Daybeacon 6		
Offatts Bayou Daybeacon 8		
Offatts Bayou Daybeacon 10		
Offatts Bayou Daybeacon 12		
Offatts Bayou Daybeacon 14		
Offatts Bayou Daybeacon 16		
West Bay Channel Buoy 1	Black with yellow top; 4th-cl. spar.	In 7 feet.

Name; mark on aid Character of light	Description	Remarks
WEST BAY		
West Bay Channel Daybeacon 7 West Bay Channel Daybeacon 11. West Bay Channel Daybeacon 13. West Bay Channel Daybeacon 15. West Bay Channel Daybeacon 17. West Bay Channel Daybeacon 19. West Bay Channel Daybeacon 21. West Bay Channel Daybeacon 23. West Bay Channel Daybeacon 25. West Bay Channel Daybeacon 27. West Bay Channel Daybeacon 29. West Bay Channel Daybeacon 33.	Black rectangular daymark on pile.	15 feet high. In 2 to 5 feet.
West Bay Channel Daybeacon 2. West Bay Channel Daybeacon 4.	Red rectangular daymark on pile.	15 feet high. On north side of channel through Carancahua Reef. In 3 feet.
West Bay Channel Daybeacon 37. West Bay Channel Daybeacon 43. West Bay Channel Daybeacon 47.	Black rectangular daymark on pile.	15 feet high. In 4 feet.
GALVESTON TO FREEPORT		
Chocolate Bay Buoy 1	Black with yellow top; 4th-cl. spar.	In 14 feet.
Chocolate Bay Buoy 2	Red with yellow top; 4th-cl. spar.	In 14 feet.
CHOCOLATE BAY RANGE A FRONT LIGHT. F. W. U.	Red diamond daymark with yellow border on a slatted structure on mud sills.	8,000 cp. 14 feet high. Visible on range line only. On eastern prolongation of centerline of channel. On shore. 1945 (Rg e)
CHOCOLATE BAY RANGE A REAR LIGHT. F. W. U.	Red circular daymark with yellow border on a slatted structure on mud sills.	8,000 cp. 35 feet high. Visible on range line only. 835 yards 55° from front light. On shore. 1945 (Rg e)
Chocolate Bay Buoy 3 *Chocolate Bay Buoy 4* *Chocolate Bay Buoy 5* *Chocolate Bay Buoy 6* *Chocolate Bay Buoy 7* *Chocolate Bay Buoy 8* *Chocolate Bay Buoy 9* *Chocolate Bay Buoy 10* *Chocolate Bay Buoy 11* *Chocolate Bay Buoy 12*	Even-numbered buoys are red with yellow top; 4th-cl. spar. Odd-numbered buoys are black with yellow top; 4th-cl. spar.	In 14 feet.
Chocolate Bay East Dump Daybeacon 2.	Red band and pointer with yellow top on white pile. Red reflector.	10 feet high. On north side of channel. East side of opening in dump. In 4 feet.
Chocolate Bay East Dump Daybeacon 1.	Black band and pointer with yellow top on white pile. Green reflector.	10 feet high. On north side of channel. West side of opening in dump. In 4 feet.
Chocolate Bay Buoy 13 *Chocolate Bay Buoy 14* *Chocolate Bay Buoy 15* *Chocolate Bay Buoy 16* *Chocolate Bay Buoy 17* *Chocolate Bay Buoy 18* *Chocolate Bay Buoy 19* *Chocolate Bay Buoy 20* *Chocolate Bay Buoy 21* *Chocolate Bay Buoy 22*	Even-numbered buoys are red with yellow top; 4th-cl. spar. Odd-numbered buoys are black with yellow top; 4th-cl. spar	In 14 feet
Chocolate Bay West Dump Daybeacon 2.	Red band and pointer with yellow top on white pile. Red reflector.	10 feet high. On north side of channel. East side of opening in dump. In 4 feet.

Name; mark on aid Character of light	Description	Remarks
GALVESTON TO FREEPORT		
Chocolate Bay West Dump Daybeacon 1.	Black band and pointer with yellow top on white pile. Green reflector.	10 feet high. On north side of channel. West side of opening in dump. In 4 feet.
Chocolate Bay Buoy 23	Even-numbered buoys are red with yellow top; 4th-cl. spar. Odd-numbered buoys are black with yellow top; 4th-cl. spar.	In 14 feet.
Chocolate Bay Buoy 24		
Chocolate Bay Buoy 25		
Chocolate Bay Buoy 26		
Chocolate Bay Buoy 27		
Chocolate Bay Buoy 28		
CHOCOLATE BAY RANGE B FRONT LIGHT. U. F. W.	Red diamond daymark with yellow border on a slatted structure on mud sills.	8,000 cp. 15 feet high. Visible on range line only. On western prolongation of centerline of channel. On shore. 1945 (Rg e)
CHOCOLATE BAY RANGE B REAR LIGHT. U. F. W.	Red circular daymark with yellow border on a slatted structure on mud sills.	8,000 cp. 35 feet high. Visible on range line only. 835 yards 235° from front light. On shore. 1945 (Rg e)
Little Oyster Lake Buoy 1	Black with yellow top; 4th-cl. spar.	In 12 feet.
Little Oyster Lake Buoy 3		
Little Oyster Lake Buoy 5		
Oyster Creek Buoy 1		
Oyster Creek Buoy 3		
Freeport Harbor Daybeacon 2	Red band and pointer on white pile with yellow top. Red reflector.	10 feet high. In 3 to 7 feet.
Freeport Harbor Daybeacon 4		
OYSTER BAY		
Christmas Point Channel Daybeacon 1.	Black rectangular daymark on pile.	15 feet high. In 3 feet.
Christmas Point Channel Daybeacon 3.		
Oyster Bay Channel Daybeacon 1.	Black rectangular daymark on pile.	15 feet high. In 3 to 4 feet.
Oyster Bay Channel Daybeacon 3.		
Oyster Bay Channel Daybeacon 5.		
Oyster Bay Channel Daybeacon 7.		
Oyster Bay Channel Daybeacon 9.		
Oyster Bay Channel Daybeacon 11.		
Oyster Bay Channel Daybeacon 2.	Red rectangular daymark on pile.	15 feet high. In 1 foot.
Oyster Bay Channel Daybeacon 13.	Black rectangular daymark on pile.	15 feet high. In 1 foot.
FREEPORT TO PORT O'CONNOR		
BRAZOS RIVER CROSSING LIGHT 2. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 20 cp. 20 feet high. Marks northern side of Intracoastal Waterway at its intersection with east bank of Brazos River. On shore. 1945 (200 mm e)
Brazos River Crossing Buoy 2A	Red with yellow top; 3d-cl. nun (s).	In center of Brazos River, at intersection with Intracoastal Waterway. In 20 feet.
BRAZOS RIVER CROSSING LIGHT 4. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 20. cp. 20 feet high. Marks northern side of Intracoastal Waterway at its intersection with west bank of Brazos River. On shore. 1945 (200 mm e)
San Bernard River Crossing Buoy 1.	Black with yellow top; 3d-cl. can (s).	In center of San Bernard River. At intersection with Intracoastal Waterway. In 18 feet.
(For continuation of San Bernard River, see page 198.)		
Colorado River Crossing Buoy	Black and white vertical stripes with yellow triangle; 3d-cl. nun (s).	On northern side of Intracoastal Waterway, in Colorado River. In 14 feet.
Oyster Lake Buoy 2	Red with yellow top; 4th-cl. spar.	In 12 feet.
Oyster Lake Daybeacon 4	Red band and pointer on white pile with yellow top. Red reflector.	10 feet high. In 1 foot.

Name; mark on aid Character of light	Description	Remarks
FREEPORT TO PORT O'CONNOR		
OYSTER LAKE LIGHT 5 Fl. W., 4 sec. U. (For continuation of Oyster Lake, see p. 199.)	Black square daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 50 cp. 20 feet high. On shore. 1942–1946 (200 mm e)
MATAGORDA BAY LEADING LIGHT A. U. F. R.	Red diamond daymark with yellow border on slatted structure on mud sills.	2,500 cp. 20 feet high. On shore, on northerly prolongation of centerline of channel. 1946 (Rg e)
Matagorda Bay Daybeacon	Red circular daymark with yellow border on skeleton tower on concrete block.	70 feet high. On shore. 3,415 yards 33½° from Matagorda Bay Leading Light A. (Rg e)
MATAGORDA BAY LIGHT 1. Fl. G., 4 sec. U.	Black square daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 18 cp. 20 feet high On shore. 1945 (200 mm e)
Matagorda Bay Buoy 3	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 3d-cl. and 4th-cl. spars.	In 12 to 16 feet.
Matagorda Bay Buoy 5		
Matagorda Bay Buoy 6		
Matagorda Bay Buoy 7		
Matagorda Bay Buoy 8		
Matagorda Bay Buoy 9		
Matagorda Bay Buoy 10		
Matagorda Bay Buoy 11		
Matagorda Bay Buoy 12		
Matagorda Bay Buoy 13		
Matagorda Bay Buoy 14		
Matagorda Bay Buoy 15		
Matagorda Bay Buoy 16		
Matagorda Bay Buoy 17		
Matagorda Bay Buoy 18		
Matagorda Bay Buoy 19		
Matagorda Bay Buoy 20		
Matagorda Bay Buoy 21		
Matagorda Bay Buoy 22		
Matagorda Bay Buoy 23		
Matagorda Bay Buoy 24		
Matagorda Bay Buoy 25		
Matagorda Bay Buoy 26		
Palacios Channel Dump Daybeacon 1.	Black band and pointer on a pile. Green reflector.	10 feet high. On northwest side of channel. Marks opening in spoil dump. In 2 feet.
Palacios Channel Dump Daybeacon 2.	Red band and pointer on a pile. Red reflector.	10 feet high. On northwest side of channel. Marks opening in spoil dump. In 2 feet.
Palacios Channel Dump Daybeacon 3.	Black band and pointer on a pile. Green reflector.	10 feet high. In 2 feet.
Palacios Channel Dump Daybeacon 4.	Red band and pointer on a pile. Red reflector.	10 feet high. In 2 feet.
Matagorda Bay Buoy 27	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 3d-cl. spars.	In 16 feet.
Matagorda Bay Buoy 28		
Matagorda Bay Buoy 29		
Matagorda Bay Buoy 30		
Matagorda Bay Buoy 31		
Matagorda Bay Buoy 32		
Matagorda Bay Buoy 33		
Matagorda Bay Buoy 34		
Matagorda Bay Buoy 35		
Matagorda Bay Buoy 36		
Matagorda Bay Buoy 37		
Matagorda Bay Buoy 38		
Matagorda Bay Buoy 39		
Matagorda Bay Buoy 40		
Matagorda Bay Buoy 41		
Matagorda Bay Buoy 42		
Matagorda Bay Buoy 43		
Matagorda Bay Buoy 44		
Matagorda Bay Buoy 45		
Matagorda Bay Buoy 46		
MATAGORDA BAY RANGE B FRONT LIGHT. U. F. G. Fl W., 4 sec.	Black diamond daymark with yellow border on a pile structure.	2,300 cp. 15 feet high. Visible on range line only. Passing light: Flash 0.4 sec. 50 cp. 18 feet high. Visible around the horizon. On southern prolongation of centerline of channel. In 14 feet. 1945–1946 (Rg e) (200 mm e)

Name; mark on aid Character of light	Description	Remarks
FREEPORT TO PORT O'CONNOR		
MATAGORDA BAY RANGE B REAR LIGHT. F. G. U. Fl. W., 4 sec.	Black circular daymark with yellow border on a black slatted structure on piles.	2,300 cp. 65 feet high. Visible on range line only. Passing light: Flash 0.4 sec. 50 cp. 67 feet high. Visible around the horizon. 2,935 yards 213½° from front light. In 12 feet. 1945–1946 (Rg e) (200 mm e)
Matagorda Bay Buoy 47	Black with yellow top; 3d-cl. spar.	In 16 feet. At turn.
Matagorda Bay Buoy 48	Red with yellow top; 3d-cl. spar.	In 16 feet. In turn.
MATAGORDA BAY RANGE C FRONT LIGHT. U. F. G. Fl. W., 4 sec.	Black diamond daymark with yellow border on a pile structure.	2,300 cp. 15 feet high. Visible on range line only. Passing light: Flash 0.4 sec. 50 cp. 18 feet high. Visible around the horizon. On northeastern prolongation of centerline of channel. In 13 feet. 1945–1946 (Rg e) (200 mm e)
MATAGORDA BAY RANGE C REAR LIGHT F. G. U. Fl. W., 4 sec.	Black circular daymark with yellow border on a black slatted structure on piles.	2,300 cp. 65 feet high. Visible on range line only. Passing light: Flash 0.4 sec. 50 cp. 67 feet high. Visible around the horizon. 3,160 yards 55° from front light. In 13 feet. 1945–1946 (Rg e) (200 mm e)
Matagorda Bay Buoy 49	Black with yellow top; 3d-cl. spar.	In 16 feet.
Matagorda Bay Buoy 50	Red with yellow top; 3d-cl. spar.	In 16 feet.
Halfmoon Reef Dump Daybeacon 1.	Black band and pointer on a pile. Green reflector.	10 feet high. On northwest side of channel. Marks opening in spoil dump. In 2 feet.
Halfmoon Reef Dump Daybeacon 2.	Red band and pointer on a pile. Red reflector.	10 feet high. On northwest side of channel. Marks opening in spoil dump. In 2 feet.
Halfmoon Reef Dump Daybeacon 3.	Black band and pointer on a pile. Green reflector.	10 feet high. In 12 feet.
Halfmoon Reef Dump Daybeacon 4.	Red band and pointe on a pile. Red reflector.	10 feet high. In 13 feet.
Matagorda Bay Buoy 51	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 3d-cl. and 4th-cl. spars.	In 12 to 16 feet.
Matagorda Bay Buoy 52		
Matagorda Bay Buoy 53		
Matagorda Bay Buoy 54		
Matagorda Bay Buoy 55		
Matagorda Bay Buoy 56		
Matagorda Bay Buoy 57		
Matagorda Bay Buoy 58		
Matagorda Bay Buoy 59		
Matagorda Bay Buoy 60		
Matagorda Bay Buoy 61		
Matagorda Bay Buoy 62		
Matagorda Bay Buoy 63		
Matagorda Bay Buoy 64		
Matagorda Bay Buoy 65		
Matagorda Bay Buoy 66		
Matagorda Bay Buoy 67		
Matagorda Bay Buoy 68		
Matagorda Bay Buoy 69		
Matagorda Bay Buoy 70		
Matagorda Bay Buoy 71		
Matagorda Bay Buoy 72		
Matagorda Bay Buoy 73		
Matagorda Bay Buoy 74		
Matagorda Bay Buoy 75		
Matagorda Bay Buoy 76		
Matagorda Bay Buoy 77		
Matagorda Bay Buoy 78		
Matagorda Bay Buoy 79		
Matagorda Bay Buoy 80		
Matagorda Bay Buoy 81		
Matagorda Bay Buoy 83		
Matagorda Bay Buoy 85		
Matagorda Bay Buoy 87		
Matagorda Bay Buoy 89		
Matagorda Bay Buoy 91		
Matagorda Bay Buoy 93		

Name; mark on aid Character of light	Description	Remarks
FREEPORT TO PORT O'CONNOR		
MATAGORDA BAY RANGE D FRONT LIGHT. U. F. G. Fl. W., 4 sec.	Black diamond daymark with yellow border on a pile structure.	2,300 cp. 15 feet high. Visible on range line only. Passing light: Flash 0.4 sec. 50 cp. 18 feet high. Visible around the horizon. On southwestern prolongation of centerline of channel. In 13 feet. 1945–1946 (Rg e) (200 mm e)
MATAGORDA BAY RANGE D REAR LIGHT. U. F. G. Fl. W., 4 sec.	Black circular daymark with yellow border on a black slatted structure on piles.	2,300 cp. 65 feet high. Visible on range line only. Passing light: Flash 0.4 sec. 50 cp. 67 feet high. Visible around the horizon. 3,160 yards 235° from front light. In 12 feet. 1945–1946 (Rg e) (200 mm e)
Matagorda Bay Buoy 95	Black with yellow top; 4th-cl. spar.	In 12 feet. In turn.
MATAGORDA BAY RANGE E FRONT LIGHT. U. F. G. Fl. W., 4 sec.	Black diamond daymark with yellow border on a pile structure.	2,300 cp. 15 feet high. Visible on range line only. Passing light: Flash 0.4 sec. 50 cp. 18 feet high. Visible around the horizon. On northeastern prolongation of centerline of channel. In 13 feet. 1945–1946 (Rg e) (200 mm e)
MATAGORDA BAY RANGE E REAR LIGHT. F. G. U. Fl. W., 4 sec.	Black circular daymark with yellow border on a black slatted structure on piles.	2,300 cp. 60 feet high. Visible on range line only. Passing light: Flash 0.4 sec. 50 cp. 62 feet high. Visible around the horizon. 2,320 yards 69° from front light. In 14 feet. 1945–1946 (Rg e) (200 mm e)
Matagorda Bay Buoy 97	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 3d-cl. and 4th-cl. spars.	In 12 to 16 feet.
Matagorda Bay Buoy 99		
Matagorda Bay Buoy 101		
Matagorda Bay Buoy 102		
Matagorda Bay Buoy 103		
Matagorda Bay Buoy 104		
Matagorda Bay Buoy 105		
Matagorda Bay Buoy 106		
Matagorda Bay Buoy 107		
Matagorda Bay Buoy 108		
Matagorda Bay Buoy 109		
Matagorda Bay Buoy 110		
Matagorda Bay Buoy 111		
Matagorda Bay Buoy 112		
Matagorda Bay Buoy 113		
Matagorda Bay Buoy 114		
Matagorda Bay Buoy 115		
Matagorda Bay Buoy 116		
Matagorda Bay Buoy 117		
Matagorda Bay Buoy 118		
Matagorda Bay Buoy 119		
Matagorda Bay Buoy 120		
Matagorda Bay Buoy 121		
Matagorda Bay Buoy 122		
Matagorda Bay Buoy 123		
Matagorda Bay Buoy 124		
Matagorda Bay Buoy 125		
Matagorda Bay Buoy 126		
Matagorda Bay Buoy 127		
Matagorda Bay Buoy 128		
Matagorda Bay Buoy 129		
Matagorda Bay Buoy 130		
Port O'Connor Dump Daybeacon 1.	Black band and pointer on a pile. Green reflector.	10 feet high. On southern side of channel. Marks opening in spoil dump. In 2 feet.
Port O'Connor Dump Daybeacon 3.	Black band and pointer on a pile. Green reflector.	10 feet high. In 2 feet.
Port O'Connor Dump Daybeacon 4.	Red band and pointer on a pile. Red reflector.	10 feet high. In 2 feet.
PORT O'CONNOR LIGHT 1. Fl. W., 4 sec. U.	Black square daymark with yellow border on single pile structure.	Flash 0.4 sec. 140 cp. 20 feet high. At end of south jetty. In 8 feet. 1941 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
FREEPORT TO PORT O'CONNOR		
PORT O'CONNOR LIGHT 2. Fl. R., 4 sec. U.	Red square daymark with yellow border on single pile structure.	Flash 0.4 sec. 31 cp. 20 feet high. At end of north jetty. In 12 feet. 1941 (200 mm e)
San Bernard River Daybeacon 1.		
San Bernard River Daybeacon 3.		
San Bernard River Daybeacon 5.		
San Bernard River Daybeacon 7.		
San Bernard River Daybeacon 8.		
San Bernard River Daybeacon 10		
San Bernard River Daybeacon 12.		
San Bernard River Daybeacon 14.		
San Bernard River Daybeacon 16.		
San Bernard River Daybeacon 18.		
San Bernard River Daybeacon 20.		
San Bernard River Daybeacon 22		
San Bernard River Daybeacon 23.		
San Bernard River Daybeacon 25.		
San Bernard River Daybeacon 27.		
San Bernard River Daybeacon 29.		
San Bernard River Daybeacon 31.		
San Bernard River Daybeacon 33		
San Bernard River Daybeacon 35.	Even-numbered daybeacons are, red pointer on pile. Red reflector. Odd-numbered daybeacons are, black pointer on pile. Green reflector.	10 feet high. In 3 to 14 feet.
San Bernard River Daybeacon 36.		
San Bernard River Daybeacon 38.		
San Bernard River Daybeacon 40.		
San Bernard River Daybeacon 42.		
San Bernard River Daybeacon 44.		
San Bernard River Daybeacon 45.		
San Bernard River Daybeacon 47.		
San Bernard River Daybeacon 48.		
San Bernard River Daybeacon 50.		
San Bernard River Daybeacon 51.		
San Bernard River Daybeacon 52.		
San Bernard River Daybeacon 54.		
San Bernard River Daybeacon 55.		
San Bernard River Daybeacon 57.		
San Bernard River Daybeacon 59.		
San Bernard River Daybeacon 61.		
San Bernard River Daybeacon 63.		
San Bernard River Daybeacon 65.		
San Bernard River Daybeacon 67.		
San Bernard River Daybeacon 69		
San Bernard River Daybeacon 71.		
San Bernard River Daybeacon 73.		
CEDAR LAKES		
Cedar Lakes Channel Daybeacon 2.		
Cedar Lakes Channel Daybeacon 3.		
Cedar Lakes Channel Daybeacon 4.		
Cedar Lakes Channel Daybeacon 5.		
Cedar Lakes Channel Daybeacon 9.		
Cedar Lakes Channel Daybeacon 6.		
Cedar Lakes Channel Daybeacon 15.	Rectangular daymark on pile. Even numbered daybeacons are red, odd numbered daybeacons are black.	15 feet high. In 1 to 2 feet.
Cedar Lakes Channel Daybeacon 8.		
Cedar Lakes Channel Daybeacon 10.		
Cedar Lakes Channel Daybeacon 19.		
Cedar Lakes Channel Daybeacon 12.		
Cedar Lakes Channel Daybeacon 25.		
Cedar Lakes Channel Daybeacon 14.		
Cedar Lakes Channel Daybeacon 27.		

Name; mark on aid Character of light	Description	Remarks
MATAGORDA BAY		
Matagorda Bay Channel Daybeacon 1.	Black rectangular daymark and mast on tripod.	30 feet high. In 1 foot.
Matagorda Bay Channel Daybeacon 3. Matagorda Bay Channel Daybeacon 5. Matagorda Bay Channel Daybeacon 7. Matagorda Bay Channel Daybeacon 9. Matagorda Bay Channel Daybeacon 11. Matagorda Bay Channel Daybeacon 13. Matagorda Bay Channel Daybeacon 15. Matagorda Bay Channel Daybeacon 17. Matagorda Bay Channel Daybeacon 19. Matagorda Bay Channel Daybeacon 21. Matagorda Bay Channel Daybeacon 23.	Black rectangular daymark on pile.	15 feet high. In 1 to 5 feet.
PALACIOS POINT LIGHT Fl. R., 4 sec. U	Red box on pile	Flash 0.4 sec. 11 cp. 20 feet high. Off Palacios Point. In 5 feet. 1935 (200 mm e)
HALFMOON REEF LIGHT Fl. W., 4 sec. U.	Red triangular slatted structure on piles.	Flash 0.4 sec. 90 cp. 30 feet high. On southwest end of reef. In 6 feet. 1850–1943 (200 mm e)
SALURIA BAYOU ENTRANCE LIGHT. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 30 cp. 17 feet high. In 8 feet. 1936–1946 (200 mm e)
Saluria Bayou Wreck Buoy	Black and red horizontal bands; drum.	Marks wreck with a depth of 6 feet over it.
West Shoal Lighthouse Obstruction Buoy.	Red and black horizontal bands; 2d-cl. nun.	100 yards north of ruins of old lighthouse structure.
BIG BAYOU FLAT LIGHT Fl. W., 4 sec. U.	Black box on dolphin	Flash 0.4 sec. 30 cp. 17 feet high. In 8 feet. 1936–1945 (200 mm e)
Portland Wreck Daybeacon	Red and black circular daymark on pile. White reflector.	35 yards westward of wreck. In 10 feet.
OYSTER LAKE		
Oyster Lake Buoy 7 *Oyster Lake Buoy 9* *Oyster Lake Buoy 11* *Oyster Lake Buoy 13*	Black; 4th-cl. spar	In 7 feet.
OYSTER LAKE LIGHT 15 Fl. W., 4 sec. U.	Black box on dolphin	Flash 0.4 sec. 30 cp. 17 feet high. At entrance to land cut. In 1 foot. 1942 (200 mm e)
OYSTER LAKE LIGHT 17 Fl. W., 4 sec. U.	Black box on dolphin	Flash 0.4 sec. 30 cp. 17 feet high. At end of land cut. In 1 foot. 1942 (200 mm e)
Oyster Lake Buoy 19 *Oyster Lake Buoy 21*	Black; 4th-cl. spar	In 7 feet.
OYSTER LAKE LIGHT 23 Fl. W., 4 sec U.	Black box on dolphin	Flash 0.4 sec. 30 cp. 17 feet high. At entrance to land cut. In 1 foot. 1942 (200 mm e)
OYSTER LAKE WEST CUT LIGHT 25. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 50 cp. 17 feet high. At end of land cut. In 2 feet. 1942–1946 (200 mm e)
Oyster Lake West Cut Buoy 27 *Oyster Lake West Cut Buoy 29* *Oyster Lake West Cut Buoy 31*	Black; 4th-cl. spar	In 7 feet.
OYSTER LAKE WEST CUT LIGHT 33. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 50 cp. 17 feet high. On southerly side of entrance to dredged cut. In 10 feet. 1946 (200 mm e)
Oyster Lake West Cut Buoy 33	Black; 4th-cl. spar	Abreast of Light 33, on same side of channel. In 9 feet.
Oyster Lake West Cut Buoy 34	Red; 4th-cl. spar	Abreast of Light 33, on opposite side of channel. In 9 feet.
TRESPALACIOS BAY		
PALACIOS CHANNEL LIGHT 2. U. Fl. R., 4 sec.	Red box on pile	Flash 0.4 sec. 20 cp. 20 feet high. On east side of channel. In 10 feet. 1941–1943 (200 mm e)
Palacios Channel Daybeacon 4 Palacios Channel Daybeacon 6 Palacios Channel Daybeacon 8 Palacios Channel Daybeacon 10	Red band and pointer on pile. Red reflector.	10 feet high. In 8 feet.

Name; mark on aid Character of light	Description	Remarks
TRESPALACIOS BAY		
PALACIOS CHANNEL LIGHT 12. U. Fl. R., 4 sec.	Red box on pile	Flash 0.4 sec. 20 cp. 20 feet high. On east side of channel. In 4 feet. 1941–1943 (200 mm e)
Palacios Channel Daybeacon 14	Red band and pointer on pile	10 feet high. In 5 feet.
Palacios Channel Daybeacon 16		
Palacios Channel Daybeacon 18	Red reflector.	
Palacios Channel Daybeacon 20		
PALACIOS CHANNEL LIGHT 22. U. Fl. R., 4 sec.	Red box on pile	Flash 0.4 sec. 20 cp. 20 feet high. On east side of channel. In 4 feet. 1941 (200 mm e)
Palacios Channel Daybeacon 24	Red band and pointer on pile	10 feet high. In 6 feet.
Palacios Channel Daybeacon 26		
Palacios Channel Daybeacon 28	Red reflector.	
Palacios Channel Daybeacon 30		
PALACIOS CHANNEL LIGHT 32. U. Fl. R., 4 sec.	Red box on pile	Flash 0.4 sec. 20 cp. 20 feet high. On east side of channel. In 6 feet. 1941 (200 mm e)
Palacios Channel Daybeacon 34	Red band and pointer on pile	10 feet high. In 6 feet.
Palacios Channel Daybeacon 36		
Palacios Channel Daybeacon 38	Red reflector.	
Palacios Channel Daybeacon 40		
PALACIOS CHANNEL LIGHT 42. U. Fl. R., 4 sec.	Red box on pile	Flash 0.4 sec. 20 cp. 20 feet high. On east side of channel. In 3 feet. 1941 (200 mm e)
Well Point Daybeacon	Black pile	17 feet high. In 5 feet.
LAVACA BAY		
PORT LAVACA CHANNEL LIGHT 1. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 30 cp. 17 feet high. In 9 feet. 1939–1946 (200 mm e)
Port Lavaca Channel Buoy 1	Black; 4th-cl spar	Abreast of Light 1 on same side of channel. In 10 feet.
Port Lavaca Channel Obstruction Buoy 1A.	Black; 4th-cl spar	In 11 feet. Marks submerged obstruction.
Port Lavaca Channel Buoy 3	Black; 4th-cl spar	In 8 to 10 feet.
Port Lavaca Channel Buoy 5		
Port Lavaca Channel Buoy 7		
Port Lavaca Channel Buoy 9		
PORT LAVACA CHANNEL LIGHT 11. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 30 cp. 17 feet high. In 8 feet. 1939–1945 (200 mm e)
Port Lavaca Channel Buoy 13	Black; 4th-cl spar	In 10 feet.
Port Lavaca Channel Buoy 15		
Port Lavaca Channel Buoy 17		
PORT LAVACA CHANNEL LIGHT 19. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 30 cp. 17 feet high. In 11 feet. 1939–1946 (200 mm e)
Port Lavaca Channel Buoy 21	Black; 4th-cl spar	In 10 feet.
Port Lavaca Channel Buoy 23		
Port Lavaca Channel Buoy 25		
Port Lavaca Channel Buoy 27		
Port Lavaca Channel Buoy 29		
PORT LAVACA CHANNEL LIGHT 31. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 30 cp. 17 feet high. In 8 feet. 1939–1945 (200 mm e)
Port Lavaca Channel Daybeacon 33.	Black pointer on pile	10 feet high. In 7 feet.
Port Lavaca Channel Buoy 35	Black; 4th-cl spar	In 7 to 10 feet.
Port Lavaca Channel Buoy 37		
Port Lavaca Channel Buoy 39		
PORT LAVACA CHANNEL LIGHT 41. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 30 cp. 18 feet high. In 10 feet. 1939–1945 (200 mm e)
Port Lavaca Channel Buoy 43	Black; 4th-cl spar	In 8 feet.
Port Lavaca Channel Buoy 45		
Port Lavaca Channel Daybeacon 47.	Black pointer on pile	10 feet high. In 5 to 9 feet.
Port Lavaca Channel Daybeacon 49.		
PORT LAVACA CHANNEL LIGHT 51. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 30 cp. 18 feet high. In 8 feet. 1934–1945 (200 mm e)
Port Lavaca Channel Buoy 51	Black; 4th-cl spar	Abreast of Light 51, on same side of channel. In 9 feet.
Port Lavaca Channel Buoy 53	Black; 4th-cl spar	In 9 feet.
Port Lavaca Channel Buoy 55		
Port Lavaca Channel Buoy 57		
Port Lavaca Channel Daybeacon 59.	Black pointer on pile	10 feet high. In 7 feet.
PORT LAVACA CHANNEL LIGHT 61. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 30 cp. 17 feet high. In 8 feet. 1939–1945 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
LAVACA BAY		
Port Lavaca Channel Daybeacon 63. Port Lavaca Channel Daybeacon 65.	Black pointer on pile	10 feet high. In 2 to 7 feet.
Port Lavaca Channel Daybeacon 67. Port Lavaca Channel Daybea con 69.	Black pointer on pile	10 feet high. In 2 to 7 feet.
Port Lavaca Channel Buoy 71	Black; 4th-cl spar	In 9 feet.
PORT LAVACA CHANNEL LIGHT 72. U. Fl. R., 4 sec.	Red box on dolphin	Flash 0.4 sec. 20 cp. 17 feet high. In 5 feet. 1936–1946 (200 mm e)
Port Lavaca Channel Buoy 73 *Port Lavaca Channel Buoy 75*	Black; 4th-cl spar	In 9 feet.
Port Lavaca Channel Daybeacon 77.	Black pointer on pile	10 feet high. In 2 feet.
PORT LAVACA CHANNEL RANGE FRONT LIGHT. F. G. U.	White diamond daymark with black border on black slatted structure on mud sills.	1,700 cp. Visible on range line only. 17 feet high. On shore, on prolongation of center line of channel. (Rg e) 1946
PORT LAVACA CHANNEL RANGE REAR LIGHT. F. G. U.	Black slatted structure on mud sills.	1,700 cp. 46 feet high. Visible on range line only. On shore, 2,000 yards 297½° from the front range light. 1946 (Rg e)
PORT LAVACA CHANNEL LIGHT 79. U. Fl. G., 4 sec.	Black box on pile	Flash 0.4 sec. 18 cp. 17 feet high. On southerly side of channel, on corner of bulkhead of U. S. Engineer reservation. (200 mm e) 1946
Lavaca Bay Daybeacon 2	Red band and pointer on pile. Red reflector.	10 feet high. On southeastern side of cut-off through spoil dump at junction with Port Lavaca Channel. In 6 feet.
Lavaca Bay Daybeacon 3	Black band and pointer on pile. White reflector.	10 feet high. In 6 feet.
Lavaca Bay Daybeacon 5	Black band and pointer on pile. White reflector.	10 feet high. In 7 feet.
Lavaca Bay Daybeacon 7	Black band and pointer on pile. White reflector.	10 feet high. In 6 feet.
Lavaca Bay Daybeacon 9	Black band and pointer on pile. White reflector.	10 feet high. In 3 feet.
ESPIRITU SANTO BAY		
FERRY CHANNEL LIGHT 1 Fl. G., 4 sec. U.	Black box on tower on mud sills.	Flash 0.4 sec. 6 cp. 22 feet high. Southeast side of junction of Intracoastal Waterway and Ferry Channel. On shore. 1942–1944 (200 mm e)
Ferry Channel Daybeacon 3 Ferry Channel Daybeacon 5	Black pointer on pile. Green reflector.	10 feet high. On shore.
Ferry Channel Daybeacon 7	Black pointer on pile. Green reflector.	10 feet high. In 1 foot.
Ferry Channel Daybeacon 9	Black pointer on pile. Green reflector.	10 feet high. In 6 feet.
FERRY CHANNEL LIGHT 11. U. Fl. G., 4 sec.	Black box on black pile	Flash 0.4 sec. 6 cp. 20 feet high. On east side of channel. In 7 feet. 1942-1945 (200 mm e)
Ferry Channel Daybeacon 13 Ferry Channel Daybeacon 15 Ferry Channel Daybeacon 17 Ferry Channel Daybeacon 19	Black pointer on pile. Green reflector.	10 feet high. In 8 feet.
FERRY CHANNEL LIGHT 21. U. Fl. G., 4 sec.	Black box on black pile	Flash 0.4 sec. 6 cp. 20 feet high. On east side of channel. In 6 feet. 1942 (200 mm e)
Ferry Channel Daybeacon 23 Ferry Channel Daybeacon 25 Ferry Channel Daybeacon 27 Ferry Channel Daybeacon 29 Ferry Channel Daybeacon 31	Black pointer on pile. Green reflector.	10 feet high. In 8 feet.
FERRY CHANNEL NORTH CUT LEADING LIGHT. F. R. U.	Red box on red pile	1,800 cp. Visible on leading side only. 20 feet high. On southerly prolongation of north cut. In 8 feet. 1942-1945 (Rg e)
FERRY CHANNEL SOUTH CUT LEADING LIGHT. F. R. U.	Red box on red pile	1,800 cp. Visible on leading side only. 20 feet high. On northerly prolongation of south cut. In 8 feet. 1942 (Rg e)
Ferry Channel Daybeacon 33 Ferry Channel Daybeacon 35 Ferry Channel Daybeacon 37 Ferry Channel Daybeacon 39 Ferry Channel Daybeacon 41	Black pointer on pile. Green reflector.	10 feet high. In 8 feet.

Name; mark on aid Character of light	Description	Remarks
ESPIRITU SANTO BAY		
FERRY CHANNEL LIGHT 43. U. Fl. G., 4 sec.	Black box on black pile	Flash 0.4 sec. 6 cp. 20 feet high. On northeast side of channel. In 8 feet. 1942 (200 mm e)
Ferry Channel Daybeacon 45	Black pointer on pile. Green reflector.	10 feet high. In 8 feet.
Ferry Channel Daybeacon 47		
Ferry Channel Daybeacon 49		
FERRY CHANNEL LIGHT 51. U. Fl. G., 4 sec.	Black pile	Flash 0.4 sec. 6 cp. 20 feet high. Marks turn in channel. In 8 feet. 1944 (200 mm e)
Ferry Channel Daybeacon 53	Black pointer on pile. Green reflector.	10 feet high. 355 yards, 144° 30′ from Ferry Channel Light 51. On eastern side of channel.
FERRY CHANNEL LIGHT 55. U. Fl. G., 4 sec.	Black pile	Flash 0.4 sec. 6 cp. 20 feet high. 740 yards, 144° 30′ from Ferry Channel Light 51. On eastern side of channel. At turn. 1944 (200 mm e)
SAN ANTONIO BAY		
Second Chain of Islands Daybeacon 7.	Black rectangular daymark on pile.	15 feet high. In 3 feet.
MESQUITE, CARLOS AND ARANSAS BAYS		
Mesquite Bay Daybeacon 1	Black rectangular daymark on pile.	15 feet high.
Belden Dugout Daybeacon 3	Black band and pointer on pile. Green reflector.	10 feet high. On southern side of channel. In 4 feet
Belden Dugout Daybeacon 4	Red band and pointer on pile. Red reflector.	10 feet high. On northern side of channel. In 3 feet.
Belden Dugout Daybeacon 5	Black band and pointer on pile. Green reflector.	10 feet high. On southern side of channel. In 3 feet.
Belden Dugout Range Front Daybeacon.	Red diamond daymark on pile.	10 feet high. In 2 feet.
Beldon Dugout Range Rear Daybeacon.	Red circular daymark on pile.	15 feet high. 300 yards 257° from front daybeacon. In 2 feet.
Gaston Dugout Daybeacon 7	Black band and pointer on pile. Green reflector.	10 feet high. On southern side of entrance to channel. In 2 feet.
Gaston Dugout Daybeacon 9	Black band and pointer on pile. Green reflector.	10 feet high. On southern side of entrance to channel. In 6 feet.
Carlos Bay Range Front Daybeacon.	Red diamond daymark on pile.	10 feet high. On shore.
Carlos Bay Range Rear Daybeacon.	White rectangular daymark on pile.	15 feet high. 200 yards 30° from front daybeacon. On shore.
Carlos Bay Daybeacon 11	Black band and pointer on pile. Green reflector.	10 feet high. On southern side of channel. In 3 feet.
Carlos Bay Daybeacon 13	Black band and pointer on pile. Green reflector.	10 feet high. On southeastern side of channel, at turn. In 3 feet.
Cape Carlos Dugout Channel Daybeacon 15.	Black band and pointer on pile. Green reflector.	10 feet high. On southeastern side of channel. In 1 foot.
Cape Carlos Dugout Channel Daybeacon 16.	Red band and pointer on pile Red reflector.	10 feet high. On northwestern side of channel. In 1 foot.
Cape Carlos Dugout Channel Daybeacon 17.	Black band and pointer on pile. Green reflector.	10 feet high. On southeastern side of channel. In 3 feet.
Cape Carlos Dugout Channel Daybeacon 19.	Black band and pointer on pile. Green reflector.	10 feet high. On southeastern side of channel. At turn. In 3 feet.
Poverty Reef Daybeacon 21	Black band and pointer on pile. Green reflector.	10 feet high. On southeastern side of channel. In 3 feet.
Poverty Reef Daybeacon 23	Black band and pointer on pile. Green reflector.	10 feet high. On southeastern side of channel. At turn. In 3 feet.
Poverty Reef Daybeacon 25	Black band and pointer on pile. Green reflector.	10 feet high. On southern side of channel. In 3 feet.
Bird Reef Dump Daybeacon 27	Black band and pointer on pile. Green reflector.	10 feet high. On southern side of channel. At turn. In 3 feet.

Name; mark on aid Character of light	Description	Remarks
PORT O'CONNOR TO CORPUS CHRISTI		
FERRY CHANNEL LIGHT 1. U. Fl. G., 4 sec.	Black box on tower on mud sills.	Flash 0.4 sec. 6 cp. 22 feet high. Southeast side of junction of Intracoastal Waterway and Ferry Channel. On shore. 1942-1944 (200 mm e)
(For Ferry Channel, Espiritu Santo Bay, see p. 201).		
SAN ANTONIO BAY LIGHT 1. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. Southeast side of channel at turn. In 3 feet. 1941-1944 (200 mm e)
San Antonio Bay Buoy 1	Black with yellow top; 3d-cl. spar.	Abreast of Light 1, on same side of channel. In 19 feet.
San Antonio Bay Buoy 3 *San Antonio Bay Buoy 5* *San Antonio Bay Buoy 7* *San Antonio Bay Buoy 9*	Black with yellow top; 3d-cl. spars.	In 16 feet. Mark southern edge of channel.
SAN ANTONIO BAY LIGHT 11. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. Southeast side of channel. In 4 feet. 1941-1947 (200 mm e)
San Antonio Bay Buoy 11	Black with yellow top; 3d-cl. spar.	Abreast of Light 11, on same side of channel. In 16 feet.
San Antonio Bay Buoy 13 *San Antonio Bay Buoy 15* *San Antonio Bay Buoy 17* *San Antonio Boy Buoy 19*	Black with yellow top; 3d-cl. spars.	Mark southern edge of channel. In 16 feet.
SAN ANTONIO BAY LIGHT 21. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. Southeast side of channel. In 4 feet. 1941-1946 (200 mm e)
San Antonio Bay Buoy 21	Black with yellow top; 3d-cl. spar.	Abreast of Light 21. On same side of channel. In 16 feet.
San Antonio Bay Buoy 23 *San Antonio Bay Buoy 25* *San Antonio Bay Buoy 27* *San Antonio Bay Buoy 29*	Black with yellow top; 3d-cl. spars.	Mark southern edge of channel. In 16 feet.
SAN ANTONIO BAY LIGHT 31. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. Southeast side of channel. In 4 feet. 1941-1947 (200 mm e)
San Antonio Bay Buoy 31	Black with yellow top; 3d-cl. spar.	Abreast of Light 31. On same side of channel. In 16 feet.
San Antonio Bay Buoy 33 *San Antonio Bay Buoy 35* *San Antonio Bay Buoy 37* *San Antonio Bay Buoy 39*	Black with yellow top; 3d-cl. spars.	Mark southern edge of channel. In 16 feet.
SAN ANTONIO BAY LIGHT 41. U. Fl W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. Southeast side of channel. In 5 feet. 1941-1946 (200 mm e)
San Antonio Bay Buoy 41	Black with yellow top; 3d-cl. spar.	Abreast of Light 41, on same side of channel. In 16 feet.
San Antonio Bay Buoy 43 *San Antonio Bay Buoy 45* *San Antonio Bay Buoy 47* *San Antonio Bay Buoy 49*	Black with yellow top; 3d-cl. spars.	Mark southern edge of channel. In 16 feet.
SAN ANTONIO BAY LIGHT 51. U. Fl. W., 4 sec.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. Southeast side of channel. In 6 feet. 1941 (200 mm e)
San Antonio Bay Buoy 51	Black with yellow top; 3d-cl. spar.	Abreast of Light 51, on same side of channel. In 16 feet.
San Antonio Bay Buoy 53 *San AntonioBay Buoy 55* *San Antonio Bay Buoy 57* *San Antonio Bay Buoy 59*	Black with yellow top; 3d-cl. spars.	In 16 feet. Mark southern edge of channel.
SAN ANTONIO BAY LIGHT 61. U. Fl. W., 4 sec.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. Southeast side of channel at entrance to land cut. In 1 foot. 1941-1944 (200 mm e)
San Antonio Bay Buoy 61	Black with yellow top; 3d-cl. spar.	Abreast of Light 61, on same side of channel. In 16 feet.
San Antonio Bay Buoy 63 *San Antonio Bay Buoy 65*	Black with yellow top; 3d-cl. spar.	In 16 feet.
SAN ANTONIO BAY LIGHT 67. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. Southeast side of channel. In 2 feet. 1941-1946 (200 mm e)
San Antonio Bay Buoy 67	Black with yellow top; 3d-cl. spar.	Abreast of Light 67, on same side of channel. In 16 feet.
San Antcnio Bay Buoy 69	Black with yellow top; 3d-cl. spar.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
PORT O'CONNOR TO CORPUS CHRISTI		
SAN ANTONIO BAY LIGHT 70. U. Fl. R., 4 sec.	Red triangular daymark with yellow border on tower on mud sills.	Flash 0.4 sec. 9 cp. 20 feet high. On shore. At turn. 1944 (200 mm e)
San Antonio Bay Buoy 71	Black with yellow top; 3d-cl. spar.	In 12 feet.
SAN ANTONIO BAY LIGHT 73. U. Fl. W., 4 sec.	Black square daymark with yellow border on pile dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. Southeast side of channel. In 3 feet. 1941–1946 (200 mm e)
San Antonio Bay Buoy 73	Black with yellow top; 3d-cl. spar.	Abreast of Light 73. On same side of channel. In 16 feet.
San Antonio Bay Buoy 75	Black with yellow top; 3d-cl. spar.	In 14 feet.
Sundown Bay Bouy 1 *Sundown Bay Buoy 3* *Sundown Bay Buoy 5*	Black with yellow top; 3d-cl. spar.	In 12 to 14 feet.
SUNDOWN BAY LIGHT 7 Fl. W., 4 sec. U.	Black square daymark with yellow border on pile dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. Southeast side of channel. In 1 foot. 1941–1946 (200 mm e)
Sundown Bay Daybeacon 9	Black band and pointer on white pile with yellow top. Green reflector.	10 feet high. In 1 foot.
Sundown Bay Buoy 11 *Sundown Bay Buoy 13*	Black with yellow top; 4th-cl. spar.	In 1 foot.
ARANSAS BAY LIGHT 1 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. Southeast side of channel. In 1 foot. 1941–1944 (200 mm e)
Aransas Bay Buoy 1	Black with yellow top; 3d-cl. spar.	Abreast of Light 1, on same side of channel. In 18 feet.
Aransas Bay Buoy 2 *Aransas Bay Buoy 3* *Aransas Bay Buoy 5* *Aransas Bay Buoy 6* *Aransas Bay Buoy 7* *Aransas Bay Buoy 8* *Aransas Bay Buoy 9*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 3d-cl. spars.	In 18 feet.
ARANSAS BAY LIGHT 11 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. Southeast side of channel. In 4 feet. 1941–1944 (200 mm e)
Aransas Bay Buoy 11	Black with yellow top; 3d-cl. spar.	Abreast of Light 11, on same side of channel. In 18 feet
Aransas Bay Buoy 12 *Aransas Bay Buoy 13* *Aransas Bay Buoy 15* *Aransas Bay Buoy 16* *Aransas Bay Buoy 17* *Aransas Bay Buoy 18* *Aransas Bay Buoy 19*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 3d-cl. spars.	In 18 feet.
ARANSAS BAY LIGHT 21 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. Southeast side of channel. In 5 feet. 1941–1947 (200 mm e)
Aransas Bay Buoy 21	Black with yellow top; 3d-cl. spar.	Abreast of Light 21, on same side of channel. In 18 feet.
Aransas Bay Buoy 22 *Aransas Bay Buoy 23* *Aransas Bay Buoy 25* *Aransas Bay Buoy 26* *Aransas Bay Buoy 27* *Aransas Bay Buoy 28* *Aransas Bay Buoy 29*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 3d-cl. spars.	In 18 feet.
ARANSAS BAY LIGHT 31 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. Southeast side of channel. In 7 feet. 1941–1945 (200 mm e)
Aransas Bay Buoy 31	Black with yellow top; 3d-cl. spar.	Abreast of Light 31, on same side of channel. In 18 feet
Aransas Bay Buoy 32 *Aransas Bay Buoy 33* *Aransas Bay Buoy 35* *Aransas Bay Buoy 36* *Aransas Bay Buoy 37* *Aransas Bay Buoy 38* *Aransas Bay Buoy 39*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 3d-cl. spars.	In 18 feet.
ARANSAS BAY LIGHT 41 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. South east side of channel. In 4 feet. 1941–1946 (200 mm e)
Aransas Bay Buoy 41	Black with yellow top; 3d-cl. spar.	Abreast of Light 41, on same side of channel. In 18 feet.
Aransas Bay Buoy 42 *Aransas Bay Buoy 43* *Aransas Bay Buoy 45* *Aransas Bay Buoy 46* *Aransas Bay Buoy 47* *Aransas Bay Buoy 48* *Aransas Bay Buoy 49*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 3d-cl. spars.	In 18 feet.

Name; mark on aid Character of light	Description	Remarks
PORT O'CONNOR TO CORPUS CHRISTI		
ARANSAS BAY LIGHT 51 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. South east side of channel. In 10 feet. 1941–1945 (200 mm e)
Aransas Bay Buoy 51	Black with yellow top; 3d-cl. spar.	Abreast of Light 51, on same side of channel. In 18 feet.
Aransas Bay Buoy 52	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 3d-cl. and 4th-cl. spars.	In 12 to 18 feet
Aransas Bay Buoy 53		
Aransas Bay Buoy 55		
Aransas Bay Buoy 56		
Aransas Bay Buoy 57		
Aransas Bay Buoy 59		
Aransas Bay Buoy 60		
Aransas Bay Buoy 61		
ARANSAS BAY LIGHT 63 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. Southeast side of channel. In 10 feet. 1944–1947 (200 mm e)
Aransas Bay Buoy 63	Black with yellow top; 4th-cl. spar.	Abreast of Light 63, on same side of channel. In 12 feet.
Aransas Bay Buoy 64	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Aransas Bay Buoy 65		
Aransas Bay Buoy 67		
Aransas Bay Buoy 68		
Aransas Bay Buoy 69		
Aransas Bay Buoy 71		
Aransas Bay Buoy 72		
Aransas Bay Buoy 73		
ARANSAS BAY LIGHT 75 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. Southeast side of channel. In 12 feet. 1944–1946 (200 mm e)
Aransas Bay Buoy 75	Black with yellow top; 4th-cl. spar.	Abreast of Light 75, on same side of channel. In 12 feet.
Aransas Bay Buoy 76	Red with yellow top; 4th-cl. spar.	In 12 feet.
Nine Mile Point Dump Daybeacon 1.	Black band and pointer on pile. Green reflector.	10 feet high. On northwestern side of channel. Marks opening in spoil dump. In 9 feet.
Nine Mile Point Dump Daybeacon 2.	Red band and pointer on a pile. Red reflector.	10 feet high. On northwestern side of channel. Marks opening in spoil dump. In 8 feet.
NINE MILE POINT LIGHT Fl. R., 4 sec. U.	Red pyramidal slatted structure on piles.	Flash 0.4 sec. 9 cp. 30 feet high. At end of shoal. In 7 feet. 1933 (150 mm e)
Aransas Bay Buoy 77	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Aransas Bay Buoy 79		
Aransas Bay Buoy 80		
Aransas Bay Buoy 81		
Aransas Bay Buoy 83		
Aransas Bay Buoy 84		
Aransas Bay Buoy 85		
ARANSAS BAY LIGHT 87 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. Southeast side of channel. In 12 feet. 1944–1945 (200 mm e)
Aransas Bay Buoy 87	Black with yellow top; 4th-cl. spar.	Abreast of Light 87, on same side of channel. In 12 feet.
Aransas Bay Buoy 88	Red with yellow top; 4th-cl. spar.	In 12 feet.
Rockport North Dump Daybeacon 1.	Black band and pointer on pile. Green reflector.	10 feet high. On northwestern side of channel. Marks opening in spoil dump. In 10 feet.
Rockport North Dump Daybeacon 2.	Red band and pointer on pile. Red reflector.	10 feet high. On northwestern side of channel. Marks opening in spoil dump. In 4 feet.
ROCKPORT CHANNEL LIGHT 1. U. Fl. W., 4 sec.	Black box on pile	Flash 0.4 sec. 50 cp. 20 feet high. On west side of channel, at entrance. In 12 feet. 1942 (200 mm e.
Rockport Channel Buoy 1A	Black; 4th-cl. spar	Mark rock ledge. In 10 feet.
Rockport Channel Buoy 1B		
ROCKPORT BREAKWATER LIGHT. U. Fl. R., 4 sec.	Red box on pile	Flash 0.4 sec. 11 cp. 20 feet high. Off south end of breakwater. In 9 feet. 1926–1942 (200 mm e)
Rockport Channel Daybeacon 3.	Black pointer on pile. Green reflector.	10 feet high. In 3 feet.
Aransas Bay Buoy 89	Black with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 91		

Name; mark on aid Character of light	Description	Remarks
PORT O'CONNOR TO CORPUR CHRISTI		
Aransas Bay Buoy 92	Red with yellow top; 4th-cl. spar.	In 12 feet.
Rockport South Dump Daybeacon 1.	Black band and pointer on pile. Green reflector.	10 feet high. On northwestern side of channel. Marks opening in spoil dump. In 7 feet.
Rockport South Dump Daybeacon 2.	Red band and pointer on pile. Red reflector.	10 feet high. On northwestern side of channel. Marks opening in spoil dump. In 5 feet.
Aransas Bay Buoy 93	Black with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 94	Red with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 95	Black with yellow top; 4th-cl. spar.	In 12 feet.
ARANSAS BAY LIGHT 97 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 50 cp. 17 feet high. South east side of channel. In 10 feet. 1944 (200 mm e)
Aransas Bay Buoy 97	Black with yellow top; 4th-cl. spar.	Abreast of Light 97, on same side of channel. In 12 feet.
Aransas Bay Buoy 98 *Aransas Bay Buoy 99* *Aransas Bay Buoy 101* *Aransas Bay Buoy 102* *Aransas Bay Buoy 103* *Aransas Bay Buoy 104*	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Turtle Bayou Dump Daybeacon 1.	Black band and pointer on pile. Green reflector.	10 feet high. On northwestern side of channel. Marks opening in spoil dump. In 6 feet.
Turtle Bayou Dump Daybeacon 2.	Red band and pointer on pile. Red reflector.	10 feet high. On northwestern side of channel. Marks opening in spoil dump. In 7 feet.
Aransas Bay Buoy 105 *Aransas Bay Buoy 107*	Black with yellow top; 4th-cl. spars.	In 12 feet.
ARANSAS BAY LIGHT 108 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on red triangular slatted structure on piles.	Flash 0.4 sec. 7 cp. 25 feet high. Off Trout Bayou. At turn. In 9 feet. 1938–1947 (200 mm e)
Aransas Bay Buoy 108	Red with yellow top; 4th-cl. spar.	Abreast of Light 108, on same side of channel. At turn. In 12 feet.
Aransas Bay Buoy 109 *Aransas Bay Buoy 111*	Black with yellow top; 4th-cl. spars.	In 12 feet.
Aransas Bay Buoy 112	Red with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 113	Black with yellow top; 4th-cl. spar.	In 12 feet.
ARANSAS BAY LIGHT 115 Fl. W., 4 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. In 9 feet. 1943 (200 mm e)
Aransas Bay Buoy 115	Black with yellow top; 4th-cl. spar.	Abreast of Light 115, on same side of channel. In 12 feet.
Aransas Bay Buoy 116	Red with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 117 *Aransas Bay Buoy 119*	Black with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 120	Red with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 121	Black with yellow top; 4th-cl. spar.	In 12 feet.
ARANSAS BAY LIGHT 123 Fl. W., 4 sec. U.	Black square daymark with yellow border on black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. In 9 feet. 1938 (200 mm e)
Aransas Bay Buoy 123	Black with yellow top; 4th-cl. spar.	Abreast of Light 123, on same side of channel. In 12 feet.
Aransas Bay Buoy 124	Red with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 125	Black with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 126	Red with yellow top; 2d-cl. spar.	In 12 feet.
Aransas Bay Buoy 127	Black with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 128	Red with yellow top; 2d-cl. spar.	In 12 feet.
Aransas Bay Buoy 129	Black with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 130	Red with yellow top; 4th-cl. spar.	In 12 feet.
Aransas Bay Buoy 131	Black with yellow top; 4th-cl. spar.	In 12 feet.

Name; mark on aid Character of light	Description	Remarks
PORT O'CONNOR TO CORPUS CHRISTI		
Aransas Bay Buoy 132	Red with yellow top; 2d-cl. spar.	In 12 feet.
ARANSAS BAY LIGHT 133 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. At entrance to Lydia Ann Channel. In 13 feet. 1938–1947 (200 mm e)
Aransas Bay Buoy 133	Black with yellow top; 4th-cl. spar.	Abreast of Light 133, on same side of channel. In 12 feet.
Aransas Bay Buoy 134	Red with yellow top; 4th-cl. spar.	In 12 feet.
Corpus Christi Bayou Daybeacon 1.	Black circular daymark on pile.	15 feet high. At entrance to bayou. In 8 feet.
Aransas Bay Buoy 135	Black with yellow top; 4th-cl. spars.	In 12 feet.
Aransas Bay Buoy 137		
ARANSAS BAY LIGHT 139 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. North end of Murray Shoal. In 12 feet. 1933–1946 (200 mm e)
Aransas Bay Buoy 139	Black with yellow top; 4th-cl. spar.	Abreast of light 139, on same side of channel. In 12 feet.
Aransas Bay Buoy 140	Even-numbered buoys are red with yellow top, odd-numbered buoys are black with yellow top; 4th-cl. spars.	In 12 feet.
Aransas Bay Buoy 141		
Aransas Bay Buoy 143		
Aransas Bay Buoy 144		
ARANSAS BAY LIGHT 145 Fl. W., 4 sec. U.	Black square daymark with yellow border on dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. South end of Murray Shoal. In 10 feet. 1938–1946 (200 mm e)
Aransas Bay Buoy 145	Black with yellow top; 4th-cl. spar.	Abreast of Light 145, on same side of channel. In 12 feet.
Aransas Bay Buoy 146	Red with yellow top; 4th-cl. spar.	In 12 feet.
ARANSAS BAY LIGHT 147 Fl. W., 4 sec. U.	Black square daymark with yellow border on black triangular structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. South end of Lydia Ann Island. In 13 feet. 1938 (200 mm e)
Oil Barge Wreck Buoy	Black; 3d-cl. can (s) with yellow top.	In 16 feet. Abreast of wreck.
CORPUS CHRISTI BAY		
Aransas Causeway Channel Daybeacon 2.	Red band and pointer on white pile with yellow top, red reflector.	10 feet high. In 1 to 5 feet.
Aransas Causeway Channel Daybeacon 4.		
Aransas Causeway Channel Daybeacon 6.		
Aransas Causeway Channel Daybeacon 8.		
Aransas Causeway Channel Obstruction Daybeacon.	Red rectangular daymark on pile.	15 feet high. In 10 feet. Marks submerged piling.
Aransas Causeway Channel Daybeacon 10.	Red band and pointer on white pile with yellow top, red reflector.	10 feet high. In 1 to 5 feet.
Aransas Causeway Channel Daybeacon 12.		
Aransas Causeway Channel Daybeacon 14.		
Aransas Causeway Channel Daybeacon 16.		
Aransas Causeway Channel Daybeacon 18.		
Aransas Causeway Channel Daybeacon 20.		
Aransas Causeway Channel Daybeacon 22.		
Aransas Causeway Channel Daybeacon 24.		
Aransas Causeway Channel Daybeacon 26.		
CORPUS CHRISTI CHANNEL CUT A EAST RANGE FRONT LIGHT. F. W. U.	Black triangular slatted daymark on black tower on concrete block.	10,000 cp. Visible on range line only, 53 feet high. On south end of St. Joseph Island. 1925–1943 (Rg e)
CORPUS CHRISTI CHANNEL CUT A EAST RANGE REAR LIGHT. F. W. U.	Black rectangular slatted daymark on black tower on concrete block.	10,000 cp. Visible on range line only. 78 feet high. 671 yards, 78° from front light. 1925–1943 (Rg e)
CORPUS CHRISTI CHANNEL LIGHT 1. U. Fl. W., 2 sec.	Black triangular slatted structure on piles.	Flash 0.4 sec. 90 cp. 30 feet high. In 3 feet. 1933–1946 (200 mm e)
CORPUS CHRISTI CHANNEL LIGHT 2. U. Fl. R., 2 sec.	Red square pyramidal slatted structure on piles.	Flash 0.4 sec. 20 cp. 30 feet high. In 14 feet. 1942–1946 (200 mm e)
Corpus Christi Channel Buoy 3	Black; 2d-cl. spar	In 16 feet.

Name; mark on aid Character of light	Description	Remarks
CORPUS CHRISTI BAY		
Corpus Christi Channel Buoy 4	Red; 2d-cl. spar	In 21 feet.
Corpus Christi Channel Buoy 5	Black; 2d-cl. spar	In 15 feet.
Corpus Christi Channel Buoy 6	Red; 2d-cl. spar	In 15 feet.
CORPUS CHRISTI CHANNEL LIGHT 7. U. Fl. W., 2 sec.	Black triangular slatted structure on piles.	Flash 0.4 sec. 90 cp. 30 feet high. In 17 feet. 1933–1946 (200 mm e)
CORPUS CHRISTI CHANNEL LIGHT 8. U. Fl. R., 2 sec.	Red square pyramidal slatted structure on piles.	Flash 0.4 sec. 25 cp. 30 feet high. In 8 feet. 1942 (200 mm e)
Corpus Christi Channel Buoy 9	Black; 2d-cl. spar	In 15 feet.
Corpus Christi Channel Buoy 10	Red; 2d-cl. spar	In 15 feet.
Corpus Christi Channel Buoy 11	Black; 2d-cl. spar	In 15 feet.
Corpus Christi Channel Daybeacon 12.	Red pointer on pile. Red reflector.	10 feet high. In 4 feet.
CORPUS CHRISTI CHANNEL LIGHT 13. U. Fl. W., 2 sec.	Black triangular slatted structure on piles.	Flash 0.4 sec. 90 cp. 30 feet high. In 13 feet. 1933–1946 (200 mm e)
CORPUS CHRISTI CHANNEL LIGHT 14. U. Fl. R., 2 sec.	Red triangular slatted structure on piles.	Flash 0.4 sec. 24 cp. 30 feet high. In 5 feet. 1933 (150 mm e)
Corpus Christi Channel Buoy 15	Black; 2d-cl. spar	In 25 feet.
Corpus Christi Channel Buoy 16	Red; 2d-cl. spar	In 25 feet.
Corpus Christi Channel Buoy 17	Black; 2d-cl. spar	In 16 feet.
Corpus Christi Channel Buoy 18	Red; 2d-cl. spar	In 18 feet.
CORPUS CHRISTI CHANNEL LIGHT 19. U. Fl. W., 2 sec.	Black triangular slatted structure on piles.	Flash 0.4 sec. 75 cp. 30 feet high. In 10 feet. 1933–1942 (150 mm e)
CORPUS CHRISTI CHANNEL LIGHT 20. U. Fl. R., 2 sec.	Red triangular slatted structure on piles.	Flash 0.4 sec. 24 cp. 30 feet high. In 13 feet. 1933–1945 (150 mm e)
Corpus Christi Channel Buoy 21	Black; 2d-cl. spar	In 7 feet.
Corpus Christi Channel Buoy 22	Red; 2d-cl. spar	In 21 feet.
Corpus Christi Channel Daybeacon 23.	Black pointer on pile. White reflector.	10 feet high. In 8 feet.
Corpus Christi Channel Buoy 24	Red; 2d-cl. spar	In 16 feet.
CORPUS CHRISTI CHANNEL LIGHT 25. U. F. W.	Black triangular slatted structure on piles.	75 cp. 30 feet high. In 9 feet. 1933–1947. (200 mm e)
CORPUS CHRISTI CHANNEL LIGHT 26. U. F. R.	Red triangular slatted structure on piles.	20 cp. 30 feet high. In 11 feet. 1933–1946 (200 mm e)
Corpus Christi Channel Buoy 27	Black; 2d-cl. spar	In 10 feet.
Corpus Christi Channel Buoy 28	Red; 2d-cl. spar	In 11 feet.
Corpus Christi Channel Buoy 29	Black; 2d-cl. spar	In 12 feet.
Corpus Christi Channel Buoy 30	Red; 2d-cl. spar	In 9 feet.
CORPUS CHRISTI CHANNEL LIGHT 32. U. Fl. R., 2 sec.	Red square pyramidal slatted structure on piles.	Flash 0.4 sec. 20 cp. 30 feet high. On north side of channel, at junction with Ingleside Channel. In 8 feet. 1942 (200 mm e)
Ingleside Channel Buoy 2 *Ingleside Channel Buoy 4*	Red barrel	In 10 feet. Mark east side of channel at junction with Corpus Christi Channel. Maintained by Humble Oil & Refining Co.
CORPUS CHRISTI CHANNEL LIGHT 31. U. Fl. W., 2 sec.	Black triangular slatted structure on piles.	Flash 0.4 sec. 75 cp. 30 feet high. In 9 feet. 1933 (150 mm e)
Corpus Christi Channel Daybeacon 33.	Black pointer on pile. White reflector.	10 feet high. In 9 feet.
Corpus Christi Channel Buoy 34	Red; 2d-cl. spar	In 17 feet.
Corpus Christi Channel Buoy 35	Black; 2d-cl. spar	In 8 feet.
Corpus Christi Channel Buoy 36	Red; 2d-cl. spar	In 25 feet.
CORPUS CHRISTI CHANNEL LIGHT 37. U. Fl. W., 2 sec.	Black square pyramidal slatted structure on piles.	Flash 0.4 sec. 90 cp. 30 feet high. In 10 feet. 1942 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
CORPUS CHRISTI BAY		
CORPUS CHRISTI CHANNEL LIGHT 38. U. Fl. R., 2 sec.	Red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 30 feet high. In 10 feet. 1942 (200 mm e)
Corpus Christi Channel Buoy 40	Red; 2d-cl. spar	In 25 feet.
Junction Buoy	Black and red horizontally banded 3d-cl. can (s), black band uppermost. White reflector.	At junction of Corpus Christi and Encinal Channels. In 12 feet.
Corpus Christi Channel Buoy 42	Red; 2d-cl. spar	In 27 feet.
CORPUS CHRISTI CHANNEL CUT A WEST LEADING LIGHT. U. F. W. Fl. W., 4 sec.	Black square pyramidal slatted structure on piles.	12,000 cp. 30 feet high. Visible on leading side only. Passing light: Flash 0.4 sec. 90 cp. 33 feet high. Visible around the horizon. 450 yards 269° from Corpus Christi Channel Light 43, on south side of channel. In 15 feet. 1942-1943 (Rg e) (200 mm et
CORPUS CHRISTI CHANNEL LIGHT 43. U. Qk. Fl. G.	Black square slatted structure on piles.	75 flashes per minute. 22 cp. 30 fee) high. At angle in channel. In 12 feet. 1922-1933 (150 mm e)
CORPUS CHRISTI CHANNEL LIGHT 44. U. Qk. Fl. R.	Red square slatted structure on piles.	75 flashes per minute. 31 cp. 30 feet high. At angle in channel. In 12 feet. 1933-1944 (200 mm e)
CORPUS CHRISTI CHANNEL CUT B EAST LEADING LIGHT. U. F. W. Fl. W., 4 sec.	Black square pyramidal slatted structure on piles.	12,000 cp. 30 feet high. Visible on leading side only. Passing light: Flash 0.4 sec. 90 cp. 33 feet high. Visible around the horizon. Southeast side of junction of Corpus Christi Channel and Encinal Channels. In 8 feet. 1942 (Rg e) (200 mm e)
Corpus Christi Channel Buoy 45	Black; 2d-cl. spar	In 15 feet.
Corpus Christi Channel Buoy 46	Red; 2d-cl. spar	In 19 feet.
Corpus Christi Channel Buoy 47	Black; 2d-cl. spar	In 18 feet.
Corpus Christi Channel Buoy 48	Red; 2d-cl. spar	In 20 feet.
CORPUS CHRISTI CHANNEL LIGHT 49. U. Fl. G., 4 sec.	Black square slatted structure on piles.	Flash 0.5 sec. 22 cp. 30 feet high. In 13 feet. 1933 (150 mm e)
CORPUS CHRISTI CHANNEL LIGHT 50. U. Fl. R., 4 sec.	Red square pyramidal slatted structure on piles.	Flash 0.5 sec. 31 cp. 30 feet high. In 15 feet. 1942 (200 mm e)
Corpus Christi Channel Buoy 51	Black; 2d-cl. spar	In 16 feet.
Corpus Christi Channel Buoy 52	Red; 2d-cl. spar	In 16 feet.
Corpus Christi Channel Buoy 53	Black; 2d-cl. spar	In 16 feet.
Corpus Christi Channel Buoy 54	Red; 2d-cl. spar	In 22 feet.
CORPUS CHRISTI CHANNEL LIGHT 55. U. Fl. W., 2 sec.	Black square slatted structure on piles.	Flash 0.4 sec. 75 cp. 30 feet high. In 16 feet. 1933-1946. (150 mm e)
CORPUS CHRISTI CHANNEL LIGHT 56. U. Fl. R., 2 sec.	Red square slatted structure on piles.	Flash 0.4 sec. 24 cp. 30 feet high. In 15 feet. 1933 (150 mm e)
Corpus Christi Channel Buoy 57	Black; 2d-cl. spar	In 14 feet.
Corpus Christi Channel Buoy 58	Red; 2d-cl. spar	In 15 feet.
Corpus Christi Channel Buoy 59	Black; 2d-cl. spar	In 14 feet
Corpus Christi Channel Buoy 60	Red; 2d-cl. spar	In 21 feet.
CORPUS CHRISTI CHANNEL LIGHT 61. U. Fl. W., 2 sec.	Black square slatted structure on piles.	Flash 0.4 sec. 75 cp. 30 feet high. In 15 feet. 1933 (150 mm e)
CORPUS CHRISTI CHANNEL LIGHT 62. U. Fl. R., 2 sec.	Red square structure on piles.	Flash 0.4 sec. 24 cp. 30 feet high. In 14 feet. 1933 (150 mm e)
Corpus Christi Channel Buoy 63	Black; 2d-cl. spar	In 14 feet.
Corpus Christi Channel Buoy 64	Red; 2d-cl. spar	In 21 feet.

Name; mark on aid Character of light	Description	Remarks
CORPUS CHRISTI BAY		
Corpus Christi Channel Buoy 65	Black; 2d-cl. spar	In 14 feet
Corpus Christi Channel Buoy 66	Red; 2d-cl. spar	In 21 feet.
Corpus Christi Channel Daybeacon 65A.	Black pointer on pile dolphin	10 feet high. In 14 feet.
CORPUS CHRISTI CHANNEL LIGHT 67. U. F. W.	Black square slatted structure on piles.	75 cp. 30 feet high. In 15 feet. 1933 (150 mm e)
CORPUS CHRISTI CHANNEL LIGHT 68. U. F. R.	Red square slatted structure on piles.	24 cp. 30 feet high. In 15 feet. 1933 (150 mm e)
Corpus Christi Channel Buoy 69	Black; 2d-cl. spar	In 14 feet.
Corpus Christi Channel Buoy 70	Red; 2d-cl. spar	In 17 feet.
Corpus Christi Channel Buoy 71	Black; 2d-cl. spar	In 14 feet.
Corpus Christi Channel Daybeacon 72.	Red pointer on pile Red reflector.	10 feet high. In 14 feet.
Corpus Christi Channel Daybeacon 71A.	Black pointer on pile dolphin	10 feet high. In 13 feet.
CORPUS CHRISTI CHANNEL LIGHT 73. U. Fl. W., 2 sec.	Black square slatted structure on piles.	Flash 0.4 sec. 75 cp. 30 feet high. In 14 feet. 1933 (150 mm e)
CORPUS CHRISTI CHANNEL LIGHT 74. U. Fl. R., 2 sec.	Red square pyramidal slatted structure on piles.	Flash 0.4 sec. 20 cp. 30 feet high. In 15 feet. 1942 (200 mm e)
Corpus Christi Channel Buoy 75	Black; 2d-cl. spar	In 17 feet.
Corpus Christi Channel Buoy 76	Red; 2d-cl. spar	In 18 feet.
Corpus Christi Channel Buoy 77	Black; 2d-cl. spar	In 13 feet.
Corpus Christi Channel Buoy 78	Red; 2d-cl. spar	In 27 feet.
Corpus Christi Channel Daybeacon 77A.	Black pointer on pile dolphin	10 feet high. In 13 feet.
CORPUS CHRISTI CHANNEL LIGHT 79. U. Fl. W., 2 sec.	Black square slatted structure on piles.	Flash 0.4 sec. 75 cp. 30 feet high. In 14 feet. 1933 (150 mm e)
CORPUS CHRISTI CHANNEL LIGHT 80. U. Fl. R., 2 sec.	Red triangular slatted structure on piles.	Flash 0.4 sec. 20 cp. 30 feet high. In 14 feet. 1942 (200 mm e)
Corpus Christi Channel Buoy 81	Black; 2d-cl. spar	In 17 feet.
Corpus Christi Channel Daybeacon 82.	Red pointer on pile Red reflector.	10 feet high. In 13 feet.
Corpus Christi Channel Buoy 83	Black; 2d-cl. spar	In 17 feet.
Corpus Christi Channel Buoy 84	Red; 2d-cl. spar	In 29 feet.
CORPUS CHRISTI CHANNEL LIGHT 85. U. Fl. W., 2 sec.	Black square slatted structure on piles.	Flash 0.4 sec. 90 cp. 30 feet high. In 7 feet. 1933-1944 (200 mm e)
CORPUS CHRISTI CHANNEL LIGHT 86. U. Fl. R., 2 sec.	Red square pyramidal slatted structure on piles.	Flash 0.4 sec. 20 cp. 30 feet high. In 11 feet. 1942 (200 mm e)
CORPUS CHRISTI CHANNEL CUT B WEST RANGE FRONT LIGHT. F. G. U.	Bracket on pole	100 cp. 25 feet high. On shore. Range maintained by Nueces County Navigation District No. 1. 1934 (e)
CORPUS CHRISTI CHANNEL CUT B WEST RANGE REAR LIGHT. F. G. U.	Bracket	100 cp. 35 feet high. On roof of Aransas Compress Unit No. 1; 256 yards 269° from front light. 1934 (e)
CORPUS CHRISTI HARBOR RANGE FRONT LIGHT. U. F. G.	Black rectangular slatted daymark on pole.	100 cp. 25 feet high. On north side of basin. Range maintained by Nueces County Navigation District No. 1. 1934 (e)
CORPUS CHRISTI HARBOR RANGE REAR LIGHT. U. F. G.	Black rectangular slatted daymark on pole.	100 cp. 35 feet high. On shore, 230 yards, 301° from front light. 1934 (e)
CORPUS CHRISTI HARBOR OUTER RANGE FRONT LIGHT U. F. G.	Black triangular slatted structure on piles.	1,700 cp. 25 feet high. Visible on range line only. In 6 feet. On southeastern prolongation of centerline of channel through drawbridge just inside breakwater. 1946 (Rg e)
CORPUS CHRISTI HARBOR OUTER RANGE REAR LIGHT. U. F. G.	White triangular slatted structure on piles.	1,700 cp. 35 feet high. Visible on range line only. In 5 feet. 535 yards 120° from front light. 1946 (Rg e)

Name; mark on aid Character of light	Description	Remarks
CORPUS CHRISTI BAY		
CORPUS CHRISTI BREAKWATER LIGHT. U. Fl. R., 4 sec.	Red pipe	Flash 0.4 sec. 24 cp. 15 feet high. On northerly side of northerly opening through circular breakwater. 1925 (150 mm e)
CORPUS CHRISTI LIGHT F. R. U.	Red triangular slatted structure on piles.	6 cp. 37 feet high. On reef, on north side of channel, leading to southerly opening through breakwater In 7 feet 1902–1922 (150 mm e)
Ransoms Point Daybeacon	Black rectangular daymark on pile.	15 feet high. In 8 feet.
LAGUNA MADRE		
Laguna Madre Oil Well Channel Daybeacon 1.	Black pointer on aluminum-colored pile with black band and yellow top.	10 feet high. In latitude 27° 31′35″ N., longitude 97° 17′56″ W.
Laguna Madre Oil Well Channel Daybeacon 3.		10 feet high. 100 yards 29° 0′ from Daybeacon 1.
Laguna Madre Oil Well Channel Daybeacon 5.		10 feet high. 200 yards 29° 0′ from Daybeacon 1.
Laguna Madre Oil Well Channel Daybeacon 7.		10 feet high. 100 yards 307° 30′ from Daybeacon 5.
Laguna Madre Oil Well Channel Daybeacon 9.	Black pointer on aluminum-colored pile with black band and yellow top.	10 feet high. Equidistantly spaced 400 feet apart on a line bearing 307°30′ from Daybeacon 7. Maintained by Pure Oil Company.
Laguna Madre Oil Well Channel Daybeacon 11.		
Laguna Madre Oil Well Channel Daybeacon 13.		
Laguna Madre Oil Well Channel Daybeacon 15.		
Laguna Madre Oil Well Channel Daybeacon 17.		
Laguna Madre Oil Well Channel Daybeacon 19.		
Laguna Madre Oil Well Channel Daybeacon 21.		
Laguna Madre Oil Well Channel Daybeacon 23.		
Laguna Madre Oil Well Channel Daybeacon 25.		
Laguna Madre Oil Well Channel Daybeacon 27.		
Laguna Madre Oil Well Channel Daybeacon 29.		
Laguna Madre Oil Well Channel Daybeacon 31.		
Laguna Madre Oil Well Channel Daybeacon 33.		
Laguna Madre Oil Well Channel Daybeacon 35.	Black pointer on aluminum-colored pile with black band and yellow top.	10 feet high. Equidistantly spaced 400 feet apart on a line bearing 307°30′ from Daybeacon 7, except Daybeacons 43 and 45 which are 2,500 yards and 2,630 yards, respectively, 307°30′ from Daybeacon 7. Maintained by Pure Oil Company.
Laguna Madre Oil Well Channel Daybeacon 37.		
Laguna Madre Oil Well Channel Daybeacon 39.		
Laguna Madre Oil Well Channel Daybeacon 43.		
Laguna Madre Oil Well Channel Daybeacon 45.		
LAGUNA MADRE OIL WELL CHANNEL LIGHT 47. U. Fl. G., 3 sec.	Black square pyramidal structure on piles.	Flash 0.4 sec. 11 feet high. In latitude 27°32′30″ N., longitude 97° 19′07″ W., in 4 feet. 1938 (90 mm e)
LAGUNA MADRE OIL WELL CHANNEL LIGHT 48. U. Fl. R., 3 sec.	Red square pyramidal structure on piles.	Flash 0.4 sec. 11 feet high. 130 yards 336°0′ from Light 47, in 4 feet. 1938 (90 mm e)
Laguna Madre Oil Well Channel Daybeacon 49.	Black pointer on aluminum-colored pile with black band and yellow top.	10 feet high. 267 yards, 307½° from Laguna Madre Oil Well Channel Light 47.
Laguna Madre Oil Well Channel Daybeacon 51.	Black pointer on aluminum-colored pile with black band and yellow top.	10 feet high. Equidistantly spaced 400 feet apart on a line bearing 307°30′ from Daybeacon 49. Maintained by Pure Oil Company.
Laguna Madre Oil Well Channel Daybeacon 53.		
Laguna Madre Oil Well Channel Daybeacon 55.		
Laguna Madre Oil Well Channel Daybeacon 57.		
Laguna Madre Oil Well Channel Daybeacon 59.		
Laguna Madre Oil Well Channel Daybeacon 61.		

Name; mark on aid Character of light	Description	Remarks
GULF COAST		
ST. JOSEPH BAY		
Spoil Dump Buoy 2	Red; 4th-class spar	Marks westerly end of spoil dump. In 11 feet.
GULF COUNTY CANAL ENTRANCE LIGHTED BUOY 2. Fl. R., 4 sec.	Red	Flash 0.4 sec. 16 cp. 6 feet high. In 11 feet. (150 mm e)
Gulf County Canal Entrance Buoy 3.	Black; 4th-cl. spar	In 8 feet.
Gulf County Canal Entrance Buoy 4.	Red; 4th- cl. spar	In 8 feet.
Gulf County Canal Entrance Buoy 5.	Black; 4th-cl. spar	In 8 feet.
Gulf County Canal Entrance Buoy 6.	Red; 4th-class spar	In 10 feet.
Gulf County Canal Entrance Buoy 7.	Black; 4th-cl. spar	In 8 feet.
Gulf County Canal Entrance Buoy 8.	Red; 4th-class spar	In 6 feet
SHOAL BAYOU		
SHOAL BAYOU CHANNEL LIGHT 1. U. Fl. W., 4 sec.	Black battery box on pile	Flash 0.4 sec. 50 cp. 20 feet high. Easterly side of entrance to dredged channel. In 12 feet. 1942-1944 (200 mm e)
Shoal Bayou Channel Daybeacon 3. Shoal Bayou Channel Daybeacon 5. Shoal Bayou Channel Daybeacon 7. Shoal Bayou Channel Daybeacon 9.	Black pile with pointer White reflector.	10 feet high. On easterly side of channel. In 4 feet.
SECTION BASE CHANNEL (ST. ANDREW BAY)		
SECTION BASE CHANNEL LIGHT 1. U. Fl. G., 4 sec.	Black pile with yellow top	Flash 0.4 sec. 6 cp. 20 feet high. On southerly side of and at entrance to channel. In 17 feet. 1943-1944 (200 mm e)
Section Base Channel Daybeacon 3.	Black pointer on pile with yellow band. Green reflector.	10 feet high. On southerly side of channel. In 5 feet.
SECTION BASE CHANNEL LIGHT 5. U. Fl. G., 4 sec.	Black pile with yellow top	Flash 0.4 sec. 6 cp. 20 feet high. On southerly side of channel. In 5 feet. 1943-1945 (200 mm e)
Section Base Channel Daybeacon 6.	Red pointer on pile with yellow band. Red reflector.	10 feet high. On northerly side of channel. In 5 feet.
Section Base Channel Daybeacon 7. Section Base Channel Daybeacon 9. Section Base Channel Daybeacon 11. Section Base Channel Daybeacon 13.	Black pointer on pile with yellow band. Green reflector.	10 feet high. In 5 feet.
NORTH BAY		
North Bay Buoy 1	Black; 4th-cl. spar	Off West Bay Point. In 12 feet.
NORTH BAY LIGHT 3 Fl. W., 4 sec. U.	Black box on dolphin	Flash 0.4 sec. 50 cp. 17 feet high. In 11 feet. 1943 (200 mm e)
North Bay Buoy 4	Red; 4th-cl. spar	In 12 feet.
NORTH BAY LIGHT 5 Fl. W., 4 sec. U.	Black box on dolphin	Flash 0.4 sec. 50 cp. 17 feet high. In 10 feet. 1943 (200 mm e)
NORTH BAY LIGHT 6 Fl. R., 4 sec. U.	Red box on dolphin	Flash 0.4 sec. 20 cp. 17 feet high. In 15 feet. 1943 (200 mm e)
LA GRANGE BAYOU		
LA GRANGE BAYOU LIGHT 1. U. F. W.	Black square slatted structure on piles.	160 cp 32 feet high. In 9 feet. 1937. (300 mm o)
La Grange Bayou Daybeacon 3 La Grange Bayou Daybeacon 5	Black pointer on pile	10 feet high. In 6 feet.
LA GRANGE BAYOU LIGHT 7. U. F. W.	Black slatted structure on piles.	40 cp. 32 feet high. At turn. In 7 feet 1935 (200 mm o)
La Grange Bayou Buoy 9	Black; 4th-cl. spar	At turn. In 12 feet.

Name; mark on aid Character of light	Description	Remarks
LA GRANGE BAYOU		
LA GRANGE BAYOU LIGHT 10. U. F. R.	Red arm and topmast on pile.	12 cp. 25 feet high. At turn. In 4 feet. 1937 (200 mm o)
La Grange Bayou Buoy 11	Black; 4th-cl. spar	At turn. In 12 feet.
La Grange Bayou Daybeacon 14	Red pointer on pile	10 feet high. In 6 feet.
La Grange Bayou Buoy 16	Red. 4th-cl. spar	In 12 feet. At turn.
LA GRANGE BAYOU LIGHT 17 U. F. G.	Black arm and topmast on pile.	5 cp. 25 feet high. At turn. In 5 feet. 1937-1944 (200 mm o)
La Grange Bayou Buoy 18	Red; 4th-cl. spar	In 12 feet.
La Grange Bayou Daybeacon 20	Red pointer on pile	10 feet high. In 6 feet.
LA GRANGE BAYOU LIGHT 22. U. F. R.	Red arm and top mast on pile.	12 cp. 25 feet high. In 6 feet. 1937 (200 mm o)
La Grange Bayou Buoy 23	Black; 4th-cl. spar	In 12 feet.
LA GRANGE BAYOU LIGHT 24. U. F. R.	Red arm and topmast on pile.	12 cp. 25 feet high. In 5 feet. 1937 (200 mm o)
La Grange Bayou Buoy 25 *La Grange Bayou Buoy 27*	Black; 4th-cl. spar	In 12 feet.
BOGGY BAYOU		
BOGGY BAYOU ENTRANCE LIGHT 1. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 90 cp. 17 feet high. On west side of entrance to bayou. In 15 feet. 1946 (200 mm e)
BOGGY BAYOU LIGHT 3 Fl. G., 4 sec. U.	Black box on dolphin	Flash 0.4 sec. 18 cp. 17 feet high. In 4 feet. 1914-1947 (200 mm e)
Boggy Bayou Channel Buoy 4 *Boggy Bayou Channel Buoy 5* *Boggy Bayou Channel Buoy 7* *Boggy Bayou Channel Buoy 8* *Boggy Bayou Channel Buoy 10* *Boggy Bayou Channel Buoy 11* *Boggy Bayou Channel Buoy 12*	Even-numbered buoys are red, 4th-cl. spars; odd-numbered buoys are black, 4th-cl. spars.	In 12 feet.
QUARANTINE BAY		
Quarantine Bay Daybeacon 2 Quarantine Bay Daybeacon 4 Quarantine Bay Daybeacon 6 Quarantine Bay Daybeacon 8 Quarantine Bay Daybeacon 10 Quarantine Bay Daybeacon 12 Quarantine Bay Daybeacon 14 Quarantine Bay Daybeacon 16 Quarantine Bay Daybeacon 18 Quarantine Bay Daybeacon 20 Quarantine Bay Daybeacon 22 Quarantine Bay Daybeacon 24 Quarantine Bay Daybeacon 26	Red pointer with white numerals on pile.	12 feet high. Marks west side of channel from Lat. 29°25′58″ N., Long. 89°30′58″ W., south to Spanish Point. Maintained by Gulf Refining Co.
Quarantine Bay Daybeacon 28 Quarantine Bay Daybeacon 30 Quarantine Bay Daybeacon 32 Quarantine Bay Daybeacon 34 Quarantine Bay Daybeacon 36 Quarantine Bay Daybeacon 38 Quarantine Bay Daybeacon 40 Quarantine Bay Daybeacon 42 Quarantine Bay Daybeacon 44 Quarantine Bay Daybeacon 46 Quarantine Bay Daybeacon 48 Quarantine Bay Daybeacon 50 Quarantine Bay Daybeacon 52 Quarantine Bay Daybeacon 54 Quarantine Bay Daybeacon 56 Quarantine Bay Daybeacon 58 Quarantine Bay Daybeacon 60 Quarantine Bay Daybeacon 62 Quarantine Bay Daybeacon 64 Quarantine Bay Daybeacon 66 Quarantine Bay Daybeacon 68 Quarantine Bay Daybeacon 70 Quarantine Bay Daybeacon 72 Quarantine Bay Daybeacon 74 Quarantine Bay Daybeacon 76 Quarantine Bay Daybeacon 78 Quarantine Bay Daybeacon 80 Quarantine Bay Daybeacon 82 Quarantine Bay Daybeacon 84	Red cross-arm and red reflector on pile.	10 feet high. Mark west side of channel from Spanish Point south to Bayou Tortillon. Maintained by Gulf Refining Co.

Name; mark on aid Character of light	Description	Remarks
QUARANTINE BAY		
Quarantine Bay Daybeacon 86 Quarantine Bay Daybeacon 88 Quarantine Bay Daybeacon 90 Quarantine Bay Daybeacon 92 Quarantine Bay Daybeacon 94 Quarantine Bay Daybeacon 96 Quarantine Bay Daybeacon 98 Quarantine Bay Daybeacon 100 Quarantine Bay Daybeacon 102 Quarantine Bay Daybeacon 104 Quarantine Bay Daybeacon 106	Red cross arm and red reflector on pile.	10 feet high. Mark west side of channel from Spanish Point south to Bayou Tortillon. Maintained by Gulf Refining Co.
BAY POMME d'OR		
Bay Pomme d'Or Daybeacon 2 Bay Pomme d'Or Daybeacon 4 Bay Pomme d'Or Daybeacon 6 Bay Pomme d'Or Daybeacon 8 Bay Pomme d'Or Daybeacon 10 Bay Pomme d'Or Daybeacon 12 Bay Pomme d'Or Daybeacon 14 Bay Pomme d'Or Daybeacon 16 Bay Pomme d'Or Daybeacon 18 Bay Pomme d'Or Daybeacon 20 Bay Pomme d'Or Daybeacon 22 Bay Pomme d'Or Daybeacon 24 Bay Pomme d'Or Daybeacon 26 Bay Pomme d'Or Daybeacon 28 Bay Pomme d'Or Daybeacon 30 Bay Pomme d'Or Daybeacon 32 Bay Pomme d'Or Daybeacon 34 Bay Pomme d'Or Daybeacon 36	Red arm and red reflector on red post.	8 feet high. Mark east side of channel in Bay Pomme d'Or and Little Bay Pomme d'Or. In 2 feet. Maintained by Phillips Petroleum Co.
SANDY POINT BAY		
SANDY POINT BAY ENTRANCE LIGHT. U. F. W.	Black slatted structure on post.	40 cp. 25 feet high. On westerly side of entrance to bay. 1938 (200 mm o)
SCOFIELD PASS		
Scofield Pass Daybeacon	Red slatted structure on post	25 feet high. On easterly side of entrance to pass.
GRAND BAYOU PASS		
GRAND BAYOU PASS LIGHT 1. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 50 cp. 17 feet high. On western side of entrance to dredged channel. In 5 feet. 1942–1947 (200 mm e)
Grand Bayou Pass Daybeacon 3	Black pointer on pile. White reflector.	10 feet high. West side of channel. In 7 feet.
BASTIAN BAY		
BASTIAN BAY LIGHT Fl. W., 4 sec. U.	Black square slatted structure on piles.	Flash 0.4 sec. 50 cp. 25 feet high. On west side of entrance to Bastian Bay and east side of entrance to Grand Bayou. In 2 feet. 1917 (200 mm e)
BAYOU COOK LIGHT F. W U.	Red, rectangular, slatted daymark and topmast, on pile.	40 cp. 25 feet high. At north end of Bastian Bay and on east side of entrance to bayou. In 2 feet. 1917–1933 (200 mm o)
ADAMS BAY		
BAYOU COURANT LIGHT F. W. U.	Black, rectangular, slatted daymark and topmast, on pile.	40 cp. 25 feet high. On west side of entrance from Adams Bay into bayou; east side of entrance to bay. In 2 feet. 1917–1927 (200 mm o)
QUATRE BAYOU PASS		
QUATRE BAYOU PASS LIGHTED BELL BUOY 1OB. Fl. W., 10 sec.	Black	Flash 1 sec. 70 cp. 13 feet high. 4,000 yards 158° from Quatre Bayou Pass Light. In 22 feet. (200 mm a)
QUATRE BAYOU PASS LIGHT. Fl. G., 4 sec. U.	Black skeleton structure on mud sills.	Flash 0.4 sec. 10 cp. 20 feet high. On shore, on west side of pass, entrance to Bay Ronquille. 1922–1947 (200 mm e)
CAT BAY		
FOUR BAYOUS CUTOFF LIGHT. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 50 cp. 17 feet high. On west side of north end of cut-off from Bay Ronquille into Cat Bay. In 3 feet. 1922–1946 (200 mm e)

Name; mark on aid Character of light	Description	Remarks
BARATARIA BAY		
BARATARIA PASS LIGHTED BELL BUOY BP. S-L. Fl. W.	Black and white vertical stripes.	A short flash and a long flash. 70 cp. 13 feet high. 7,100 yards 140½° from Barataria Pass Range Front Light. In 22 feet. (200 mm a)
BAYOU RIGAUD LIGHT. Fl. W., 4 sec. U.	White arm on post	Flash 0.4 sec. 50 cp. 25 feet high. On point, east side of bayou. 1914–1943 (200 mm e)
Bird Island North Daybeacon 1. Bird Island North Daybeacon 3. Bird Island North Daybeacon 5. Bird Island North Daybeacon 7. Bird Island North Daybeacon 9.	Black pile. Green reflector.	10 feet high. Mark north side of channel. Maintained by Texas Co., New Orleans, La.
SHELL ISLAND LIGHT. Fl. R., 2 sec. U.	Red triangular structure on piles.	Flash 0.4 sec. 31 cp. 30 feet high. In 3 feet. 1914–1935 (150 mm e)
GRAND BAYOU LIGHT. F. R. U.	Red pile with topmast	12 cp. 25 feet high. At Manila Village, on east side of mouth. In 4 feet. 1912–1918 (200 mm o)
BAYOU ST. DENIS ENTRANCE LIGHT 1. U. Fl. W., 2 sec.	Black triangular slatted structure on piles.	Flash 0.4 sec. 50 cp. 30 feet high. West side of entrance to cut. In 4 feet. 1937—1940 (200 mm e)
BAYOU ST. DENIS ENTRANCE LIGHT 4. U. Fl. R., 4 sec.	Red box on dolphin	Flash 0.4 sec. 20 cp. 17 feet high. On easterly side of inner entrance to channel. In 7 feet. 1931–1946 (200 mm e)
BAYOU CUTLER ENTRANCE LIGHT. U. F. W.	White post	40 cp. 13 feet high. At junction of Cutler and St. Denis Bayous. 1925 (200 mm o)
BAY DES ILETTES		
BAY DES ILETTES LIGHT. Fl. R., 4 sec. U.	Red box on dolphin	Flash 0.4 sec. 20 cp. 17 feet high. On west side of channel. In 4 feet. 1928–1946 (200 mm e)
BAYOU ANDRE LIGHT. Fl. W., 4 sec. U.	Black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. Marks south side of channel from Bay des Ilettes to Caminada Bay. In 4 feet. 1938 (200 mm e)
TIMBALIER BAY		
East Timbalier Island Channel Daybeacon 2.	Red pointer on pile	16 feet high. On westerly side of channel leading to north side of island. Maintained by Gulf Refining Co.
East Timbalier Island Channel Daybeacon 4. East Timbalier Island Channel Daybeacon 6. East Timbalier Island Channel Daybeacon 8. East Timbalier Island Channel Daybeacon 10. East Timbalier Island Channel Daybeacon 12. East Timbalier Island Channel Daybeacon 14.	Red pointer on pile. Red reflector.	15 feet high. Maintained by Gulf Refining Co.
TIMBALIER BAY LIGHT 4. Fl. R., 4 sec. U.	Red box on dolphin	Flash 0.4 sec. 20 cp. 17 feet high. On south side of channel, at turn. In 6 feet. (200 mm e) 1935-1945
TIMBALIER BAY LIGHT 2. Fl. R., 4 sec. U.	Red rectangular slatted daymark on pile cluster.	Flash 0.4 sec. 20 cp. 17 feet high. On south side of entrance to channel from Timbalier Bay. In 6 feet. 1935-1945 (200 mm e)
TIMBALIER BAY LIGHT 1. F. W. U.	Black pile cluster	70 cp. 15 feet high. On north side of channel, at turn. Maintained by The Texas Co. In 7 feet. 1935 (150 mm a)
PHILI BRUCE ISLAND LIGHT. U. Fl. W., 4 secs.	Black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. Marks south side of channel between Phili Bruce and North Islands. 1938 (200 mm e)
PELICAN ISLANDS POINT LIGHT. Fl. W., 4 sec. U.	Black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. Marks north point of Islands. 1938 (200 mm e)
LAKE RACCOURCI		
BAYOU BLUE LIGHT. Fl. W., 4 sec. U.	Red box on pile	Flash 0.4 sec. 50 cp. 20 feet high. In 5 feet. At entrance to bayou. 1945 200 mm (e)

Name; mark on aid Character of light	Description	Remarks
TERREBONNE BAY		
Caillou Pass Daybeacon 2	Red pointer on pile. Red reflector.	In 7 feet. Maintained by The Texas Co.
CAILLOU ISLAND CHANNEL LIGHT B. U. F. W.	On black piles	70 cp. 21 feet high. West of island. In 4 feet. Maintained by The Texas Co. 1935 (150 mm a)
CAILLOU ISLAND CHANNEL LIGHT A. U. F. W.	On black piles	70 cp. 21 feet high. On north side of island. In 4 feet. Maintained by The Texas Co. 1935 (150 mm a)
LAKE SAINT JEAN BAPTISTE		
THE TEXAS COMPANY LIGHT 1. U. F. W.	Black pile cluster	70 cp. 12 feet high. On west side of entrance to lake. In 9 feet. Maintained by The Texas Co. 1932 (150 mm a)
PASS BARRE LIGHT Fl. W., 3 sec. U.	Pile cluster	Flash 0.3 sec. 13 feet high. On small island in Lake Barre. Maintained by The Texas Co. 1946 (150 mm a)
LAKE BARRE PASS LIGHT. F. W. U.	Black arm and topmast on piles.	40 cp. 20 feet high. On southerly side of channel leading from Lake Barre to Bayou Terrebonne. In 5 feet. 1931 (200 mm o)
SEA BREEZE LIGHT F. W. U.	White arm on post	160 cp. 28 feet high. On point on north side of Sea Breeze Pass, connecting Lakes Barre and Lagraisse, and on west side of intersection of pass with Bayou Terrebonne. 1924 (300 mm o)
LAKE QUITMAN		
Bayou Chauvin Daybeacon 1	Black. Green reflector	10 feet high. At north end of Lake Quitman. Maintained by Shell Petroleum Co.
Bayou Chauvin Daybeacon 2	Red. Red reflector	
Bayou Chauvin Daybeacon 3	Black. Green reflector	
Bayou Chauvin Daybeacon 4	Red. Red reflector	
BOUDREAUX CANAL LIGHT. U. F. W.	White arm and topmast on pile.	40 cp. 16 feet high. Southerly side of entrance to canal. 1938–1941 (200 mm o)
CAILLOU BAY		
CAILLOU BOCA LIGHT Fl. W., 4 sec. U.	Black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. On southerly side of Caillou Boca at entrance to Caillou Bay. 1939 (200 mm e)
GRAND CAILLOU LIGHT Fl. W., 4 sec. U.	On post	Flash 0.4 sec. 30 cp. 25 feet high. mile west of Bayou Caillou. 1926–1939 (200 mm e)
OYSTER BAYOU LIGHT Fl. R., 10 sec. U.	White square dwelling on piles.	Flash 2 sec. 130 cp. 47 feet high. On east side of entrance to bayou. In 6 feet. 1903 (200 mm e)
FOUR LEAGUE BAY		
Four League Bay Daybeacon 1	Black rectangular daymark and pointer on pile.	10 feet high. In 4 feet.
Four League Bay Daybeacon 3		
OYSTER BAYOU INNER END LIGHT. U. Fl. W., 2 sec.	Black post on triangular structure, on piles.	Flash 0.4 sec. 25 cp. 25 feet high. Near entrance to Oyster Bayou from bay. In 4 feet. 1934–1935. (150 mm e)
Four League Bay Daybeacon 5	Black rectangular daymark and pointer on pile.	10 feet high. In 4 feet.
Four League Bay Daybeacon 7		
Four League Bay Daybeacon 9		
Four League Bay Daybeacon 11		
Four League Bay Daybeacon 13		
Four League Bay Daybeacon 15		
Four League Bay Daybeacon 17		
Four League Bay Daybeacon 19		
Four League Bay Daybeacon 21		
Four League Bay Daybeacon 23		
Four League Bay Daybeacon 25		
Four League Bay Daybeacon 27		
Four League Bay Daybeacon 29		
Four League Bay Daybeacon 31		
Four League Bay Daybeacon 33		
Four League Bay Daybeacon 35		
Four League Bay Daybeacon 37		
Four League Bay Daybeacon 39		
Four League Bay Daybeacon 41		
Four League Bay Daybeacon 43		
Four League Bay Daybeacon 45		
Four League Bay Daybeacon 47		
Four League Bay Daybeacon 49		

Name; mark on aid Character of light	Description	Remarks
FOUR LEAGUE BAY		
MOSQUITO POINT LIGHT. Fl. W., 2 sec. U.	Black post on triangular structure on piles.	Flash 0.4 sec. 25 cp. 25 feet high. ½ mile east of Mosquito Point. In 4 feet. 1934–1935 (150 mm e.
HALTERS ISLAND POINT LIGHT. U. Fl. W., 2 sec.	Black square slatted structure on piles.	Flash 0.4 sec. 25 cp. 25 feet high. ½ mile off point. In 5 feet. 1934–1936 (150 mm e)
EAST COTE BLANCHE BAY		
BAYOU SALE ENTRANCE LIGHT 1. U. Fl. G., 4 sec.	Pile cluster	Flash 0.4 sec. 5 cp. 10 feet high. In 7 feet. Maintained by The Texas Co., New Orleans, La. 1945 (e)
BAYOU SALE ENTRANCE LIGHT 2. U. Fl. R., 4 sec.	Pile cluster	Flash 0.4 sec. 5 cp. 10 feet high. In 7 feet. Maintained by the Texas Co., New Orleans, La. 1945 (e)
BAYOU SALE ENTRANCE LIGHT 4. U. F. R.	Red pointer on pile	5 cp. 10 feet high. In 4 feet. Maintained by The Texas Co., New Orleans, La. 1942 (e)
Bayou Sale Entrance Daybeacon 3.	Black pointer on pile dolphin	9 feet high. In 1 to 4 feet. Maintained by The Texas Co., New Orleans, La.
Bayou Sale Entrance Daybeacon 5.	Black pointer on pile	
Bayou Sale Entrance Daybeacon 6.	Red pointer on pile	
Bayou Sale Entrance Daybeacon 7.	Black pointer on pile	
Bayou Sale Entrance Daybeacon 8.	Red pointer on pile	
SALT POINT LIGHT 2. Fl. R., 4 sec. U.	Pile cluster	Flash 0.4 sec. 5 cp. 10 feet high. In 7 feet. Maintained by The Texas Co. 1945
EAST COTE BLANCHE BAY LIGHT 1. U. F. W.	Pile dolphin White reflector.	15 cp. 10 feet high. Marks northern side and entrance to dredged channel off Gordy. In 6 feet. Maintained by The Texas Co., New Orleans, La. 1943 (60 mm e)
East Cote Blanche Bay Daybeacon 2.	Pile dolphin Red reflector.	10 feet high. Marks southern side and entrance to dredged channel. In 6 feet.
East Cote Blanche Bay Daybeacon 3.	Odd-numbered daybeacons are pile with white reflector. Even-numbered daybeacons are pile with red reflector.	10 feet high. In 3 to 5 feet. Maintained by The Texas Co., New Orleans, La.
East Cote Blanche Bay Daybeacon 4.		
East Cote Blanche Bay Daybeacon 5.		
East Cote Blanche Bay Daybeacon 6.		
East Cote Blanche Bay Daybeacon 7.		
East Cote Blanche Bay Daybeacon 9.		
WEST COTE BLANCHE BAY		
JAWS ENTRANCE LIGHT 1. F. W. U.	Black triangular slatted structure on piles.	25 cp. 25 feet high. In 5 feet. 1935 (150 mm e)
Ivanhoe Canal Entrance Daybeacon 1.	Black pile dolphin White reflector.	9 feet high. In 6 feet. Maintained by The Texas Co., New Orleans, La.
Ivanhoe Canal Entrance Daybeacon 2.	Red pile dolphin Red reflector.	10 feet high. In 6 feet. Maintained by The Texas Co., New Orleans, La.
Ivanhoe Canal Entrance Daybeacon 3.	Odd numbered daybeacons are black pile with white reflector. Even numbered daybeacons are red pile with red reflector.	9 feet high. In 3 to 5 feet. Maintained by The Texas Co., New Orleans, La.
Ivanhoe Canal Entrance Daybeacon 4.		
Ivanhoe Canal Entrance Daybeacon 5.		
Ivanhoe Canal Entrance Daybeacon 6.		
Ivanhoe Canal Entrance Daybeacon 7.		
Ivanhoe Canal Entrance Daybeacon 8.		

Name; mark on aid Character of aid	Description	Remarks
VERMILION BAY		
SOUTHWEST PASS-VERMILION BAY LIGHT 1. Fl. W., 4 sec. U.	Black battery box on a pile	Flash 0.4 sec. 90 cp. West side of pass, 20 feet high. In 8 feet. 1940 (200 mm e)
SOUTHWEST PASS-VERMILION BAY LIGHT 2. Fl. R., 4 sec. U.	Red battery box on a pile	Flash 0.4 sec. 40 cp. Off Lighthouse Point. 20 feet high. In 10 feet. 1944 (200 mm e)
SOUTHWEST PASS-VERMILION BAY LIGHT 3. F. W. U.	Black box on dolphin	90 cp. 19 feet high. In 3 feet. 1946 (200 mm e)
SOUTHWEST PASS-VERMILION BAY LIGHT 5. F. W. U.	Black box on dolphin	90 cp. 19 feet high. In 4 feet. 1946 (200 mm e)
SOUTHWEST PASS-VERMILION BAY LIGHT 7. Fl. W., 4 sec. U.	Black box on dolphin	90 cp. 19 feet high. In 11 feet. 1946 (200 mm e)
VERMILION BAY B9 LIGHT. Fl. R., 3 sec. U.	Pile structure	Flash 0.3 sec. 5 cp. 12 feet high. In 8 feet. Maintained by the Texas Co., New Orleans, La. 1946 (150 mm e)
McILHENNY CANAL LIGHT 1. U. Fl. W., 4 sec.	Black triangular slatted structure on piles.	Flash 0.4 sec. 30 cp. 25 feet high. On west side of entrance to canal. In 5 feet. 1940–1944 (200 mm e)
McILHENNY CANAL LIGHT 3. U. Fl. W., 4 sec.	Black daymark and pointer on pile dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. At angle in channel. In 5 feet. 1940 (200 mm e)
McIlhenny Canal Daybeacon 4	Red pointer on pile. Red reflector.	10 feet high. In 3 feet. On bend of channel.
McIlhenny Canal Daybeacon 6	Red pointer on pile. Red reflector.	10 feet high. In 5 feet. Marks junction between the canal and Bayou Petit Anse.
VERMILION CHANNEL LIGHT 1. U. Fl. W., 4 sec.	Black box on dolphin	Flash 0.4 sec. 50 cp. 17 feet high. Marks western side and entrance of channel. In 7 feet. 1944 (200 mm e)
Vermilion Channel Daybeacon 3. Vermilion Channel Daybeacon 5. Vermilion Channel Daybeacon 7.	Black pointer on pile. White reflector.	10 feet high. In 1 to 5 feet.
Vermilion River Entrance Daybeacon 1.	Black pile	20 feet high. Marks south side of entrance of dredged channel. In 6 feet.
Vermilion River Entrance Daybeacon 8. Vermilion River Entrance Daybeacon 10.	Red pointer on a pile. Red reflector.	10 feet high. In 4 feet.
Vermilion River Entrance Daybeacon 13. Vermilion River Entrance Daybeacon 15.	Black pointer on a pile. White reflector.	10 feet high. In 4 feet.
Vermilion River Entrance Daybeacon 17.	Black rectangular daymark on pile.	12 feet high. In 4 feet.
Vermilion River Entrance Daybeacon 18.	White rectangular slatted daymark and topmast on pile.	25 feet high. At entrance to river. In 3 feet.
Vermilion River Entrance Daybeacon 19.	Black rectangular daymark on pile.	12 feet high. In 4 feet.
VERMILION BAY WEST LIGHT. U. F. W.	Red circular daymark on white slatted structure on piles.	160 cp. 25 feet high. North side of channel at entrance to Schooner Bayou, west end of bay. In 5 feet. 1914 (300 mm o)
WHITE LAKE		
White Lake Daybeacon 2	Red pointer on post	North side of channel near east end of lake. 15 feet high. In 1 foot.
WHITE LAKE EAST LIGHT. F. W. U.	Red circular daymark on white slatted structure on piles.	160 cp. 25 feet high. North side of channel near east end of lake. In 5 feet. 1914 (300 mm o)
White Lake Daybeacon 4	Red pointer on post	North side of channel near east end of lake. 15 feet high. In 5 feet.
PECAN ISLAND CANAL ENTRANCE LIGHT 1. U. Fl. W., 4 sec.	Black triangular slatted pile structure.	Flash 0.4 sec. 30 cp. 25 feet high. At north entrance to canal. In 5 feet. 1940 (200 mm e)
White Lake West Daybeacon	Red circular daymark on white slatted structure, on piles.	25 feet high. North side of channel near west end of lake. In 5 feet.
TURTLE LAKE		
Turtle Lake Daybeacon 2	Red pointer on post	On north side of channel. 15 feet high. In 5 feet.
Turtle Lake Daybeacon 4	Red pointer on post	On north side of channel. 15 feet high. In 5 feet.

Name; mark on aid Character of light	Description	Remarks
ALLIGATOR LAKE		
Alligator Lake Daybeacon 2	Red pointer on post	On north side of channel. 15 feet high. In 5 feet.
Alligator Lake Daybeacon 4	Red pointer on post	On north side of channel. 15 feet high. In 5 feet.
COLLICON LAKE		
Collicon Lake Daybeacon 2	Red pointer on post	On north side of channel. 15 feet high.
Collicon Lake Daybeacon 4	Red pointer on post	On north side of channel. 15 feet high. In 1 foot.
GRAND LAKE		
Grand Lake Daybeacon 2	Red pointer on post	On north side of channel. 15 feet high. In 5 feet.
GRAND LAKE EAST LIGHT. U. F. W.	Red circular daymark on white slatted structure on piles.	160 cp. 25 feet high. North side of channel, near east end of lake. In 5 feet. 1914 (300 mm o)
PECAN LAKE LIGHT 2 F. R. U.	Red post	20 cp. 15 feet high. On shore, west side of entrance of the Superior Oil Company Canal. Maintained by Superior Oil Co., Lake Charles, La. 1941 (200 mm o)
CATFISH POINT LIGHT F. R. U.	Red rectangular slatted daymark and topmast on pile.	12 cp. 23 feet high. In 5 feet. 1937 (200 mm o)
Pipe Line Daybeacon 2	Black pile	4,170 yards 97° from Grassy Point Light. 7 feet high. In 7 feet. Maintained by the Superior Oil Company.
Pipe Line Daybeacon 4 Pipe Line Daybeacon 6 Pipe Line Daybeacon 8 Pipe Line Daybeacon 10 Pipe Line Daybeacon 12 Pipe Line Daybeacon 14 Pipe Line Daybeacon 16 Pipe Line Daybeacon 18 Pipe Line Daybeacon 20 Pipe Line Daybeacon 22 Pipe Line Daybeacon 24	Black pile	Equidistantly spaced 330 yards apart on a line bearing 323° from Daybeacon 2. 7 feet high. In 7 feet. Maintained by the Superior Oil Company.
Amerada Pipe Line Daybeacon 2. Amerada Pipe Line Daybeacon 4. Amerada Pipe Line Daybeacon 6. Amerada Pipe Line Daybeacon 8. Amerada Pipe Line Daybeacon 10. Amerada Pipe Line Daybeacon 12. Amerada Pipe Line Daybeacon 14. Amerada Pipe Line Daybeacon 16. Amerada Pipe Line Daybeacon 18. Amerada Pipe Line Daybeacon 20.	Black pile	5 feet high. In 1 to 6 feet. Maintained by Amerada Petroleum Corporation.
GRASSY POINT LIGHT F. W. U.	Black rectangular slatted daymark on post.	40 cp. 28 feet high. On shore end of point. 1928-1944 (200 mm o)
MERMENTAU RIVER LIGHT 2. Fl. R., 4 sec.	Red box on tower on mud sills.	Flash 0.4 sec. 11 cp. 20 feet high. On easterly side of entrance to Mermentau River. On shore. 1928-1945 (200 mm e)
LAKE SALVADOR		
BAYOU SEGNETTE LIGHT Fl. W., 4 sec. U.	White box on dolphin	Flash 0.4 sec. 50 cp. 17 feet high. On east side of entrance to bayou. In 3 feet. 1928-1946 (200 mm e)
Bayou Villars Daybeacon	White rectangular slatted daymark on a pile.	35 feet high. On northern side of entrance to the bayou. In 4 feet.
BAYOU VILLARS LIGHT Fl. W., 4 sec. U.	White square house on piles. BELL; 1 stroke every 30 sec.	Flash 0.4 sec. 50 cp. 28 feet high. On south side of entrance to bayou. In 4 feet. 1909-1944 (200 mm e)
BAYOU PEROT ENTRANCE LIGHT. U. Fl. W., 4 sec.	White box on white dolphin	Flash 0.4 sec. 50 cp. 17 feet high. On northerly side of entrance to Bayou Perot. In 6 feet. 1945 (200 mm e)
Bayou Perot Entrance Daybeacon.	White rectangular slatted daymark on pile.	18 feet high. On northerly side of entrance to Bayou Perot. In 10 feet.
LAKE SALVADOR LIGHT Fl. R., 3 sec. U.	Pile structure	Flash 0.3 sec. 5 cp. 15 feet high. Maintained by The Texas Company, New Orleans, La. 1947 (60 mm a)

Name; mark on aid Character of light	Description	Remarks
LAKE SALVADOR		
BAYOU DES ALLEMANDS LIGHT. U. F. W.	White pile	40 cp. 25 feet high. On south side of channel; north side of Isle of Day. In 4 feet. 1909–1940 (200 mm o)
Bayou des Allemands Daybeacon.	White rectangular slatted daymark on pile.	18 feet high. On southerly side of entrance to Bayou des Allemands.
BAYOU COUBA LIGHT. Fl. W., 4 sec. U.	White box on white dolphin	Flash 0.4 sec. 50 cp. 17 feet high. On southwesterly side of entrance to dredged channel. 1946 (200 mm e)
Bayou Couba Outer Daybeacon.	White rectangular slatted daymark on pile.	18 feet high. On southwesterly side of channel.
Bayou Couba Inner Daybeacon.	White rectangular slatted daymark on pile.	18 feet high. On southwesterly side of channel.
BAYOU PEROT		
THE TEXAS COMPANY WELL LIGHT 2. U. Fl. R., 3 sec.	Pile structure	Flash 0.3 sec. 20 cp. 10 feet high. Maintained by The Texas Company, New Orleans, La. 1946 (150 mm a)
TEXAS COMPANY BAYOU PEROT LIGHT 4. U. Fl. R., 3 sec.	Pile structure	Flash 0.3 sec. 20 cp. 10 feet high. Maintained by The Texas Company, New Orleans, La. 1946 (150 mm a)
Pipe Line Daybeacon A Pipe Line Daybeacon B Pipe Line Daybeacon C Pipe Line Daybeacon D	Red pile	10 feet high. Maintained by The Texas Co.
BAYOU RIGOLETTES		
Pipe Line Daybeacon E Pipe Line Daybeacon F	Red pile	10 feet high. Maintained by The Texas Co.
BAYOU DES ALLEMANDS		
Petit Lac des Allemands Daybeacon 1.	Even numbered daybeacons are red piles with red reflectors; odd numbered daybeacons are black piles with white reflectors.	6 feet high. In 5 feet. Maintained by the Amerada Petroleum Corporation.
Petit Lac des Allemands Daybeacon 3.		
Petit Lac des Allemands Daybeacon 5.		
Petit Lac des Allemands Daybeacon 7.		
Petit Lac des Allemands Daybeacon 9.		
Petit Lac des Allemands Daybeacon 11.		
Petit Lac des Allemands Daybeacon 13.		
Petit Lac des Allemands Daybeacon 15.		
Petit Lac des Allemands Daybeacon 17.		
Petit Lac des Allemands Daybeacon 19.		
Petit Lac des Allemands Daybeacon 21.		
Petit Lac des Allemands Daybeacon 23.		
Petit Lac des Allemands Daybeacon 25.		
Petit Lac des Allemands Daybeacon 27.		
Petit Lac des Allemands Daybeacon 29.		
Petit Lac des Allemands Daybeacon 31.		
Petit Lac des Allemands Daybeacon 33.		
Petit Lac des Allemands Daybeacon 35.		
Petit Lac des Allemands Daybeacon 37.		
Petit Lac des Allemands Daybeacon 2.		
Petit Lac des Allemands Daybeacon 4.		
Petit Lac des Allemands Daybeacon 6.		
Petit Lac des Allemands Daybeacon 8.		
Petit Lac des Allemands Daybeacon 10.		
Petit Lac des Allemands Daybeacon 12		

Name; mark on aid Character of light	Description	Remarks
MORGAN CITY TO PLAQUEMINE		
MORGAN CITY-PLAQUEMINE LIGHT 1. U. Fl. W., 4 sec.	Black square daymark with yellow border on a black pile dolphin.	Flash 0.4 sec. 30 cp. 17 feet high. Northerly side of channel at junction with Drews Pass. In 3 feet. 1941-1945 (200 mm e)
Morgan City-Plaquemine Buoy 2. *Morgan City-Plaquemine Buoy 4.* *Morgan City-Plaquemine Buoy 6.* *Morgan City-Plaquemine Buoy 8.* *Morgan City-Plaquemine Buoy 9.*	Even-numbered buoys are red, 4th-class spar with yellow top; odd-numbered buoy is black 4th-class spar with yellow top.	In 9 feet.
FLAT LAKE		
GRAND PASS LIGHT. F. W. U.	White arm and topmast on pile.	40 cp. 22 feet high. Near northwest point of Rabbit Island; south side of lake. In 5 feet. 1906-1934 (200 mm o)
FLAT LAKE TURN LIGHT. F. W. U.	Black arm and topmast on pile.	40 cp. 22 feet high. On west side of southerly end of bulkhead. In 5 feet. 1906-1934 (200 mm o)
BAYOU LONG LIGHT. F. W. U.	White rectangular slatted daymark on pile.	40 cp. 25 feet high. In northeast end of lake. In 5 feet. 1906-1944 (200 mm o)
SIX-MILE LAKE		
STOUTS POINT LIGHT. F. W. U.	White pile with topmast.	40 cp. 20 feet high. Off point, southeast end of lake. In 3 feet. 1914 (200 mm o)
VERDUNVILLE CANAL LIGHT 2. U. F. R.	Red triangular slatted structure on piles.	12 cp. 25 feet high. In 4 feet. 1936 (200 mm o)
BAYOU BOUTTE LIGHT. F. W. U.	White square slatted structure on piles.	40 cp. 30 feet high. At south entrance of Bayou Boutte into lake. In 5 feet. 1914 (Pl o)
CYPRESS ISLAND LIGHT. F. W. U.	White post.	40 cp. 27 feet high. On east side of island. 1887-1928 (200 mm o)
GRAND LAKE		
WINDY POINT LIGHT. F. W. U.	White arm and topmast on pile.	40 cp. 20 feet high. Near point, south part of lake. In 5 feet. 1897-1934 (200 mm o)
PIGEON POINT LIGHT. F. W. U.	White rectangular daymark on pile	40 cp. 28 feet high. Off point, east side of lake. In 4 feet. 1896-1936 (200 mm o)
BAYOU PETIT ANSE		
Bayou Petit Anse Buoy 4. *Bayou Petit Anse Buoy 6.* *Bayou Petit Anse Buoy 8.* *Bayou Petit Anse Buoy 10.* *Bayou Petit Anse Buoy 12.* *Bayou Petit Anse Buoy 14.* *Bayou Petit Anse Buoy 16.* *Bayou Petit Anse Buoy 18.* *Bayou Petit Anse Buoy 20.* *Bayou Petit Anse Buoy 22.* *Bayou Petit Anse Buoy 24.* *Bayou Petit Anse Buoy 26.* *Bayou Petit Anse Buoy 28.* *Bayou Petit Anse Buoy 30.* *Bayou Petit Anse Buoy 32.* *Bayou Petit Anse Buoy 34.* *Bayou Petit Anse Buoy 36.* *Bayou Petit Anse Buoy 38.* *Bayou Petit Anse Buoy 40.* *Bayou Petit Anse Buoy 42.* *Bayou Petit Anse Buoy 44.* *Bayou Petit Anse Buoy 46.* *Bayou Petit Anse Buoy 48.*	Red; 4th-cl. spars.	In 8 feet.
LAKE ARTHUR		
LAKE ARTHUR RANGE A FRONT LIGHT. U. F. W Fl. W., 2 sec	Black square daymark with yellow border on pyramidal structure.	Fixed light visible on range line only, 7,000 cp. 23 feet high. In 10 feet. (Rg e) Flash 0.4 sec. 30 cp. 25 feet high, visible around the horizon. 1937 (200 mm e)
LAKE ARTHUR RANGE A REAR LIGHT. U. F. W.	Black square daymark with yellow border on pyramidal structure	Visible on range line only, 7,000 cp. 35 feet high. 250 yards 255° from front light. In 8 feet. 1937 (Rg e)

Name; mark on aid Character of light	Description	Remarks
LAKE ARTHUR		
LAKE ARTHUR RANGE B FRONT LIGHT. U. F. R. Fl. R., 4 sec.	White diamond daymark with yellow border and white box on piles.	Fixed light visible on range line only, 2,600 cp. 18 feet high. In 11 feet. (Rg e) Flash 0.4 sec. 7 cp. 17 feet high, visible around the horizon. 1937-1944 (200 mm e)
LAKE ARTHUR RANGE B REAR LIGHT. U. F. W.	White circular daymark with yellow border on skeleton tower.	Visible on range line only, 12,000 cp. 37 feet high. 400 yards 75° from front light. Onshore. 1937-1944 (Rg e)
Lake Arthur Daybeacon 2 Lake Arthur Daybeacon 4 Lake Arthur Daybeacon 6	White pile with red band and pointer, yellow top.	In 6 to 10 feet.
LAKE ARTHUR LIGHT 8 Fl. R., 4 sec. U.	Red triangular daymark with yellow border on pile structure.	Flash 0.4 sec. 7 cp. 25 feet high. In 6 feet. 1937 (200 mm e)
Lake Arthur Daybeacon 10 Lake Arthur Daybeacon 12 Lake Arthur Daybeacon 14 Lake Arthur Daybeacon 16	White pile with red band and pointer, yellow top.	In 6 to 8 feet.
Lake Arthur Buoy 18	Red with yellow top; 4th-cl. spar.	At turn. In 14 feet.

INDEX

	Page
Abel Bay, N. C	32
Abbreviations	6
Adams Bay, La	214
Adams Creek, N. C	15, 35
Aids privately maintained	6
Albemarle Sound, N. C	23, 24
Alligator Bay, N. C	40
Alligator Lake, La	219
Alligator Point, La	180
Alligator River, N. C	11
Altamaha Sound, Ga	73
Amelia River, Fla	79
Amerada Pipe Line Beacons, La	219
Amite River, La	183
Anclote Anchorage and River, Fla	132–134
Angelfish Creek, Fla	113
Apalachee Bay, Fla	151
Apalachicola, Fla	153
Apalachicola River to East Bay	154
Aransas Bay, Tex	202, 204
Aransas Causeway Channel, Tex	207
Arbitrary coloring and numbering	5
Arrangement of List	1
Ashepoo-Coosaw, S. C	61
Ashley River, S. C	56
Atlantic, Core Sound, N. C	38
Avon Channel, N. C	28
Bachelor Bay, N. C	25
Bachelor Creek, N. C	36
Back River, Ga	76
Back Sound, N. C	39
Bacom Point Rocks, Fla	140
Bahia Honda, Fla	117, 147
Bailey Bluff, Fla	134
Baker Cut, Fla	114
Bamboo Key, Fla	116
Banana River, Fla	96
Barataria Bay, La	215
Barge Channel, Fla	125
Barnes Point, Fla	113
Barney Slue, N. C	29
Barnwell Island Flats, Ga	66
Barnwell Place, Ga	66
Barque Channel, Fla	149
Bastian Bay, La	214
Bath Creek, N. C	33
Battery Creek, Beaufort River, S. C	63
Battery Point, S. C	56
Batts Island Shoal, N. C	25
Bay des Ilettes, La	215
Bay Harbor Shoal, Fla	158
Bay Point, N. C	14
Bay Pomme d'Or, La	214
Bay River, N. C	14, 34
Bayou Andre, La	215
Bayou Blue, La	215
Bayou Boeuf, La	184
Bayou Bonfouca, La	182
Bayou Boutte, La	221
Bayou Chauvin, La	216
Bayou Cocodrie, La	184
Bayou Cook, La	214
Bayou Couba, La	220
Bayou Courant, La	214
Bayou Cutler, La	215
Bayou des Allemands, La	220
Bayou DuPré, La	180
Bayou Lacombe, La	182
Bayou Long, La	221
Bayou Perot, La	184, 219, 220
Bayou Petit Anse, La	186, 221
Bayou Rigaud, La	215
Bayou Rigolettes, La	220
Bayou St. Denis, La	215
Bayou St. John, Fla	172
Bayou St. Malo, Miss	180
Bayou Sale Entrance, La	217
Bayou Segnette, La	219
Bayou Villars, La	184, 219
Bayou Yscloskey, La	180
Bear Creek, N. C	20
Bear Cut, Fla	145
Bear Point Shoal, Fla	158
Bear River, Ga	70
Beard Creek, N. C	35
Bearings	2
Beasley Bay, N. C	22
Beaufort Harbor, N. C	17
Beaufort River, S. C	63
Beautiful Island, Fla	143
Beldon Dugout, Tex	202
Belhaven Channel, N. C	13
Belleair Channel, Fla	130
Bell buoys	4, 5
Bell Island, N. C	10
Belle Fontaine, Miss	176
Bethel Bank, Fla	116
Big Bayou Flat, Tex	199
Big Foot Slough, N. C	30
Big Lagoon, Fla	167
Big Marco Pass and River, Fla	119, 120
Big Oaks Bayou, La	185
Big Pass, Fla	131
Big Pine Key, Fla	148
Big Sarasota Pass, Fla	124
Big Spanish Key, Fla	117
Bird Island, La	215
Bird Key, Fla	127
Bird Reef, Tex	202
Biscayne Bay and Creek, Fla	109, 110
Biscayne Bay to Long Key, Fla	112, 116
Biscayne Channel, Fla	112, 146
Black Ledge, Fla	112
Blackwater Sound, Fla	113, 114
Blockade Shoal, N. C	26
Blount Point, N. C	24
Bluff Point, Pamlico Sound, N. C	25, 31
Bluff Shoal, N. C	27
Boat Works, Daytona Beach, Fla	90
Boca Chica, Fla	147, 149
Boca Ciega Bay, Fla	128, 129
Boca Grande, Fla	149
Boggy Bayou, Fla	161, 213
Bogue Sound, N. C	18
Bolivar Peninsula, Tex	189
Bolivar Point, Tex	189
Bolivar Roads, Tex	189
Bombing Target, Albemarle Sound, N. C	25
Bond Creek, N. C	33
Boot Key Harbor, Fla	147
Boudreaux Canal, La	216
Bowlegs Cut, Fla	115
Bradenton Cut, Fla	127
Brant Island Shoal, N. C	28, 32
Brant Island Slue, N. C	32
Brazos River, Tex	194
Breakfast Point, Fla	150
Brickyard Creek, S. C	62
Broad Creek, N. C	13
Browns Inlet, N. C	20
Buck Island, S. C	65
Buckingham Landing, S. C	64
Budd Key, Fla	148
Buena Vista Shoal, Fla	158
Bulkhead, Core Sound, N. C	39
Bulkhead, Sarasota Pass, Fla	126
Bulkhead Cut, Fla	152
Bull Bay, N. C	24
Bullfrog Banks, Fla	117
Bull Spit, S. C	61
Burnside Narrows, Ga	69
Buttermilk Sound, Ga	74
Caillou Bay and Island, La	216
Caillou Boca, La	216
Calcasieu Channel, La	186
Calcasieu River, La	186
Calcasieu-Sabine, La	186
Calda Channel, Fla	117

	Page
Callbogue Sound, S. C	65
Calico Creek, N. C	16
Caloosa Entrance, Fla	120
Caloosahatchee River, Fla	142, 145
Caloosahatchee River Approach, Fla	120
Camp Wright Pier, N. C	26
Canal Entrance, Cape Fear River, N. C	43
Candlepowers of lights	3
Cape Carlos Dugout, Tex	202
Cape Channel-Cape Hatteras, N. C	28
Cape Fear River, N. C	43
Cape Fear-Little River, N. C	45
Cape Florida Shoal, Fla	146
Cape Haze, Fla	123
Cape Sable Anchorage, Fla	118
Captiva Channel, Fla	122
Card Bank, Fla	113
Carlos Bay, Tex	202
Caroon Point, N. C	26
Carrabelle Channel, Fla	151
Cat Bay, La	214
Cat Island, Miss	176
Catfish Point, La	219
Causeway Channel, Fla	131
Caution regarding buoys	6
Caxambas Pass, Fla	119
Cedar Bay, N. C	10
Cedar Island Bay, N. C	31
Cedar Keys, Fla	137
Cedar Lakes, Tex	198
Cerion Key, Fla	117
Chadwick Bay, N. C	39
Chadwicks Point Shoal, N. C	35
Channel Key, Fla	116
Chapman Field, Fla	146
Character of lights	2
Characteristic Marking	3
Characteristics of Aids to Navigation	4
Charleston Channel, S. C	56
Charleston-Savannah River	56
Charlotte Harbor, Fla	123
Charts	1
Chef Menteur, La	180, 181
Cherry Point, N. C	35
Chicamacomico, Pamlico Sound, N. C	27
Chocolate Bay, Tex	193
Choctawhatchee Bay, Fla	160
Chokoloskee Bay, Fla	119
Choupique Cut-Off, La	186
Chowan River, N. C	25
Christmas Point Channel, Oyster Bay, Tex	194
Clearwater Harbor, Fla	130
Clewiston, Fla	141
Clubfoot Creek, N. C	35
Coast Pilots	1
Cobbs Point, Choctawhatchee Bay, Fla	161
Cobbs Wharf, Fla	126
Cockle Shoal, N. C	30
Cocoa Yacht Basin, Fla	95
Cocoanut Key, Fla	116
Coconut Grove, Fla	145
Coinjock Bay, N. C	10
Colliicon Lake, La	219
Collington Island, N. C	22
Collisions of vessels with aids to navigation	2
Colorado River, Tex	194
Coloring of buoys	4
Combahee and Coosaw Junction, S. C	60
Combahee Bank, S. C	61
Coon Key, Fla	119, 124
Cooper River, S. C	65
Coosaw River, S. C	61
Core Creek, N. C	16
Core Point, N. C	33
Core Sound, N. C	37
Corpus Christi Bay, Tex	207, 211
Corpus Christi Bayou, Tex	207
Correction of Light List	1
Courtenay Channel, Fla	95
Courthouse Bay, N. C	21
Courtney Point, St. Andrew Bay, Fla	158
Cousin Point, N. C	33
Cove (The), Charleston Harbor, S. C	55
Cowpens, Fla	115
Craig Point, N. C	20
Crash Boat Slip, Lake Pontchartrain, La	181
Crawl Key, Fla	117
Creighton Narrows, Ga	71
Croatan Sound, N. C	26
Croatan Sound Channel Entrance, N. C	26

	Page
Cross Shoal, N. C	29
Crossover Daybeacon, South Edisto River, S. C	61
Crystal River, Fla	135
Cumberland River, Ga	77
Cumberland Sound, Fla	79
Cunning Shoal, N. C	31
Current Tables	1
Currituck Sound, N. C	10, 22
Cutter Bank, Fla	112
Cypress Island, La	221
Dania Sound, Fla	109
Daniel Point Shoal, Fla	127
Daw Island South Spit, S. C	64
Dawho River, S. C	59
Daybeacons, unlighted	6
Daytona Beach, Fla	89
Deep Creek, Elizabeth River	7
Deer Island, Tex	191
Deer Point, Fla	166
Defects in aids to navigation	2
Depths	2
Derrick Gap, Suwannee Sound, Fla	138
Dickson Bay, Fla	151
Dinner Key, Fla	145
Distances	2
Dividing Range, Ga	78
Doboy Island, Ga	72
Douglas Bay, N. C	27
Dover Creek, Ga	77
Dredge Wreck, La	183, 186
Drum Inlet, N. C	37
Dumfoundling Bay, Fla	109
Dunedin Channel, Fla	131
Duplin River, Ga	72
Dupont Bridge, Fla	157
Durham Creek, Pamlico River, N. C	33
Dyers Point Shoal, Fla	158
Eaglenest Key, Fla	149
East Bank, Galveston Harbor, Tex	189
East Bank, St. Marks River, Fla	150
East Bay, Fla	156
East Bay, Tex	188
East Channel, Lake Pontchartrain, La	183
East Coast Canal, St. Johns River, Fla	83
East Cote Blanche Bay, La	217
East Key, Fla	115
East Shoal, Withlacoochee River, Fla	136
East Timbalier Island, La	215
Eastern Channel, Winyah Bay, S. C	50
Eau Gallie, Fla	96–101
Eau Gallie to St. Lucie Inlet, Fla	96
Edenton Bay, N. C	25
Egg Bank Passage, S. C	61
Eight-Foot Shoal, Fla	123
Elba Island, Savannah River, Ga	66
Eleven-Foot Shoal, Fla	123
Elizabeth River, Va	7
Elliott Cut, S. C	56
Espiritu Santo Bay, Tex	201
Estero Pass, Fla	121
Far Creek, N. C	27
Featherbed Bank, Fla	112
Fenwick Island Cut, S. C	60
Fernandina to St. Johns River, Fla	79
Ferry Daybeacon, Fla	117
Ferry Channel, Espiritu Santo Bay, Tex	201, 203
Ferry Route, Fla	123
Fertilizer Works, Pamlico River, N. C	34
Fields Cut, S. C	65
Fishermans Channel, Fla	111
Five-Foot Shoal, Fla	118
Flagler Monument, Fla	145
Flat Lake, La	221
Floodway Crossing, La	185
Florida Passage, Ga	69
Flowery Gap, N. C	36
Floyd Creek, Ga	77
Fog Signals	4
Fork Point, Pamlico River, N. C	33
Fort Fremont, S. C	63
Fort Jackson, Ga	66
Fort Myers-San Carlos Bay, Fla	144
Fort Pierce, Fla	100
Fort Point, Tex	189
Fort Point Channel, N. C	36
Four Bayous Cut-off, La	214
Four League Bay, La	216

	Page
Four-Mile Point, Fla	161
Four-Way Channel, Fla	146
Fox Cut, Fla	88
Frederica River, Ga	74, 75
Freeman Creek, N. C	20
Freeport Harbor, Tex	194
Freeport to Port O'Connor, Tex	194
Front River, Ga	71
Gallants Channel, N. C	16
Galveston Airport, Tex	192
Galveston-Freeport, Tex	190–194
Galveston Harbor, Tex	190
Garbacon Shoal, N. C	15, 35
Gasparilla Sound, Fla	123
Gaston Dugout, Tex	202
Georgetown Harbor, S. C	50
Gibbs Shoal, N. C	27
Gong buoys	4
Goose Creek, Pamlico River, N. C	14
Gordon Pass, Fla	120
Goulds Lump, Core Sound, N. C	37
Grand Batture Island Shoal, Miss	175
Grand Bayou, La	215
Grand Bayou Pass, La	214
Grand Caillou, La	216
Grand Island, Miss	177
Grand Island Pass, Lake Borgne, La	178
Grand Lake, La	219, 221
Grand Pass, La	221
Grants Pass, Ala	175
Grassy Island, La	178
Grassy Key, Fla	116, 149
Grassy Point, N. C	24
Grassy Point, La	219
Great Island, N. C	32
Great Island Shoal, N. C	35
Great Pocket, Fla	103
Grouper Creek, Fla	114
Guiding principles	5
Gulf County Canal, Fla	212
Gulfport Channel, Fla	129
Gulfport Channel, Miss	176
Gull Rocks, N. C	27
Gull Shoal, N. C	27
Gum Thicket, N. C	15
Gunnison Creek, Fla	82
Haig Point, S. C	65
Halfmoon Reef, Tex	196, 199
Halifax River, Fla	88, 91
Hallandale, Fla	109
Halters Island Point, La	217
Hammer Point, Fla	114
Hampton Shoal, N. C	35
Hancock Creek, N. C	35
Harbor Island, N. C	37–42
Harbor Key, Fla	117
Harbor Key Bank, Fla	117
Harbor Key to Key West, Fla	117
Harbor River, S. C	61
Harmon Point, Fla	158
Harper Key, Fla	149
Harvey Point Flats, N. C	24
Hathaway Bridge, Fla	158
Hatteras Inlet, N. C	28
Hawk Channel, Fla	147
Heights	2
Hell Gate, Ga	69
Hertford Shoal, N. C	24
Hills Creek, N. C	33
Hillsboro Inlet, Fla	108
Hillsboro Inlet to Biscayne Creek	108, 109
Hillsboro River, Fla	107
Hillsborough River, Fla	91, 92
Hitchcock Reef, Tex	189
Hobe Sound, Fla	104
Hodges Reef, N. C	28
Hog Island, N. C	27, 37
Holiday Island, N. C	25
Hollywood, Fla	109
Homosassa Bay, Fla	134
Hooker Point, Fla	127
Horn Island, Miss	175
Horn Passage, Fla	122
Horseneck Shoal, Fla	118
Horseshoe Shoal, Ga	77
Horseshoe Shoal Channel, N. C	44
Howe Key, Fla	148
Hurricane Pass, Fla	132
Indian Island, N. C	32
Indian Key Pass, Fla	118
Indian River North, Fla	93–96
Indian River South, Fla	96–101
Industrial Canal, La	181
Ingleside Channel, Tex	208
Inner Harbor Navigational Canal, La	180
Inner Middle Ground, Pamlico River, N. C	32
Intake Crib, Lake Okeechobee, Fla	141
Intracoastal Waterway Range, Cape Fear River, N. C	43
Introduction and explanation of tables	1
Isle aux Herbes, Miss	175
Ivanhoe Canal, La	217
Jackson River, Fla	155
James Island Flats, S. C	56
Jarvis Creek, S. C	65
Jaws Entrance, La	217
Jekyll Creek, Ga	76
Jekyll Island, St. Simon Sound, Ga	75
Jenkins Island Flat, S. C	64
Jewfish Creek, Fla	113
Johns Pass, Fla	129
Johnson Creek, N. C	25
Johnson Creek, Ga	70
Johnson Key, Fla	148
Johnson Point, Neuse River, N. C	36
Johnson Point, Edenton Bay, N. C	25
Johnsons Bayou, La	188
Jones Bay, N. C	34
Judith Island, N. C	32
Judith Marsh, N. C	32
Judith Narrows, N. C	32
Junction Buoy, Tex	209
Junction, Cape Fear River, N. C	43
Junction, Ocracoke Inlet, N. C	29
Juniper Bay, Pamlico Sound, N. C	31
Jupiter Inlet, Fla	105
Jupiter Inlet to Lake Worth Inlet	105, 106
Jupiter Sound, Fla	104
Key West Harbor, Fla	117, 149
Kingsley Creek, Fla	80
Kissimmee River, Fla	141
Kreamer Shoal, Fla	140
La Grange Bayou, Fla	161, 212
Lacombe Bayou, La	182
Laguna Madre, Tex	211
Lake Arthur, La	221
Lake Barre Pass, La	216
Lake Boca Raton, Fla	106
Lake Borgne, La	178, 180
Lake Hicpochee, Fla	142
Lake Mabel, Fla	109
Lake Maurepas, La	183
Lake Okeechobee, Fla	139
Lake Pontchartrain, La	181
Lake Quitman, La	216
Lake Raccourci, La	215
Lake Saint Jean Batiste, La	216
Lake Salvador, La	219
Lake Wimico, Fla	155
Lake Worth Creek, Fla	105
Lake Worth Inlet to Hillsboro Inlet	106, 108
Lake Worth North, Fla	105
Lake Worth South, Fla	106, 107
Lake Wymau, Fla	107
Lands End, S. C	63
Laurel Point, N. C	24
Lavaca Bay, Tex	200
Laws for the protection of aids to navigation	2
Lettuce Lake, Fla	108
Light characteristics	5
Light colors	5
Lignumvitae Key, Fla	115
Little Lake Pass, Miss	181
Little Manatee River, Fla	127
Little Mud River, Ga	73
Little Oyster Lake, Tex	194
Little Pass, Fla	130
Little Pine Key, Fla	117
Little River, N. C	24
Little River-Winyah Bay, S. C	47, 50
Little Sarasota Bay, Fla	124
Little Satilla River, Ga	77
Little Shark River, Fla	118
Little Spanish Key, Fla	117
Live Oak Point, Fla	161

	Page
Log Slough, N. C	16
Loggerhead Key, Fla	147
Lone Oak Channel, N. C	22
Long Bar, Fla	150
Long Bar Shoal, Fla	125
Long Key, Fla	116
Long Key to Cape Sable, Fla	118
Long Key to Harbor Key, Fla	116, 117
Long Point, Lake Borgne, La	179
Long Point, Pamlico River, N. C	31
Long Point, St. Andrew Bay, Fla	157, 159
Long Point, Topsail Sound, N. C	41
Long Point, Wysocking Bay, N. C	27
Long Point Cut, N. C	10
Long Point Shoal, Pamlico Sound, N. C	27
Long Shoal, N. C	27
Longboat Inlet, Fla	125
Lookout Bight, N. C	39
Lower Broad Creek, N. C	15
Lower Flats, Savannah River, Ga	65
Lower Green Spring, N. C	36
Lower Matecumbe, Fla	116
Lower Middle Ground, Charleston Harbor, S. C	56
Lower Middle Ground, Pamlico River, N. C	32
Lower Midnight Channel, N. C	44
Lower Swash Channel, N. C	44
Lump Buoy, Pamlico River, N. C	33
Lumps, The, Core Sound, N. C	39
Mackay Creek, N. C	25
Mackay River, Ga	75
Main Channel, Cedar Keys, Fla	137
Manatee River, Fla	126
Mandalay Channel, Fla	131
Mandeville, Lake Pontchartrain, La	183
Mangrove Point, Fla	123
Manns Harbor Canal, N. C	26
Manteo, N. C	22
Marianne Channel, Miss	176
Marsh Point, Neuse River, N. C	36
Marsh Point, South Creek, N. C	32
Marsh Point, Pamlico River, N. C	31
Masonboro Inlet to Wrightsville, N. C	42
Masonboro, N. C	42
Massalena Bayou, Fla	158
Matagorda Bay, Tex	195, 199
Matanzas Inlet to Mosquito Lagoon, Fla	88, 90
Matanzas River, Fla	85, 88
Matlacha, Fla	123
Mauls Point, N. C	33
Maw Point, N. C	14
McGinty Bank, Fla	115
McIlhenny Canal, La	218
McNeil Point, Fla	127
McWilliams Point, N. C	33
Melbourne, Fla	96
Mermentau River, La	186, 219
Merrill Coquille, Miss	178
Merrill Shell Bank, Miss	178
Mesquite Bay, Tex	202
Miakka River, Fla	123
Miami Bay, Fla	111
Miami Beach, Off, Fla	145
Miami Channels, Fla	100, 111
Miami Harbor, Fla	100, 112
Miami River, Fla	111
Miami Yacht Basin, Fla	110, 111
Micheaud Shoal, La	180
Middle Ground, Pamlico River, N. C	33
Middle Marsh, Ga	69
Middle River, Fla	108
Middle Sound, N. C	41
Midnight Channel, N. C	44
Mile Point, St. Johns River, Fla	83
Military Point, Fla	158
Mill Point, Little River, N. C	24
Mill Point, Scuppernong River, N. C	24
Mississippi Sound, La	174, 175
Mobile Bay, Ala	172
Molasses Key, Fla	116
Monkey Tail Shoal, N. C	22
Moore Haven Channel, Fla	141
Morehead City, N. C	17, 18
Morgan City to Plaquemine, La	221
Moser Channel, Fla	116
Moser Channel to Key West, Fla	147
Mosquito Lagoon, Fla	93
Mosquito Lagoon to Eau Gallie, Fla	93
Mosquito Point, La	217

	Page
Mowry Canal, Fla	112
Mud Flat, N. C	36
Mud Lake, Fla	108
Mud Lake, La	186
Muddy Creek, N. C	33
Muddy Slue, N. C	28
Municipal Pier, Fla	128
Myrtle Sound, N. C	42
Narrows, The, Clearwater Harbor, Fla	130
Nassau Cut-Off, Fla	81
Neuse River, N. C	15, 35
New Bern, N. C	36
New Canal, Lake Pontchartrain, La	181
New Orleans to Sabine	184
New Pass, Fla	125
New River, Fla	108
New River, N. C	20
New River to Cape Fear River, N. C	40, 41
New River, S. C	65
New River Sound, Fla	108
New Teakettle Creek, Ga	72
Newfound Harbor, Fla	147
Newport Marshes, N. C	16
Nine Foot Shoal, Fla	147
Nine-Foot Shoal, N. C	30
Nine-Mile Point, Tex	205
North Anclote, Fla	134
North Bay, Fla	212
North Bend, Ga	66
North Carolina Sounds	21-38
North Creek, N. C	33
North Creek, S. C	60
North Elba Island Training Wall, Ga	66
North Entrance, Anclote Anchorage, Fla	134
North Entrance Cut, N. C	10
North Jupiter Narrows, Fla	103
North Lake Shoal, Fla	141
North Landing River, N. C	8
North Newport River, Ga	70
North Point, Pamlico Sound, N. C	28
North River, Albemarle Sound, N. C	10
North River, Core Sound, N. C	39
North River, Ga	72
North Shoal, Fla	118
North Shore Channel, La	181
Northeast Channel, Cedar Keys, Fla	138
Northeast Creek, N. C	21
Northwest Point Royal Shoal, N. C	27
Notices to Mariners	1
Numbering of buoys	5
Obstruction, Cape Fear River, N. C	44
Obstruction, Croatan Sound, N. C	26
Obstruction, Currituck Sound, N. C	22
Ochlockonee Shoal, Fla	151
Ocracoke, N. C	29
Offatts Bayou, West Bay, Tex	192
Off Miami Beach, Fla	145
Ogeechee River, Ga	69
Oglethorpe, Ga	66
Oil Barge Wreck, Tex	207
Oil Well, Lake Pontchartrain, La	182
Ojus, Fla	109
Old Guard Lock, Tex	188
Old Highway, Fla	143
Old Sweat Bank, Fla	116
Old Teakettle Creek, Ga	72
Oliver Reef, N. C	29
Opposite Hickory Point, N. C	32
Oregon Inlet, N. C	23
Oriental, N. C	35
Otter Creek, N. C	35
Outer Bank, Pensacola Bay, Fla	167
Oxfoot Bank, Fla	118
Oyster Bay, Creek and Lake, Tex	194
Oyster Bayou, La	216
Oyster Creek, N. C	26
Oyster Lake, Tex	194, 199
Pablo Creek, Fla	83
Pains Bay, N. C	27
Palacios, Tex	195, 199
Palm Beach Canal, Fla	140
Palmetto Bank, Fla	116
Palmetto Cut, Fla	127
Pamlico Point, N. C	32
Pamlico River, N. C	32, 33
Pamlico Sound, N. C	27

	Page
Pantego Creek, Pamlico Sound, N. C	13
Parris Island, S. C	64
Parti-colored buoys	5
Pascagoula River Entrance, Miss	175
Pasquotank River, N. C	23
Pass A Grille, Fla	128
Pass aux Herons, Miss	172
Pass Barre, La	216
Pass Manchac, La	183
Pass Marianne, Miss	178
Peace River, Fla	123
Pearl Bayou, Fla	158
Pearl River, La	180
Pecan Island Canal, La	218
Pecan Lake, La	219
Peck Lake, Fla	103
Pelican Bank, Fla	112
Pelican Bank, Harbor River, S. C	61
Pelican Islands, La	215
Pelican Key, Fla	147
Pelican Spit Shoal, Tex	189
Pensacola Bay, Fla	166
Pensacola Bay-Mobile Bay	167
Pensacola Beach, Fla	166
Perdido Entrance, Fla	172
Perquimans River, N. C	24
Petit Lac des Allemands, La	220
Phill Bruce Island, La	215
Pierhead, Fla	128
Pigeon Key, Fla	114, 147
Pigeon Point, La	221
Pine Island Shoal, Fla	123
Pine Island Sound, Fla	121, 122
Piney Point, Fla	161
Piney Point, Neuse River, N. C	15
Pingleton Point, N. C	27
Pipe Line, Bayou Perot, La	220
Pipe Line, Bayou Rigolettes, La	220
Pipe Line, Grand Lake, La	219
Pipe Line, Lake Pontchartrain, La	182
Pirates Cove, Fla	147
Pirates Key, Fla	148
Pithlochascootie River, Fla	134
Plantation Creek, Ga	76
Plymouth Pier, N. C	25
Point of Marsh, N. C	15
Point of Shoal, N. C	29
Ponce de Leon Cut, Fla	91
Poplar Branch, N. C	22
Porpoise Key, Fla	148
Port Arthur Canal, Tex	188
Port Arthur to Galveston	188
Port Battery Creek, S. C	63
Port Bolivar, Tex	189
Port Everglades, Fla	109
Port Lavaca, Tex	200
Port O'Connor, Tex	197
Port O'Connor to Corpus Christi, Tex	203
Port of Palm Beach, Fla	145
Port Royal Sound, S. C	64
Portland Wreck, Tex	199
Possum Point Bayou, La	185
Poverty Reef, Tex	202
Powell Point, N. C	22
Proctor Place, Ga	66
Pumpkin Shoal, Ga	65
Pungo River, N. C	13
Punta Gorda, Fla	123
Punta Rasa, Fla	120, 121
Quarantine Bay, Tex	213
Quatre Bayou Pass, La	214
Queen Creek, N. C	20
Rabbit Island, S. C	50
Raccoon Key, Fla	148
Raccoon Key, Ga	69
Raleigh Wreck, N. C	44
Ramshorn Creek, S. C	65
Ramshorn Shoal, Fla	114
Ransom Channel, N. C	36
Ransoms Point, Tex	211
Reaves Point Channel, N. C	44
Recommendations concerning aids to navigation	2
Redfish Point, St. Andrew Bay, Fla	158
Reed Point, N. C	24
Reedy Point, N. C	25
Reflectors	6
Relds Creek, N. C	17
Restricted Area, Fla	166, 167
Rich Inlet, N. C	41
Rigolets, Miss. Sound, La	179, 181
Roanoke Island, N. C	22
Roanoke Marshes, N. C	26
Roanoke River, N. C	25
Roanoke Sound, N. C	22
Rock Reef, Fla	140
Rockdedundy River, Ga	73
Rockport, Tex	205, 206
Rocks, Croatan Sound, N. C	26
Rocky Bluff, Fla	127
Rodman Point, N. C	33
Rollinson Channel, N. C	28
Round Island, Miss	175
Royal Shoal, N. C	28
Rubicon Keys, Fla	112
Rumley Marsh, N. C	33
Sabine-Neches Canal, Tex	187
Sabine River, La	186
Safety Valve Bank, Fla	112
St. Andrew Bay, Fla	157
St. Andrew Sound, Ga	77
St. Augustine Creek, Ga	67
St. Augustine, Fla	85
St. Catherine Sound, Ga	70
St. George Sound, Fla	152
St. James City Channel, Fla	121
St. Johns River to Matanzas Inlet, Fla	83, 87
St. Joseph Bay, Fla	212
St. Joseph Island, La	178
St. Joseph Sound, Fla	132
St. Lucie Canal, Fla	139
St. Lucie Crossing, Fla	101-103
St. Lucie Inlet to Jupiter Inlet	103-105
St. Lucie Inlet, Fla	102
St. Lucie River, Fla	102
St. Marks River, Fla	149
St. Martin Outer Shoal, Fla	134
St. Martin Reef, Fla	134
St. Marys River, Ga	79
St. Petersburg Harbor, Fla	128
St. Simon Sound, Ga	76
St. Simon Sound-Fernandina	76
Salerno, Fla	102
Salt Bayou, La	188
Salt Point, La	217
Salt Pond Key, Fla	149
Saluria Bayou, Tex	199
Sampit River, S. C	50
Sams Point, Coosaw River, S. C	62
San Antonio Bay, Tex	202, 203
San Bernard River, Tex	194, 198
San Carlos Bay, Fla	120
San Sebastian River, Fla	86
Sands Key, Fla	112
Sandy Key, Fla	118
Sandy Point, La	214
Sanibel Island, Fla	120
Santa Rosa Sound, Fla	162
Sapelo River and Sound, Ga	71
Sarasota Bay and Pass, Fla	125
Satilla River, Ga	77
Saunders Creek, N. C	20
Savannah River, Ga	65
Savannah River to St. Simon Sound	67
Sawpit Creek, Fla	81
Schooner Bank, Fla	118
Schooner Creek, N. C	33
Scofield Pass, La	214
Scuppernong River, N. C	24
Sea Breeze, La	216
Seahorse Reef, Cedar Keys, Fla	137
Second Chain of Islands, Tex	202
Section Base, St. Andrew Bay, Fla	158, 212
Shapes of buoys	4
Shark Shoal, N. C	17
Sheep Island Slue, N. C	31
Shell Island, Barataria Bay, La	215
Shell Key, Fla	115
Shell Point, Apalachee Bay, Fla	151
Shell Point, St. Andrew Bay, Fla	159
Shell Point, N. C	39
Ship Island, Miss	176
Shoal Bayou Channel, Fla	157, 212
Silver Lake, Fla	88
Silver Lake, N. C	30
Sister Creek, Fla	82
Six-Mile Lake, La	221

	Page
Skidaway River and Narrows, Ga	68
Skull Creek, S. C	64
Slocum Creek, N. C	35
Slough, Hatteras Inlet, N. C	29
Smith Creek, Fla	88
Smith Creek, N. C	35
Snipe Key, Fla	149
Snow Marsh Channel, N. C	44
South Amelia River, Fla	80
South Bar, Cedar Keys, Fla	138
South Beach, Fla	149
South Channel, Charleston Harbor, S. C	56
South Channel, Miami, Fla	111
South Channel, Pass Manchac, La	183
South Channel, Savannah River, Ga	66
South Creek, Pamlico Sound, N. C	33
South Edisto River, S. C	60
South Entrance, Anclote Anchorage, Fla	132
South Flats, Pensacola Bay, Fla	166
South Jupiter Narrows, Fla	103
South Newport River, Ga	71
South River, N. C	34
South Shoal, Fla	116, 151
Southeast Dikes, Lake Okeechobee, Fla	140
Southern Branch, Elizabeth River, Va	7
Southport, N. C	44
Southwest Pass-Vermilion Bay, La	218
Southwest Point, Fla	112
Southwest Point Royal Shoal, N. C	27
Spanish Channel to Key West, Fla	148
Spanish Wells, S. C	65
Spit Buoy, Beaufort River, S. C	63
Spit Buoy, Neuse River, N. C	35
Spoil Dump, St. Joseph Bay, Fla	212
Standard Point, N. C	27
Starboard Shoal, Little Manatee River, Fla	127
Station Creek, S. C	61
Station Creek Shoal, S. C	64
Steinhatchee River, Fla	139
Stevenson Point, N. C	24
Stono River, S. C	56
Story River, S. C	61
Stouts Point, La	221
Stranahan River, Fla	108, 109
Stump Sound, N. C	40
Stumpy Point Bay, N. C	27
Sugarloaf Channel, Fla	147
Sulphur Point, West Bay, Fla	158
Sundown Bay, Tex	204
Suwannee Sound and River, Fla	138
Swan Point, Pamlico River, N. C	32
Swan Quarter Bay, Pamlico River, N. C	32
Swansboro, N. C	20
Swash Channel, Ocracoke Inlet, N. C	30
Tangipahoa River, La	183
Tar River, N. C	33
Tarpon Basin, Fla	114
Tarpon Belly Key, Fla	148
Taylor Creek, Fla	141
Taylor Creek, Fort Pierce, Fla	100
Taylors Creek, Core Sound, N. C	39
Tchefuncta River, La	183
Teaches Hole, N. C	29
Terraceia Bay, Fla	126
Terraceia Island Spit, Fla	126
Terraceia Cutoff, Fla	127
Terrebonne Bay, La	216
Terry Creek, Ga	76
Texas Co., La	216, 220
Thompson Cutoff, Fla	143
Thorofare, Pamlico to Core Sound, N. C	31
Thunderbolt Harbor, Ga	68
Tickfaw River, La	183
Tide Tables	1
Timbalier, La	215
Titusville Yacht Basin, Fla	94
Todd Creek, Ga	77
Tolomato River, Fla	83
Tom Creek, N. C	13
Toogoodoo Creek, S. C	59
Topsail Sound, N. C	40
Town Creek, S. C	52
Town Marsh, Gallants Channel, N. C	17
Town Point, Fla	158
Trans-State Waterway, Fla	139
Trent River, N. C	36
Trespalacios Bay, Tex	199
Turnagain Bay, N. C	34
Turn Daybeacon, Fla	132
Turners Creek, Ga	68
Turning Beacon, N. C	43
Turtle Bayou, Tex	206
Turtle Lake, La	218
Umbrella Creek, Ga	77
Unwatched lights	2
Upper Broad Creek, N. C	36
Upper Flats, Ga	66
Upper Green Spring, N. C	36
Upper Island Point, N. C	32
Upper Matecumbe, Fla	115
Upper Middle Ground, N. C	32
Upper Middle Ground, S. C	63
Upper Midnight Channel, N. C	43
Venice Inlet, Fla	124
Venice Inlet to Sarasota Bay, Fla	124
Verdunville Canal, La	221
Vermilion Bay and River, La	218
Vernon River, Ga	69
Virginia Cut, Va	8
Wade Point, Albemarle Sound, N. C	23
Wadmalaw River, S. C	58
Wallace Channel, N. C	30
Walls Cut, S. C	65
Waltz Key, Fla	149
Wappoo Cut, S. C	56
Warren Mill Creek, N. C	25
Water Keys, Fla	148
Waterlily, N. C	22
Watson Bayou, Fla	158
Watts Cut, S. C	60
Wax Bayou, La	185
Well Point, Tex	200
Wells Creek, N. C	22
West Bay, Fla	158
West Bay, Tex	191, 192
West Channel, Sarasota Bay, Fla	125
West Cote Blanche Bay, La	217
West Point, Fla	112
West Rigolets, La	181
West Shoal, Tex	199
West Washerwoman, Fla	147
Western Channel, Neuse River, N. C	36
Western Channel, Winyah Bay, S. C	50
Wetappo River, Fla	155
Whale Head Bay, N. C	22
Whistle buoys	4
White Lake, La	218
White Point, Dawho River, S. C	59
Whiting Key, Fla	149
Wilkinson Point, N. C	35
Wilmington River, Ga	67
Wilmington Short Cut, N. C	43
Windmill Point Shoal, N. C	34
Windy Point, La	221
Winyah Bay, S. C	50
Winyah Bay-Charleston Harbor, S. C	51
Withlocoochee River, Fla	136
Woodley Pier, N. C	25
Wrightsville, N. C	41
Wulfert Channel, Fla	122
Wysocking Bay, N. C	27
Yacht Basin, Fort Pierce, Fla	100
Yacht Basin, Miami Harbor, Fla	110
Yacht Basin, St. Petersburg Harbor, Fla	128

O